



2014 LIST OF LABORATORIES CERTIFIED BY THE LOUISIANA FOR DRINKING WATER ANALYSES – CHEMISTRY



Current as of October 06, 2014

Accutest Laboratories Gulf Coast - Louisiana
500 Ambassador Caffery Pkwy
Scott, LA 70583-8544
(337) 237-4775

Contact Person:
Karen Rodrigue-Varnado
karenrv@accutest.com

EPA Laboratory #: LA00013
TNI Laboratory #: TNI01404

LADHH Primary AB (TNI-NELAP)

Certificate Number: LA140022

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Cadmium	EPA 200.8	ICP-MS	Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS
Copper	EPA 200.8	ICP-MS	Fluoride	EPA 300.0	IC-COND	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite asN	SM 4500-NO ₃ ⁻ E	UV-VIS	Selenium	EPA 200.8	ICP-MS
Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS
Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Vanadium	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD

1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.3	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS
Carbon Tetrachloride	EPA 524.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromoacetic Acid	EPA 552.3	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
sec-Butylbenzene	EPA 524.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.3	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.3	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

ALS Group USA, Corporation dba ALS Environmental Houston HRMS
19408 Park Row Suite 320
Houston , TX 77084
(713) 266-1599

Contact Person:
Rebecca Pierrot
rebecca.pierrot@alsglobal.com

EPA Laboratory #: TX02694
TNI Laboratory #: TNI00027

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140014

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS						

ALS Laboratory Group, Environmental Division
 4388 Glendale-Milford Road
 Cincinnati, OH 45242
 (513) 733-5336

Contact Person:
 Tracey Earle
 tracey.earle@alsglobal.com

EPA Laboratory #: OH01323
 TNI Laboratory #: TNI01683

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140019

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech	Analyte	Method	Tech	Analyte	Method	Tech.
Asbestos	EPA 100.1	TEM	Asbestos	EPA 100.2	TEM			

American Radiation Services, LLC
 2609 North River Road
 Port Allen, LA 70767
 (225) 381-2991

Contact Person:
 Carolyn Dicharry
 cdicharry@amrad.com

EPA Laboratory #: LA01131
 TNI Laboratory #: TNI00266

LADHH Primary AB (TNI-NELAP)

Certificate Number: LA140020

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Barium-133	EPA 901.1	GS-HR	Cesium-134	EPA 901.1	GS-HR	Cesium-137	EPA 901.1	GS-HR
Cobalt-60	EPA 901.1	GS-HR	Gamma Emitters	EPA 901.1	GS-HR	Gross Alpha	EPA 900.0	PC
Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.1	ASC	Radium-228	EPA 904.0	PC
Strontium-89	EPA 905.0	PC	Strontium-90	EPA 905.0	PC	Total Alpha Radium	EPA 903.0	PC
Tritium	EPA 906.0	LSC	Uranium (nat)	EPA 200.8	ICP-MS	Zinc-65	EPA 901.1	GS-HR

American Water Central Laboratory
1115 South Illinois Street
Belleville, IL 62220
(618) 235-3600

Contact Person:
Cindy Nettrour
cindy.nettrour@amwater.com

EPA Laboratory #: IL00028
TNI Laboratory #: TNI02194

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140006

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chloride	EPA 300.0	IC-COND	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER
Conductivity	SM 2510B	COND	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND
Fluoride	SM 4500-F ⁻ C	ISE	Hardness as CaCO ₃ (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER
Hardness as CaCO ₃ (total)	EPA 200.7	ICP-AES	Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Molybdenum	EPA 200.8	ICP-MS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
Perchlorate	EPA 314.0	IC-COND	pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES
Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB
Uranium	EPA 200.8	ICP-MS	UV254	SM 5910B	UV/VIS	Zinc	EPA 200.8	ICP-MS

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS

1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.3	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR
Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD
Chloroacetic Acid	EPA 552.3	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.3	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.3	GC-ECD
Dichloroacetic Acid	EPA 552.3	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.3	GC-ECD	Diquat	EPA 549.2	HPLC-UV
Endothall	EPA 548.1	GC-MS	Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 525.2	GC-MS
Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.1	HPLC-FLUOR
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD	Propachlor	EPA 525.2	GC-MS
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.3	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.3	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

Ana-Lab Corporation
2600 Dudley Road
Kilgore, TX 75662
(903) 984-0551

Contact Person:
Tracey Varvel
tvarvel@ana-lab.com

EPA Laboratory #: TX00063
TNI Laboratory #: TNI00014

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140012

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.1	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl F	TITR	Chlorine (total residual)	SM 4500-Cl F	TITR
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.8	ICP-MS	Conductivity	SM 2510B	COND
Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	SM 4500-CN E	UV-VIS
Cyanide (amenable)	SM 4500-CN G	OTHER	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND
Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	EPA 130.2	TITR	Hardness as CaCO ₃ (total)	SM 2340B	OTHER
Hardness as CaCO ₃ (total)	SM 2340C	TITR	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND
Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 300.0	IC-COND	Perchlorate	EPA 314.0	IC-COND	Perchlorate	EPA 331.0	LC/ESI/MS
pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES	Residue-Filterable (TDS)	EPA 160.1	GRAV
Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS
Temperature	SM 2550B	OTHER	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
Turbidity	SM 2130B	TURB	UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.8	ICP-MS						

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 508	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.1	GC-ECD
Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 525.2	GC-MS
Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methiocarb	EPA 531.1	HPLC-FLUOR	Methomyl	EPA 531.1	HPLC-FLUOR
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.1	HPLC-FLUOR	Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD
Propachlor	EPA 525.2	GC-MS	Propoxur (Baygon)	EPA 531.1	HPLC-FLUOR	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.1	GC-ECD	Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD

Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

Benchmark Analytics, Inc.
4777 Saucon Creek Road
Center Valley, PA 18034
(610) 974-8100

Contact Person:
Tiffany Barnes
t.barnes@benchmarkanalyticlabs.com

EPA Laboratory #: PA00153
TNI Laboratory #: TNI02120

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140018

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS
Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS	Boron	EPA 200.7	ICP-AES
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND	Cadmium	EPA 200.7	ICP-AES
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS
Chlorite	EPA 300.0	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES
Cyanide	SM 4500-CN ⁻ C	OTHER	Cyanide	SM 4500-CN ⁻ E	UV-VIS	Cyanide (amenable)	SM 4500-CN ⁻ G	OTHER
Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (total)	SM 2340C	TITR
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES
Manganese	EPA 200.7	ICP-AES	Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 353.2	AUTO
Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	SM 4500-NO ₂ ⁻ B	UV-VIS	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 300.0	IC-COND	Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 314.0	IC-COND
pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES	Residue-Filterable (TDS)	SM 2540C	GRAV
Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES	Silica as SiO ₂	SM 4500-SiO ₂ C	UV-VIS
Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS	Temperature	SM 2550B	OTHER
Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB

UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.7	ICP-AES	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 505	GC-ECD
Aldrin	EPA 505	GC-ECD	Atrazine	EPA 505	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 505	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.3	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 505	GC-ECD	Dinoseb	EPA 515.3	GC-ECD
Endrin	EPA 505	GC-ECD	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 505	GC-ECD
Heptachlor	EPA 505	GC-ECD	Heptachlor Epoxide	EPA 505	GC-ECD	Hexachlorobenzene	EPA 505	GC-ECD
Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 505	GC-ECD	Isopropylbenzene	EPA 524.2	GC-MS
Methoxychlor	EPA 505	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD	Simazine	EPA 505	GC-ECD
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	EPA 900.0	PC	Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.0	PC
Radium-228	EPA 904.0	PC	Radon-222	SM 7500-Rn B	LSC	Total Alpha Radium	EPA 903.0	PC
Tritium	EPA 906.0	LSC	Uranium (nat)	EPA 200.8	ICP-MS	Uranium (nat)	EPA 908.0	PC

City of Fort Worth Water Department Centralized Water & Wastewater Laboratory
2600 S.E. Loop 820
Fort Worth, TX 76140
(817) 392-5900

Contact Person:
Connie Dunn
connie.dunn@fortworthtexas.gov

EPA Laboratory #: TX00017
TNI Laboratory #: TNI00013

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140015

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND
Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS	Chromium	EPA 200.8	ICP-MS
Copper	EPA 200.8	ICP-MS	Fluoride	EPA 300.0	IC-COND	Fluoride	SM 4500-F C	ISE
Hardness as CaCO ₃ (total)	SM 2340C	TITR	Lead	EPA 200.8	ICP-MS	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO	Orthophosphate as P	EPA 300.0	IC-COND
Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND
Thallium	EPA 200.8	ICP-MS	Turbidity	SM 2130B	TURB			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS

1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 525.2	GC-MS	Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methoxychlor	EPA 525.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
Pentachlorophenol	EPA 525.2	GC-MS	Propachlor	EPA 525.2	GC-MS	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

Crisp Analytical Labs, LLC
1929 Old Denton Road
Carrollton, TX 75006
(972) 242-2754

Contact Person:
Leslie Crisp
crispaboss@aol.com

EPA Laboratory #: TX01402
TNI Laboratory #: TNI02238

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140003

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech	Analyte	Method	Tech	Analyte	Method	Tech.
Asbestos	EPA 100.2	TEM						

Curtis Environmental Services, Inc.
185 Belle Terre Boulevard
LaPlace, LA 70068
(985) 653-0000

Contact Person:
Michael Goldsmith
michael.goldsmith@curtislab.com

EPA Laboratory #: LA00955
TNI Laboratory #: N/A

LADHH Primary AB (STATE)

Certificate Number: LA140026

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO3	SM2320B	TITR	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Turbidity	SM 2130B	TURB

Dow Chemical-Louisiana Operations-Plaquemine
Louisiana Highway 1, PO Box 4000
Plaquemine, LA 70765
(225) 353-0000

Contact Person:
Kevin Winnett
wkwinnett@dow.com

EPA Laboratory #: LA00965
TNI Laboratory #: N/A

LADHH Primary AB (STATE)

Certificate Number: LA140012

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Total Organic Carbon (TOC)	SM 5310B	TOC-IR						

EMSL Analytical, Inc.
200 Route 130 North
Cinnaminson, NJ 08077
(856) 220-3675

Contact Person:
Bonnie Soles
bsoles@emsl.com

EPA Laboratory #: NJ00337
TNI Laboratory #: TNI01273

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140011

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech	Analyte	Method	Tech	Analyte	Method	Tech.
Asbestos	EPA 100.1	TEM	Asbestos	EPA 100.2	TEM			

Entek Environmental Laboratories
14285 Airline Highway
Baton Rouge, LA 70817
(225) 756-2706

Contact Person:
Juliette Schwaller
juliette.entek@gmail.com

EPA Laboratory #: LA00029
TNI Laboratory #: N/A

LADHH Primary AB (STATE)

Certificate Number: LA140025

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	SM 3113B	GFAAS
Arsenic	SM 3113B	GFAAS	Barium	EPA 200.7	ICP-AES	Beryllium	EPA 200.7	ICP-AES
Boron	EPA 200.7	ICP-AES	Cadmium	EPA 200.7	ICP-AES	Calcium	SM 3111B	FAAS
Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.7	ICP-AES	Copper	EPA 200.7	ICP-AES
Cyanide	SM 4500-CN ⁻ E	UV-VIS	Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER
Iron	EPA 200.7	ICP-AES	Lead	SM 3113B	GFAAS	Magnesium	SM 3111B	FAAS
Manganese	EPA 200.7	ICP-AES	Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES
Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER
Orthophosphate as P	SM 4500-P E	UV-VIS	pH	EPA 150.1	ISE	pH	SM 4500-H ⁺ B	ISE
Potassium	SM 3111B	FAAS	Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	SM 3113B	GFAAS
Silver	SM 3111B	FAAS	Sodium	SM 3111B	FAAS	Sulfate	EPA 300.0	IC-COND
Turbidity	SM 2130B	TURB	Zinc	EPA 200.7	ICP-AES			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2-Chlorotoluene	EPA 524.2	GC-MS
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS

Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Styrene	EPA 524.2	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

Environmental Science Corporation
12065 Lebanon Road
Mt. Juliet, TN 37122
(615) 758-5858

Contact Person:
Shari Pfalmer
spfalmer@esclabsciences.com

EPA Laboratory #: TN00003
TNI Laboratory #: TNI01354

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140029

Issue Date: 06-04-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS
Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chloride	EPA 300.0	IC-COND	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chromium	EPA 200.7	ICP-AES
Chromium	EPA 200.8	ICP-MS	Chromium (VI)	EPA 218.6	IC-UV	Color	SM 2120B	OTHER
Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Cyanide	EPA 335.4	AUTO	Cyanide	SM 4500-CN ⁻ C	OTHER	Cyanide	SM 4500-CN ⁻ E	UV-VIS
Cyanide (amenable)	SM 4500-CN ⁻ G	OTHER	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID	Fluoride	EPA 300.0	IC-COND
Fluoride	SM 4110B	IC-COND	Hardness as CaCO ₃ (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO ₃ (total)	EPA 200.7	ICP-AES
Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	SM 2340C	TITR	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES

Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO
Nitrate as N	SM 4110B	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 353.2	AUTO
Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO	Nitrite as N	SM 4110B	IC-COND
Odor	SM 2150B	OTHER	Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 314.0	IC-COND
pH	EPA 150.1	ISE	pH	SM 4500-H ⁺ B	ISE	Residue-Filterable (TDS)	SM 2540C	GRAV
Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Sulfate	SM 4110B	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS
Total Organic Carbon (TOC)	SM 5310C	TOC-FID	Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB
UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

Organic Parameters

1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

Eurofins Eaton Analytical, Inc.
750 Royal Oaks Drive Suite 100
Monrovia, CA 91016
(626) 386-1100

Contact Person:
Alma Capati
alma.capati@eurofinsus.com

EPA Laboratory #: CA00006
TNI Laboratory #: TNI01223

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140009

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Asbestos	EPA 100.2	TEM
Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES
Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND	Bromate	EPA 317.0	IC-COND
Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.7	ICP-AES
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine Dioxide	SM 4500-ClO ₂ C	TITR
Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.0	IC-COND
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Chromium (VI)	EPA 218.6	IC-UV	Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES
Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	EPA 335.4	AUTO
Cyanide	SM 4500-CN ⁻ F	ISE	Cyanide (amenable)	SM 4500-CN ⁻ G	OTHER	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID
Fluoride	EPA 300.0	IC-COND	Fluoride	SM 4500-F ⁻ C	ISE	Hardness as CaCO ₃ (calcium)	EPA 200.7	ICP-AES
Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	EPA 200.7	ICP-AES	Hardness as CaCO ₃ (total)	SM 2340B	OTHER
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES
Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND
Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 353.2	AUTO
Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO	Orthophosphate as P	EPA 365.1	AUTO
Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 314.0	IC-COND	Perchlorate	EPA 331.0	LC/ESI/MS
pH	EPA 150.1	ISE	pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES
Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES
Silica as SiO ₂	SM 4500-Si D	UV-VIS	Silica as SiO ₂	SM 4500-SiO ₂ C	UV-VIS	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND

Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB	UV254	SM 5910B	UV/VIS
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.3	GC-MS
1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1,2-Trichloroethane	EPA 524.3	GC-MS
1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.3	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.3	GC-MS
1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DB	EPA 504.1	GC-ECD	1,2-Dibromo-3-chloropropane (DBCP	EPA 551.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 551.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichlorobenzene	EPA 524.3	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.3	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.3	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.3	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS
2,4-D	EPA 515.4	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 505	GC-ECD
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 505	GC-ECD	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Bentazon	EPA 515.4	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzene	EPA 524.3	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS
Bromoacetic Acid	SM 6251B	GC-ECD	Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	SM 6251B	GC-ECD
Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 551.1	GC-ECD
Bromoform	EPA 524.2	GC-MS	Bromoform	EPA 551.1	GC-ECD	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Carbon Tetrachloride	EPA 524.3	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD	Chlordane (tech.)	EPA 525.2	GC-MS
Chloroacetic Acid	SM 6251B	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.3	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	Chloroform	EPA 551.1	GC-ECD
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.3	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.4	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	SM 6251B	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromochloromethane	EPA 551.1	GC-ECD	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.4	GC-ECD	Dichloroacetic Acid	SM 6251B	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.3	GC-MS	Dieldrin	EPA 505	GC-ECD
Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.4	GC-ECD	Diquat	EPA 549.2	HPLC-UV

Endothall	EPA 548.1	GC-MS	Endrin	EPA 505	GC-ECD	Endrin	EPA 525.2	GC-MS
Ethylbenzene	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.3	GC-MS	gamma-BHC (Lindane)	EPA 505	GC-ECD
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 505	GC-ECD
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 505	GC-ECD	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 505	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.4	GC-ECD	Pentachlorophenol	EPA 525.2	GC-MS	Picloram	EPA 515.4	GC-ECD
Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.4	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	Styrene	EPA 524.3	GC-MS
tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.3	GC-MS
Toluene	EPA 524.2	GC-MS	Toluene	EPA 524.3	GC-MS	Total Haloacetic Acids (HAA5)	SM 6251B	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.3	GC-MS	Total Trihalomethanes (THMs)	EPA 551.1	GC-ECD
Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.3	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	SM 6251B	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichloroethylene	EPA 524.3	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.3	GC-MS	Xylenes (total)	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.3	GC-MS

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC	Gross Beta	EPA 900.0	PC
Radium-226	GA	GS-HR	Radium-228	GA	GS-HR	Radon-222	SM 7500-Rn B	LSC
Uranium (nat)	EPA 200.8	ICP-MS						

Eurofins Eaton Analytical, Inc. - South Bend
110 South Hill Street
South Bend, IN 46617
(574) 233-4777

Contact Person:
Dale Piechocki
dale.r.piechocki@ul.com

EPA Laboratory #: IN00035
TNI Laboratory #: TNI00617

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140002

Issue Date: 05-12-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromate	EPA 317.0	IC-COND	Bromide	EPA 300.0	IC-COND
Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS
Chlorite	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS	Chromium (VI)	EPA 218.6	IC-UV
Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND	Copper	EPA 200.8	ICP-MS
Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID
Fluoride	EPA 300.0	IC-COND	Fluoride	SM 4500-F ⁻ C	ISE	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER
Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND
Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 353.2	AUTO
Orthophosphate as P	SM 4500-P E	UV-VIS	Perchlorate	EPA 331.0	LC/ESI/MS	pH	EPA 150.1	ISE
Potassium	EPA 200.7	ICP-AES	Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS
Silica as SiO ₂	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
Turbidity	EPA 180.1	TURB	Uranium	EPA 200.8	ICP-MS	UV254	SM 5910B	UV/VIS
Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS			
Zinc	EPA 200.8	ICP-MS						

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS	2,4-D	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS
Bentazon	EPA 515.3	GC-ECD	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 551.1	GC-ECD	Bromoform	EPA 524.2	GC-MS	Bromoform	EPA 551.1	GC-ECD
Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR
Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 505	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
Chloroform	EPA 551.1	GC-ECD	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromochloromethane	EPA 551.1	GC-ECD	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.3	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.3	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 525.2	GC-MS
Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 525.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.2	HPLC-FLUOR	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 525.2	GC-MS
Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS
Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS	Molinate	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD	Pentachlorophenol	EPA 515.3	GC-ECD
Picloram	EPA 515.3	GC-ECD	Propachlor	EPA 525.2	GC-MS	Propoxur (Baygon)	EPA 531.2	HPLC-FLUOR
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.3	GC-ECD	Simazine	EPA 525.2	GC-MS

Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS
Total Trihalomethanes (THMs)	EPA 551.1	GC-ECD	Toxaphene	EPA 505	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	SM 7110B	PC	Gross Alpha	SM 7110C	PC	Gross Beta	SM 7110B	PC
Radium-226	SM 7500-Ra B	PC	Radium-228	SM 7500-Ra D	PC	Radon-222	SM 7500-Rn B	LSC
Tritium	EPA 906.0	LSC	Uranium (nat)	EPA 200.8	ICP-MS			

GEL Laboratories, LLC
2040 Savage Road
Charleston, SC 29407
(843) 556-8171

Contact Person:
Nancy Mattern
nancy.mattern@gel.com

EPA Laboratory #: SC00012
TNI Laboratory #: TNI00188

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140005

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Bromide	EPA 300.0	IC-COND	Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl G	UV-VIS
Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Color	EPA 110.2	OTHER	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Fluoride	EPA 300.0	IC-COND
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Manganese	EPA 200.7	ICP-AES

Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS	Mercury	EPA 245.2	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 300.0	IC-COND	Perchlorate	EPA 314.0	IC-COND	pH	EPA 150.1	ISE
Residue-Filterable (TDS)	EPA 160.1	GRAV	Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS
Silica as SiO ₂	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS
Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND	Thallium	EPA 200.8	ICP-MS
Turbidity	EPA 180.1	TURB	Turbidity	SM 2130B	TURB	Uranium	EPA 200.8	ICP-MS
Vanadium	EPA 200.7	ICP-AES	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Benzene	EPA 524.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS
cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dichloroacetic Acid	EPA 552.2	GC-ECD
Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Cesium-134	EPA 901.1	GS-HR	Cesium-137	EPA 901.1	GS-HR	Gamma Emitters	EPA 901.1	GS-HR
Gross Alpha	EPA 00-02	PC	Gross Alpha	EPA 900.0	PC	Gross Beta	EPA 900.0	PC
Radioactive Iodine (Iodine-131)	EPA 901.1	GS-HR	Radioactive Iodine (Iodine-131)	EPA 902.0	PC	Radium-226	EPA 903.1	ASC
Radium-228	EPA 904.0	PC	Radon-222	SM 7500-Rn B	LSC	Strontium-89	EPA 905.0	PC
Strontium-90	EPA 905.0	PC	Tritium	EPA 906.0	LSC	Uranium (nat)	ASTM D5174-02	LP
Uranium (nat)	ASTM D5174-97	LP	Uranium (nat)	DOE U-02	AS	Uranium (nat)	EPA 200.8	ICP-MS

Hoffman Analytic Serices, Inc. dba Alloway
1776 Marion-Waldo Road
Marion, OH 43302
(740) 389-5991

Contact Person:
Rhonda Morris
rhonda.morris@alloway.com

EPA Laboratory #: OH01320
TNI Laboratory #: TNI01646

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140027

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS
Beryllium	EPA 200.8	ICP-MS	Bromate	EPA 300.1	IC-COND	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.0	IC-COND	Chlorate	EPA 300.1	IC-COND
Chloride	EPA 300.0	IC-COND	Chlorite	EPA 300.0	IC-COND	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Cyanide	EPA 335.4	AUTO
Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Fluoride	SM 4500-F ⁻ C	ISE	Hardness as CaCO ₃ (calcium)	EPA 200.7	ICP-AES
Hardness as CaCO ₃ (calcium)	SM 3120B	ICP-AES	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.7	ICP-AES	Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 353.2	AUTO	Nitrite as N	EPA 353.2	AUTO
Odor	SM 2150B	OTHER	Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS
Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES

Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS
Total Organic Carbon (TOC)	SM 5310B	TOC-IR	UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR
4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS
Aldicarb	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR
Aldrin	EPA 508	GC-ECD	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 508	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508	GC-ECD	Dinoseb	EPA 515.1	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 508	GC-ECD
Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD	Glyphosate	EPA 547	HPLC-FLUOR
Heptachlor	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 508	GC-ECD	Hexachlorobenzene	EPA 508	GC-ECD
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 508	GC-ECD
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.2	HPLC-FLUOR
Methoxychlor	EPA 508	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS
Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508	GC-ECD	PCBs as Decachlorobiphenyl	EPA 508A	GC-ECD
Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD	Propachlor	EPA 508	GC-ECD

Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.1	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

Jefferson Parish Water Quality Lab
3600 Jefferson Highway Building E
Jefferson, LA 70121
(504) 838-4300

Contact Person:
Salvador Maffei
smaffei@jeffparish.net

EPA Laboratory #: LA00002
TNI Laboratory #: N/A

LADHH Primary AB (STATE)

Certificate Number: LA140017

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Aluminum (interim)	EPA 200.8	ICP-MS	Antimony (interim)	EPA 200.8	ICP-MS	Arsenic (interim)	EPA 200.8	ICP-MS
Barium(interim)	EPA 200.8	ICP-MS	Beryllium (interim)	EPA 200.8	ICP-MS	Cadmium (interim)	EPA 200.8	ICP-MS
Chromium (interim)	EPA 200.8	ICP-MS	Copper (interim)	EPA 200.8	ICP-MS	Dissolved Organic Carbon (DOC)	SM 5310C	TOC-FID
Lead (interim)	EPA 200.8	ICP-MS	Manganese (interim)	EPA 200.8	ICP-MS	Mercury (interim)	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Molybdenum(interim)	EPA 200.8	ICP-MS	Nickel (interim)	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND	Selenium (interim)	EPA 200.8	ICP-MS
Silver (interim)	EPA 200.8	ICP-MS	Thallium (interim)	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
UV254	SM 5910B	UV/VIS	Vanadium (interim)	EPA 200.8	ICP-MS	Zinc (interim)	EPA 200.8	ICP-MS

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alachlor	EPA 505	GC-ECD	Atrazine	EPA 505	GC-ECD	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromodichloromethane	EPA 502.2	GC-ELCD/PID	Bromoform	EPA 502.2	GC-ELCD/PID
Chloroacetic Acid	EPA 552.2	GC-ECD	Chloroform	EPA 502.2	GC-ELCD/PID	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 502.2	GC-ELCD/PID	Dichloroacetic Acid	EPA 552.2	GC-ECD	Simazine	EPA 505	GC-ECD
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 502.2	GC-ELCD/PID	Trichloroacetic Acid	EPA 552.2	GC-ECD

National Testing Laboratories, Ltd.
556 South Mansfield Street
Ypsilanti, MI 48197
(734) 483-8333

Contact Person:
Chrissy MacMillan
cmacmillan@ntllabs.com

EPA Laboratory #: MI00044
TNI Laboratory #: TNI02138

LADHH Primary AB (TNI-NELAP)

Certificate Number: LA140021

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Antimony	EPA 200.8	ICP-MS
Antimony	SM 3113B	GFAAS	Arsenic	EPA 200.8	ICP-MS	Arsenic	SM 3113B	GFAAS
Barium	EPA 200.7	ICP-AES	Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES
Beryllium	EPA 200.8	ICP-MS	Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND
Bromate	EPA 326.0	IC-UV/VIS	Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine Dioxide	SM 4500-ClO ₂ C	TITR
Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER
Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	SM 2340C	TITR
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Lead	SM 3113B	GFAAS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND
Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND	pH	EPA 150.1	ISE
Potassium	EPA 200.7	ICP-AES	Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS
Selenium	SM 3113B	GFAAS	Silica as SiO ₂	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310C	TOC-FID
Turbidity	SM 2130B	TURB	Uranium	EPA 200.8	ICP-MS	Vanadium	EPA 200.7	ICP-AES
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD
1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS
1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS
2,4-D	EPA 515.2	GC-ECD	2,4-D	EPA 515.4	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 508.1	GC-ECD	Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 505	GC-ECD
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 508.1	GC-ECD	Atrazine	EPA 525.2	GC-MS
Bentazon	EPA 515.2	GC-ECD	Bentazon	EPA 515.4	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 508.1	GC-ECD	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 505	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.4	GC-ECD	Dalapon	EPA 552.2	GC-ECD
Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS
Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.2	GC-ECD	Dicamba	EPA 515.4	GC-ECD
Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 505	GC-ECD	Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.2	GC-ECD
Dinoseb	EPA 515.4	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 505	GC-ECD	Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
gamma-BHC (Lindane)	EPA 505	GC-ECD	gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR
Heptachlor	EPA 505	GC-ECD	Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 505	GC-ECD
Heptachlor Epoxide	EPA 525.2	GC-MS	Hexachlorobenzene	EPA 505	GC-ECD	Hexachlorobenzene	EPA 525.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 505	GC-ECD	Hexachlorocyclopentadiene	EPA 525.2	GC-MS
Isopropylbenzene	EPA 524.2	GC-MS	Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 505	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 508.1	GC-ECD	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 508.1	GC-ECD	Metribuzin	EPA 525.2	GC-MS	Molinate	EPA 508.1	GC-ECD

Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS
n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 505	GC-ECD
Pentachlorophenol	EPA 515.2	GC-ECD	Pentachlorophenol	EPA 515.4	GC-ECD	Pentachlorophenol	EPA 525.2	GC-MS
Picloram	EPA 515.2	GC-ECD	Picloram	EPA 515.4	GC-ECD	Propachlor	EPA 508.1	GC-ECD
Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.2	GC-ECD
Silvex (2,4,5-TP)	EPA 515.4	GC-ECD	Simazine	EPA 508.1	GC-ECD	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Thiobencarb	EPA 508.1	GC-ECD	Thiobencarb	EPA 525.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 505	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 505	GC-ECD
Trifluralin	EPA 525.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS

NovaChem Laboratories, Inc.
5172 College Corner Pike
Oxford, OH 45056
(513) 523-3605

Contact Person:
Bernard Bubnis
bbubnis@novachemlabs.com

EPA Laboratory #: OH00286
TNI Laboratory #: TNI01198

LADHH Primary AB (TNI-NELAP)

Certificate Number: LA140024

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND	Chlorate	EPA 300.1	IC-COND
Chlorite	EPA 300.1	IC-COND						

Pace Analytical Services, Inc.-Florida
8 East Tower Circle
Ormond Beach, FL 32174
(386) 672-5668

Contact Person:
Lynn Baylor
lynn.baylor@pacelabs.com

EPA Laboratory #: FL01264
TNI Laboratory #: TNI00459

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140004

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chlorine (free residual)	SM 4500-Cl D	AMP
Chlorine (total residual)	SM 4500-Cl D	AMP	Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES
Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Fluoride	EPA 300.0	IC-COND
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (calcium)	EPA 200.7	ICP-AES	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER
Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS
Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS
Mercury	EPA 245.1	CVAAS	Nickel	EPA 200.7	ICP-AES	Nickel	EPA 200.8	ICP-MS
Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND	Nitrite as N	EPA 353.2	AUTO
Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND	Orthophosphate as P	EPA 365.1	AUTO
pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES	Selenium	EPA 200.8	ICP-MS
Silica as SiO ₂	EPA 200.7	ICP-AES	Silica as SiO ₂	SM 4500-Si D	UV-VIS	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310B	TOC-IR
Turbidity	EPA 180.1	TURB	UV254	SM 5910B	UV/VIS	Zinc	EPA 200.7	ICP-AES
Zinc	EPA 200.8	ICP-MS						

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.3	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 508.1	GC-ECD	Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR	Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 508.1	GC-ECD
Bentazon	EPA 515.3	GC-ECD	Benzene	EPA 524.2	GC-MS	Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS
Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD	Bromobenzene	EPA 524.2	GC-MS
Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 508.1	GC-ECD	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.1	HPLC-FLUOR	Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 508.1	GC-ECD	Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.3	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.3	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508.1	GC-ECD	Dieldrin	EPA 525.2	GC-MS
Dinoseb	EPA 515.3	GC-ECD	Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS
Endrin	EPA 508.1	GC-ECD	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508.1	GC-ECD
Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 508.1	GC-ECD	Heptachlor Epoxide	EPA 508.1	GC-ECD
Hexachlorobenzene	EPA 508.1	GC-ECD	Hexachlorobutadiene	EPA 524.2	GC-MS	Hexachlorocyclopentadiene	EPA 508.1	GC-ECD
Isopropylbenzene	EPA 524.2	GC-MS	Methiocarb	EPA 531.1	HPLC-FLUOR	Methomyl	EPA 531.1	HPLC-FLUOR
Methoxychlor	EPA 508.1	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 508.1	GC-ECD	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 508.1	GC-ECD	Metribuzin	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR
PCBs as Aroclors (screen)	EPA 508.1	GC-ECD	Pentachlorophenol	EPA 515.3	GC-ECD	Picloram	EPA 515.3	GC-ECD
Propachlor	EPA 508.1	GC-ECD	Propachlor	EPA 525.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Silvex (2,4,5-TP)	EPA 515.3	GC-ECD	Simazine	EPA 508.1	GC-ECD	Styrene	EPA 524.2	GC-MS

tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS
Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508.1	GC-ECD
trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.1	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

Pace Analytical Services, Inc.-Minneapolis
1700 Elm Street SE Suite 200
Minneapolis, MN 55414
(612) 607-1700

Contact Person:
Cynthia Kunakom
cynthia.kunakom@pacelabs.com

EPA Laboratory #: MN00064
TNI Laboratory #: TNI00223

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140001

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Aluminum	EPA 200.8	ICP-MS	Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.8	ICP-MS	Cadmium	EPA 200.8	ICP-MS
Chloride	EPA 300.0	IC-COND	Chromium	EPA 200.8	ICP-MS	Copper	EPA 200.8	ICP-MS
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Lead	EPA 200.8	ICP-MS
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrite as N	EPA 300.0	IC-COND
Selenium	EPA 200.8	ICP-MS	Silver	EPA 200.8	ICP-MS	Sulfate	EPA 300.0	IC-COND
Thallium	EPA 200.8	ICP-MS	Zinc	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS
1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS
1,4-Dichlorobenzene	EPA 524.2	GC-MS	2,2-Dichloropropane	EPA 524.2	GC-MS	2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS

2-Chlorotoluene	EPA 524.2	GC-MS	4-Chlorotoluene	EPA 524.2	GC-MS	Benzene	EPA 524.2	GC-MS
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlorobenzene	EPA 524.2	GC-MS
Chloroethane	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS
Hexachlorobutadiene	EPA 524.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	sec-Butylbenzene	EPA 524.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS
Vinyl Chloride	EPA 524.2	GC-MS	Xylenes (total)	EPA 524.2	GC-MS			

Pace Analytical Services, Inc.-Pittsburgh
1638 Roseytown Road Suites 2,3,&4
Greensburg, PA 15601
(724) 850-5600

Contact Person:
Nasreen DeRubeis
nasreen.derubeis@pacelabs.com

EPA Laboratory #: PA01457
TNI Laboratory #: TNI02141

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140008

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gamma Emitters	EPA 901.1	GS-HR	Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC
Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.0	PC	Radium-226	EPA 903.1	ASC
Radium-228	EPA 904.0	PC	Radon-222	SM 7500-Rn B		Strontium-90	EPA 905.0	PC
Total Alpha Radium	EPA 903.0	PC	Tritium	EPA 906.0		Uranium (nat)	ASTM D5174-97	LP
Uranium (nat)	EPA 908.0	PC						

Summit Environmental Technologies, Inc.
3310 Win Street
Cuyahoga Falls, OH 44223
(330) 253-8211

Contact Person:
Meegan Dougherty
mdougherty@settek.com

EPA Laboratory #: OH00923
TNI Laboratory #: TNI00583

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140016

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.0	IC-COND
Bromide	EPA 300.1	IC-COND	Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS
Calcium	EPA 200.7	ICP-AES	Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND
Chlorine (free residual)	SM 4500-Cl G	UV-VIS	Chlorine (total residual)	SM 4500-Cl G	UV-VIS	Chlorite	EPA 300.1	IC-COND
Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS	Color	SM 2120B	OTHER
Conductivity	SM 2510B	COND	Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS
Corrosivity (Langlier Index)	SM 2330B	OTHER	Cyanide	SM 4500-CN ⁻ E	UV-VIS	Cyanide (amenable)	SM 4500-CN ⁻ G	OTHER
Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (calcium)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	SM 2340B	OTHER
Iron	EPA 200.7	ICP-AES	Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES
Manganese	EPA 200.7	ICP-AES	Manganese	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 300.0	IC-COND	Odor	SM 2150B	OTHER	Orthophosphate as P	EPA 300.0	IC-COND
Perchlorate	EPA 314.0	IC-COND	pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES
Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES	Silver	EPA 200.7	ICP-AES
Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES	Sulfate	EPA 300.0	IC-COND
Surfactants-MBAS	SM 5540C	UV-VIS	Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310B	TOC-IR
Turbidity	EPA 180.1	TURB	Vanadium	EPA 200.7	ICP-AES	Vanadium	EPA 200.8	ICP-MS
Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS			

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,2-Trichloroethane	EPA 524.2	GC-MS
1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS	1,1-Dichloropropene	EPA 524.2	GC-MS
1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS
1,2,4-Trimethylbenzene	EPA 524.2	GC-MS	1,2-Dibromo-3-chloropropane (DB	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD
1,2-Dichlorobenzene	EPA 524.2	GC-MS	1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS
1,3,5-Trimethylbenzene	EPA 524.2	GC-MS	1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS	2,4-D	EPA 515.1	GC-ECD
2-Chlorotoluene	EPA 524.2	GC-MS	3-Hydroxycarbofuran	EPA 531.2	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS
4-Isopropyltoluene	EPA 524.2	GC-MS	Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.2	HPLC-FLUOR
Aldicarb Sulfone	EPA 531.2	HPLC-FLUOR	Aldicarb Sulfoxide	EPA 531.2	HPLC-FLUOR	Aldrin	EPA 508	GC-ECD
Aldrin	EPA 525.2	GC-MS	Atrazine	EPA 525.2	GC-MS	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloroacetic Acid	EPA 552.2	GC-ECD	Bromochloromethane	EPA 524.2	GC-MS
Bromodichloromethane	EPA 524.2	GC-MS	Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS
Carbaryl	EPA 531.2	HPLC-FLUOR	Carbofuran	EPA 531.2	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS
Chlordane (tech.)	EPA 508	GC-ECD	Chlordane (tech.)	EPA 525.2	GC-MS	Chloroacetic Acid	EPA 552.2	GC-ECD
Chlorobenzene	EPA 524.2	GC-MS	Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS
cis-1,3-Dichloropropene	EPA 524.2	GC-MS	Dalapon	EPA 515.1	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS
Dibromoacetic Acid	EPA 552.2	GC-ECD	Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS
Dicamba	EPA 515.1	GC-ECD	Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS
Dichloromethane	EPA 524.2	GC-MS	Dieldrin	EPA 508	GC-ECD	Dinoseb	EPA 515.1	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 508	GC-ECD
Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD	Glyphosate	EPA 547	HPLC-FLUOR
Heptachlor	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 508	GC-ECD	Hexachlorobenzene	EPA 525.2	GC-MS
Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS	Methiocarb	EPA 531.2	HPLC-FLUOR
Methomyl	EPA 531.2	HPLC-FLUOR	Methoxychlor	EPA 508	GC-ECD	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS
Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS	Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS
Metribuzin	EPA 525.2	GC-MS	Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS
n-Butylbenzene	EPA 524.2	GC-MS	n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.2	HPLC-FLUOR
PCBs as Aroclors (screen)	EPA 508	GC-ECD	Pentachlorophenol	EPA 515.1	GC-ECD	Pentachlorophenol	EPA 525.2	GC-MS
Picloram	EPA 515.1	GC-ECD	Propachlor	EPA 525.2	GC-MS	Propoxur (Baygon)	EPA 531.2	HPLC-FLUOR
sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.1	GC-ECD	Simazine	EPA 525.2	GC-MS
Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS	Tetrachloroethylene	EPA 524.2	GC-MS
Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD	Total Trihalomethanes (THMs)	EPA 524.2	GC-MS

Toxaphene	EPA 508	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD
Trichloroethylene	EPA 524.2	GC-MS	Trichlorofluoromethane	EPA 524.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Gross Alpha	EPA 900.0	PC	Gross Alpha	SM 7110C	PC	Gross Beta	EPA 900.0	PC
Radium-226	EPA 903.0	PC	Radium-228	EPA 904.0	PC	Uranium (nat)	EPA 200.8	ICP-MS
Uranium (nat)	EPA 908.0	PC						

TestAmerica-Knoxville
5815 Middlebrook Pike
Knoxville, TN 37921
(865) 291-3000

Contact Person:
Kevin McGee
kevin.mcgee@testamericainc.com

EPA Laboratory #: TN00009
TNI Laboratory #: TNI00189

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140014

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
2,3,7,8-TCDD (Dioxin)	EPA 1613	GC-HRMS						

TestAmerica-Savannah
5102 LaRoche Avenue
Savannah, GA 31404
(912) 354-7858

Contact Person:
Whitney Palefsky
whitney.palefsky@testamericainc.com

EPA Laboratory #: GA00006
TNI Laboratory #: TNI00593

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140023

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Inorganic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Alkalinity as CaCO ₃	SM2320B	TITR	Aluminum	EPA 200.7	ICP-AES	Aluminum	EPA 200.8	ICP-MS
Antimony	EPA 200.8	ICP-MS	Arsenic	EPA 200.8	ICP-MS	Barium	EPA 200.7	ICP-AES
Barium	EPA 200.8	ICP-MS	Beryllium	EPA 200.7	ICP-AES	Beryllium	EPA 200.8	ICP-MS
Boron	EPA 200.7	ICP-AES	Bromate	EPA 300.1	IC-COND	Bromide	EPA 300.1	IC-COND
Cadmium	EPA 200.7	ICP-AES	Cadmium	EPA 200.8	ICP-MS	Calcium	EPA 200.7	ICP-AES
Chlorate	EPA 300.1	IC-COND	Chloride	EPA 300.0	IC-COND	Chloride	EPA 325.2	AUTO
Chlorite	EPA 300.1	IC-COND	Chromium	EPA 200.7	ICP-AES	Chromium	EPA 200.8	ICP-MS
Color	EPA 110.2	OTHER	Color	SM 2120B	OTHER	Conductivity	SM 2510B	COND
Copper	EPA 200.7	ICP-AES	Copper	EPA 200.8	ICP-MS	Corrosivity (Langlier Index)	SM 2330B	OTHER
Cyanide	EPA 335.4	AUTO	Cyanide	SM 4500-CN ⁻ E	UV-VIS	Cyanide (amenable)	SM 4500-CN ⁻ G	OTHER
Dissolved Organic Carbon (DOC)	SM 5310B	TOC-IR	Fluoride	EPA 300.0	IC-COND	Hardness as CaCO ₃ (total)	EPA 130.2	TITR
Hardness as CaCO ₃ (total)	SM 2340B	OTHER	Hardness as CaCO ₃ (total)	SM 2340C	TITR	Iron	EPA 200.7	ICP-AES
Lead	EPA 200.8	ICP-MS	Magnesium	EPA 200.7	ICP-AES	Manganese	EPA 200.7	ICP-AES
Manganese	EPA 200.8	ICP-MS	Mercury	EPA 200.8	ICP-MS	Mercury	EPA 245.1	CVAAS
Molybdenum	EPA 200.7	ICP-AES	Molybdenum	EPA 200.8	ICP-MS	Nickel	EPA 200.7	ICP-AES
Nickel	EPA 200.8	ICP-MS	Nitrate as N	EPA 300.0	IC-COND	Nitrate as N	EPA 353.2	AUTO
Nitrate-Nitrite as N	EPA 300.0	IC-COND	Nitrate-Nitrite as N	EPA 353.2	AUTO	Nitrite as N	EPA 300.0	IC-COND
Nitrite as N	EPA 353.2	AUTO	Odor	EPA 140.1	OTHER	Odor	SM 2150B	OTHER
Orthophosphate as P	EPA 365.1	AUTO	Orthophosphate as P	SM 4500-P F	AUTO	pH	EPA 150.1	ISE
pH	SM 4500-H ⁺ B	ISE	Potassium	EPA 200.7	ICP-AES	Residue-Filterable (TDS)	EPA 160.1	GRAV
Residue-Filterable (TDS)	SM 2540C	GRAV	Selenium	EPA 200.8	ICP-MS	Silica as SiO ₂	EPA 200.7	ICP-AES
Silver	EPA 200.7	ICP-AES	Silver	EPA 200.8	ICP-MS	Sodium	EPA 200.7	ICP-AES
Sulfate	EPA 300.0	IC-COND	Surfactants-MBAS	EPA 425.1	UV-VIS	Surfactants-MBAS	SM 5540C	UV-VIS
Thallium	EPA 200.8	ICP-MS	Total Organic Carbon (TOC)	SM 5310B	TOC-IR	Turbidity	EPA 180.1	TURB

Turbidity	SM 2130B	TURB	UV254	SM 5910B	UV/VIS	Vanadium	EPA 200.7	ICP-AES
Vanadium	EPA 200.8	ICP-MS	Zinc	EPA 200.7	ICP-AES	Zinc	EPA 200.8	ICP-MS

Organic Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
1,1,1,2-Tetrachloroethane	EPA 524.2	GC-MS	1,1,1-Trichloroethane	EPA 524.2	GC-MS	1,1,2,2-Tetrachloroethane	EPA 524.2	GC-MS
1,1,2-Trichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethane	EPA 524.2	GC-MS	1,1-Dichloroethylene	EPA 524.2	GC-MS
1,1-Dichloropropene	EPA 524.2	GC-MS	1,2,3-Trichlorobenzene	EPA 524.2	GC-MS	1,2,3-Trichloropropane	EPA 504.1	GC-ECD
1,2,3-Trichloropropane	EPA 524.2	GC-MS	1,2,4-Trichlorobenzene	EPA 524.2	GC-MS	1,2,4-Trimethylbenzene	EPA 524.2	GC-MS
1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	GC-ECD	1,2-Dibromoethane (EDB)	EPA 504.1	GC-ECD	1,2-Dichlorobenzene	EPA 524.2	GC-MS
1,2-Dichloroethane	EPA 524.2	GC-MS	1,2-Dichloropropane	EPA 524.2	GC-MS	1,3,5-Trimethylbenzene	EPA 524.2	GC-MS
1,3-Dichlorobenzene	EPA 524.2	GC-MS	1,3-Dichloropropane	EPA 524.2	GC-MS	1,4-Dichlorobenzene	EPA 524.2	GC-MS
2,2-Dichloropropane	EPA 524.2	GC-MS	2,4-D	EPA 515.1	GC-ECD	2-Chlorotoluene	EPA 524.2	GC-MS
3-Hydroxycarbofuran	EPA 531.1	HPLC-FLUOR	4-Chlorotoluene	EPA 524.2	GC-MS	4-Isopropyltoluene	EPA 524.2	GC-MS
Alachlor	EPA 525.2	GC-MS	Aldicarb	EPA 531.1	HPLC-FLUOR	Aldicarb Sulfone	EPA 531.1	HPLC-FLUOR
Aldicarb Sulfoxide	EPA 531.1	HPLC-FLUOR	Aldrin	EPA 508	GC-ECD	Aldrin	EPA 525.2	GC-MS
Atrazine	EPA 525.2	GC-MS	Bentazon	EPA 515.1	GC-ECD	Benzene	EPA 524.2	GC-MS
Benzo(a)pyrene (PAHs)	EPA 525.2	GC-MS	Bis(2-ethylhexyl) phthalate	EPA 525.2	GC-MS	Bromoacetic Acid	EPA 552.2	GC-ECD
Bromobenzene	EPA 524.2	GC-MS	Bromochloromethane	EPA 524.2	GC-MS	Bromodichloromethane	EPA 524.2	GC-MS
Bromoform	EPA 524.2	GC-MS	Butachlor	EPA 525.2	GC-MS	Carbaryl	EPA 531.1	HPLC-FLUOR
Carbofuran	EPA 531.1	HPLC-FLUOR	Carbon Tetrachloride	EPA 524.2	GC-MS	Chlordane (tech.)	EPA 508	GC-ECD
Chloroacetic Acid	EPA 552.2	GC-ECD	Chlorobenzene	EPA 524.2	GC-MS	Chloroethane	EPA 524.2	GC-MS
Chloroform	EPA 524.2	GC-MS	cis-1,2-Dichloroethylene	EPA 524.2	GC-MS	cis-1,2-Dichloropropene	EPA 524.2	GC-MS
Dalapon	EPA 515.1	GC-ECD	Di(2-ethylhexyl) Adipate	EPA 525.2	GC-MS	Dibromoacetic Acid	EPA 552.2	GC-ECD
Dibromochloromethane	EPA 524.2	GC-MS	Dibromomethane	EPA 524.2	GC-MS	Dicamba	EPA 515.1	GC-ECD
Dichloroacetic Acid	EPA 552.2	GC-ECD	Dichlorodifluoromethane	EPA 524.2	GC-MS	Dichloromethane	EPA 524.2	GC-MS
Dieldrin	EPA 508	GC-ECD	Dieldrin	EPA 525.2	GC-MS	Dinoseb	EPA 515.1	GC-ECD
Diquat	EPA 549.2	HPLC-UV	Endothall	EPA 548.1	GC-MS	Endrin	EPA 508	GC-ECD
Endrin	EPA 525.2	GC-MS	Ethylbenzene	EPA 524.2	GC-MS	gamma-BHC (Lindane)	EPA 508	GC-ECD
gamma-BHC (Lindane)	EPA 525.2	GC-MS	Glyphosate	EPA 547	HPLC-FLUOR	Heptachlor	EPA 508	GC-ECD
Heptachlor	EPA 525.2	GC-MS	Heptachlor Epoxide	EPA 508	GC-ECD	Heptachlor Epoxide	EPA 525.2	GC-MS
Hexachlorobenzene	EPA 525.2	GC-MS	Hexachlorocyclopentadiene	EPA 525.2	GC-MS	Isopropylbenzene	EPA 524.2	GC-MS
Methiocarb	EPA 531.1	HPLC-FLUOR	Methomyl	EPA 531.1	HPLC-FLUOR	Methoxychlor	EPA 508	GC-ECD
Methoxychlor	EPA 525.2	GC-MS	Methyl Bromide (Bromomethane)	EPA 524.2	GC-MS	Methyl Chloride (Chloromethane)	EPA 524.2	GC-MS
Methyl tert-butyl Ether (MTBE)	EPA 524.2	GC-MS	Metolachlor	EPA 525.2	GC-MS	Metribuzin	EPA 525.2	GC-MS
Molinate	EPA 525.2	GC-MS	Naphthalene	EPA 524.2	GC-MS	n-Butylbenzene	EPA 524.2	GC-MS

n-Propylbenzene	EPA 524.2	GC-MS	Oxamyl	EPA 531.1	HPLC-FLUOR	PCBs as Aroclors (screen)	EPA 508	GC-ECD
Pentachlorophenol	EPA 515.1	GC-ECD	Picloram	EPA 515.1	GC-ECD	Propachlor	EPA 525.2	GC-MS
Propoxur (Baygon)	EPA 531.1	HPLC-FLUOR	sec-Butylbenzene	EPA 524.2	GC-MS	Silvex (2,4,5-TP)	EPA 515.1	GC-ECD
Simazine	EPA 525.2	GC-MS	Styrene	EPA 524.2	GC-MS	tert-Butylbenzene	EPA 524.2	GC-MS
Tetrachloroethylene	EPA 524.2	GC-MS	Toluene	EPA 524.2	GC-MS	Total Haloacetic Acids (HAA5)	EPA 552.2	GC-ECD
Total Trihalomethanes (THMs)	EPA 524.2	GC-MS	Toxaphene	EPA 508	GC-ECD	trans-1,2-Dichloroethylene	EPA 524.2	GC-MS
trans-1,3-Dichloropropene	EPA 524.2	GC-MS	Trichloroacetic Acid	EPA 552.2	GC-ECD	Trichloroethylene	EPA 524.2	GC-MS
Trichlorofluoromethane	EPA 524.2	GC-MS	Trifluralin	EPA 525.2	GC-MS	Vinyl Chloride	EPA 524.2	GC-MS
Xylenes (total)	EPA 524.2	GC-MS						

TestAmerica-St. Louis
13715 Rider Trail North
Earth City, MO 63045
(314) 298-8566

Contact Person:
Marti Ward
marti.ward@testamericainc.com

EPA Laboratory #: MO00054
TNI Laboratory #: TNI00602

LADHH Secondary AB (TNI-NELAP)

Certificate Number: LA140007

Issue Date: 01-01-2014

Expiration Date: 12-31-2014

Radiological Parameters

Analyte	Method	Tech.	Analyte	Method	Tech.	Analyte	Method	Tech.
Cesium-134	EPA 901.1	GS-HR	Cesium-137	EPA 901.1	GS-HR	Gross Alpha	EPA 900.0	PC
Gross Beta	EPA 900.0	PC	Radium-226	EPA 903.0	PC	Radium-228	EPA 904.0	PC
Strontium-90	DOE Sr-02	PC	Strontium-90	EPA 905.0	PC	Tritium	EPA 906.0	LSC

CERTIFYING AGENCY

Louisiana Department of Health and Hospitals
Office of Public Health -Laboratory Services
Laboratory Certification Program
3101 West Napoleon Ave.
Metairie, LA 70001

Contact Person:
Donnell Ward
donnell.ward@la.gov
504-219-4667

AB = Accreditation Body
Tech = Technology

NELAP= National Environmental Laboratory Accreditation Program
TNI= The NELAC Institute