


**First Quarter 2012**

**Vol. 10, No. 1**



**Louisiana Office of Public Health**  
STD/HIV Program

**DeAnn Gruber, PhD, LCSW**  
*Administrative Director*

**Debbie Wendell, PhD, MPH**  
*Data Management/Analysis Manager*

**Jessica Fridge, MSPH**  
*Surveillance Manager*

Editor/Production:  
**Demerial Banks**

Data Management/Analysis and Surveillance:

**Demerial Banks, MPH, Surveillance Epidemiologist**

**Tania Bechtel, Data Manager**

**Joseph Foxhood, BA, OPH IT Project Manager**

**George Stephens, Information Systems Administrator**

**Josette Russell, Data Entry Specialist**

**Carleetha Lankster, Data Entry Specialist**

**William T. Robinson, Ph.D., Biostatistician**

**Jessica Cole, MPH, Perinatal Surveillance Coordinator**

**Rashad Arcement, MSPH, Incidence & Resistance Coordinator**

Field Epidemiologists:

**Betsy Shepard, PAC, MPH, Epidemiologist Supervisor**

**James Hubbard**  
**Connie Gordon**

**Region 1**  
**Regions 1, 3**

**Cheryl Edney, BS MT(ASCP)**  
**Gayle Norris, MA**  
**Gale Terry, LPN**

**Regions 4, 5, 6**  
**Regions 7, 8**  
**Regions 2, 9**

---

**TABLE OF CONTENTS**

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| Surveillance Summary   | 1           |
| Louisiana: Persons Living with HIV/AIDS                              | 2           |
| Persons Living with AIDS   | 3           |
| Persons newly diagnosed with HIV/AIDS                                | 4           |
| Parish: Persons Living with HIV/AIDS                                 | 5           |
| Persons Living with AIDS   | 6           |
| Metro New Orleans: Persons Living with HIV/AIDS                      | 7           |
| Persons Living with AIDS   | 8           |
| Persons newly diagnosed with HIV/AIDS                                | 9           |
| Metro Baton Rouge: Persons Living with HIV/AIDS                      | 10          |
| Persons Living with AIDS   | 11          |
| Persons newly diagnosed with HIV/AIDS                                | 12          |
| Region 1: Persons Living with HIV/AIDS                               | 13          |
| Persons Living with AIDS   | 14          |
| Persons newly diagnosed with HIV/AIDS                                | 15          |
| Region 2: Persons Living with HIV/AIDS                               | 16          |
| Persons Living with AIDS   | 17          |
| Persons newly diagnosed with HIV/AIDS                                | 18          |
| Region 3: Persons Living with HIV/AIDS                               | 19          |
| Persons Living with AIDS   | 20          |
| Persons newly diagnosed with HIV/AIDS                                | 21          |
| Region 4: Persons Living with HIV/AIDS                               | 22          |
| Persons Living with AIDS   | 23          |
| Persons newly diagnosed with HIV/AIDS                                | 24          |
| Region 5: Persons Living with HIV/AIDS                               | 25          |
| Persons Living with AIDS   | 26          |
| Persons newly diagnosed with HIV/AIDS                                | 27          |
| Region 6: Persons Living with HIV/AIDS                               | 28          |
| Persons Living with AIDS   | 29          |
| Persons newly diagnosed with HIV/AIDS                                | 30          |
| Region 7: Persons Living with HIV/AIDS                               | 31          |
| Persons Living with AIDS   | 32          |
| Persons newly diagnosed with HIV/AIDS                                | 33          |
| Region 8: Persons Living with HIV/AIDS                               | 34          |
| Persons Living with AIDS   | 35          |
| Persons newly diagnosed with HIV/AIDS                                | 36          |
| Region 9: Persons Living with HIV/AIDS                               | 37          |
| Persons Living with AIDS   | 38          |
| Persons newly diagnosed with HIV/AIDS                                | 39          |
| <b>List of Figures</b>   |             |
| Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2002-2011) | 40          |
| New HIV Diagnoses  |             |
| New AIDS Diagnoses   |             |
| Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2002-2011)   | 41          |
| Persons Living with HIV/AIDS   |             |
| Persons Living with AIDS   |             |

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of March 31, 2012<sup>1</sup>.

- Nationally, Louisiana ranked **4<sup>th</sup>** highest in estimated AIDS case rates and **11<sup>th</sup>** in the number of estimated AIDS cases diagnosed in 2010, according to the CDC *2010 HIV Surveillance Report (Vol. 22)*.
- Baton Rouge ranked **1<sup>st</sup>** for estimated AIDS case rates among the largest metropolitan areas in the U.S. in 2010; New Orleans ranked **5<sup>th</sup>**.
- A total of **18,684** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,157** persons (54%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by injection drug use.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2011, of the persons who reported a risk factor, 63% reported being MSM, and an additional 2% reported being MSM and an injection drug user (IDU). As of March 31, 2012, 50% of all people living with HIV infection in Louisiana were MSM.
- In 2011, **1,320** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=445) occurred in Region 1 (New Orleans) and **23%** (n=308) occurred in Region 2 (Baton Rouge).
- In 2010, **798** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=261) occurred in Region 1 (New Orleans) and **27%** (n=218) occurred in Region 2 (Baton Rouge).
- In Louisiana, **29%** of new HIV cases and **28%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2011, **73%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2011, **25%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **30%** occurred among persons 25-34 years old.
- As of March 31, 2012, a cumulative total of **32,381** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **327** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through March 31, 2012, is **13,921** including **111** deaths among pediatric cases.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

## Persons Living with HIV/AIDS

**Louisiana  
as of March 31, 2012**

- **32,381** cumulative cases have been detected in Louisiana since the beginning of the epidemic, including **327** pediatric cases.
- **13,921** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **111** pediatric deaths.
- **18,684** persons are currently living with HIV/AIDS in Louisiana.  
Persons living with HIV: **8,527**  
Persons living with AIDS: **10,157**

| <u>Gender</u> | <u>Cases</u>  | <u>Percent</u> |
|---------------|---------------|----------------|
| Women         | 5,556         | 30 %           |
| Men           | 13,128        | 70 %           |
| <b>Total</b>  | <b>18,684</b> | <b>100 %</b>   |

### Age Category

| <u>Current Age</u> | <u>Cases</u>  | <u>Percent</u> |
|--------------------|---------------|----------------|
| 0 - 12             | 68            | <1 %           |
| 13 - 19            | 148           | 1 %            |
| 20 - 24            | 783           | 4 %            |
| 25 - 29            | 1,474         | 8 %            |
| 30 - 34            | 2,030         | 11 %           |
| 35 - 39            | 2,134         | 11 %           |
| 40 - 44            | 2,521         | 13 %           |
| 45 - 49            | 2,998         | 16 %           |
| 50 - 54            | 2,876         | 15 %           |
| 55 - 59            | 1,936         | 10 %           |
| 60+                | 1,716         | 9 %            |
| <b>Total</b>       | <b>18,684</b> | <b>100 %</b>   |

### Race/Ethnicity

|                        | <u>Men</u>    | <u>Women</u> | <u>Total</u>  | <u>Percent</u> |
|------------------------|---------------|--------------|---------------|----------------|
| Black, Non-Hispanic    | 8,054         | 4,604        | 12,658        | 68 %           |
| White, Non-Hispanic    | 4,352         | 773          | 5,125         | 27 %           |
| Hispanic               | 560           | 128          | 688           | 4 %            |
| Asian/Pacific Islander | 50            | 13           | 63            | <1 %           |
| American Indian        | 24            | 7            | 31            | <1 %           |
| Unknown                | 12            | 2            | 14            | <1 %           |
| Multi-race             | 76            | 29           | 105           | 1 %            |
| <b>Total</b>           | <b>13,128</b> | <b>5,556</b> | <b>18,684</b> | <b>100 %</b>   |

### Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u>  | <u>Percent</u> |
|--|--------------|--------------|---------------|----------------|
| Men who have sex with men                  | 6,194        | 0            | 6,194         | 50 %           |
| Injection drug use                         | 1,146        | 668          | 1,814         | 15 %           |
| Men who have sex with men and inject drugs | 861          | 0            | 861           | 7 %            |
| Heterosexual contact                       | 1,038        | 2,171        | 3,209         | 26 %           |
| Transfusion/Hemophilia                     | 52           | 35           | 87            | 1 %            |
| Confirmed Other                            | 0            | 1            | 1             | <1 %           |
| Perinatal                                  | 90           | 99           | 189           | 2 %            |
| <b>Total</b>                               | <b>9,381</b> | <b>2,974</b> | <b>12,355</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>3,747</i> | <i>2,582</i> | <i>6,329</i>  |                |

**Persons Living with AIDS  
Louisiana  
as of March 31, 2012**

- **21,922** cumulative AIDS cases have been diagnosed in Louisiana since the beginning of the epidemic, including **174** pediatric cases.
- **10,157** persons are currently living with AIDS in Louisiana.

| <u>Gender</u> | <u>Cases</u>  | <u>Percent</u> |
|---------------|---------------|----------------|
| Women         | 2,781         | 27 %           |
| Men           | 7,376         | 73 %           |
| <b>Total</b>  | <b>10,157</b> | <b>100 %</b>   |

| <u>Age Category</u> |               |                | <u>Race/Ethnicity</u>  |              |              |               |                |
|---------------------|---------------|----------------|------------------------|--------------|--------------|---------------|----------------|
| <u>Current Age</u>  | <u>Cases</u>  | <u>Percent</u> |                        | <u>Men</u>   | <u>Women</u> | <u>Total</u>  | <u>Percent</u> |
| 0 - 12              | 11            | <1 %           | Black, Non-Hispanic    | 4,508        | 2,329        | 6,837         | 67 %           |
| 13 - 19             | 52            | 1 %            | White, Non-Hispanic    | 2,493        | 354          | 2,847         | 28 %           |
| 20 - 24             | 199           | 2 %            | Hispanic               | 299          | 77           | 376           | 4 %            |
| 25 - 29             | 501           | 5 %            | Asian/Pacific Islander | 21           | 5            | 26            | <1 %           |
| 30 - 34             | 853           | 8 %            | American Indian        | 10           | 2            | 12            | <1 %           |
| 35 - 39             | 1,099         | 11 %           | Unknown                | 0            | 1            | 1             | <1 %           |
| 40 - 44             | 1,455         | 14 %           | Multi-race             | 45           | 13           | 58            | 1 %            |
| 45 - 49             | 1,832         | 18 %           | <b>Total</b>           | <b>7,376</b> | <b>2,781</b> | <b>10,157</b> | <b>100 %</b>   |
| 50 - 54             | 1,797         | 18 %           |                        |              |              |               |                |
| 55 - 59             | 1,246         | 12 %           |                        |              |              |               |                |
| 60+                 | 1,112         | 11 %           |                        |              |              |               |                |
| <b>Total</b>        | <b>10,157</b> | <b>100 %</b>   |                        |              |              |               |                |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 3,439        | 0            | 3,439        | 49 %           |
| Injection drug use                         | 776          | 372          | 1,148        | 16 %           |
| Men who have sex with men and inject drugs | 584          | 0            | 584          | 8 %            |
| Heterosexual contact                       | 625          | 1,148        | 1,773        | 25 %           |
| Transfusion/Hemophilia                     | 36           | 22           | 58           | 1 %            |
| Perinatal                                  | 37           | 43           | 80           | 1 %            |
| <b>Total</b>                               | <b>5,497</b> | <b>1,585</b> | <b>7,082</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>1,879</i> | <i>1,196</i> | <i>3,075</i> |                |

**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2011**

• **1,320** persons were newly diagnosed with HIV in Louisiana.

| <b>Gender</b> | <b>Cases</b> | <b>Percent</b> | <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>Percent</b> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 939          | 71 %           | Black, Non-Hispanic    | 963          | 73 %           |
| Women         | 381          | 29 %           | White, Non-Hispanic    | 262          | 20 %           |
| <b>Total</b>  | <b>1,320</b> | <b>100 %</b>   | Hispanic               | 77           | 6 %            |
|               |              |                | Asian/Pacific Islander | 5            | <1 %           |
|               |              |                | American Indian        | 3            | <1 %           |
|               |              |                | Unknown                | 5            | <1 %           |
|               |              |                | Multi-race             | 5            | <1 %           |
|               |              |                | <b>Total</b>           | <b>1,320</b> | <b>100 %</b>   |

| <b>Age at Detection</b> | <b>Cases</b> | <b>Percent</b> | <b>Cases with a reported risk:</b>         | <b>Cases</b> | <b>Percent</b> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 0 - 12                  | 4            | <1 %           | Men who have sex with men                  | 479          | 63 %           |
| 13 - 24                 | 325          | 25 %           | Injection drug use                         | 57           | 7 %            |
| 25 - 34                 | 395          | 30 %           | Men who have sex with men and inject drugs | 12           | 2 %            |
| 35 - 44                 | 252          | 19 %           | Heterosexual contact                       | 211          | 28 %           |
| 45+                     | 344          | 26 %           | Perinatal                                  | 6            | 1 %            |
| <b>Total</b>            | <b>1,320</b> | <b>100 %</b>   | <b>Total</b>                               | <b>765</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>555</i>   |                |

**AIDS CASES DIAGNOSED January - December 2011**

• **798** persons were newly diagnosed with AIDS in Louisiana.

| <b>Gender</b> | <b>Cases</b> | <b>Percent</b> | <b>Race/Ethnicity</b>  | <b>Cases</b> | <b>Percent</b> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 571          | 72 %           | Black, Non-Hispanic    | 603          | 76 %           |
| Women         | 227          | 28 %           | White, Non-Hispanic    | 157          | 20 %           |
| <b>Total</b>  | <b>798</b>   | <b>100 %</b>   | Hispanic               | 32           | 4 %            |
|               |              |                | Asian/Pacific Islander | 2            | <1 %           |
|               |              |                | Unknown                | 1            | <1 %           |
|               |              |                | Multi-race             | 3            | <1 %           |
|               |              |                | <b>Total</b>           | <b>798</b>   | <b>100 %</b>   |

| <b>Age at Diagnosis</b> | <b>Cases</b> | <b>Percent</b> | <b>Cases with a reported risk:</b>         | <b>Cases</b> | <b>Percent</b> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 83           | 10 %           | Men who have sex with men                  | 261          | 55 %           |
| 25 - 34                 | 221          | 28 %           | Injection drug use                         | 68           | 14 %           |
| 35 - 44                 | 215          | 27 %           | Men who have sex with men and inject drugs | 8            | 2 %            |
| 45+                     | 279          | 35 %           | Heterosexual contact                       | 130          | 27 %           |
| <b>Total</b>            | <b>798</b>   | <b>100 %</b>   | Perinatal                                  | 8            | 2 %            |
|                         |              |                | <b>Total</b>                               | <b>475</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>323</i>   |                |

**Persons Living with HIV/AIDS  
as of March 31, 2012**

| <u>Parish</u>    | <u>Living Cases</u> | <u>Parish</u>        | <u>Living Cases</u> |
|------------------|---------------------|----------------------|---------------------|
| Acadia           | 100                 | Sabine               | 21                  |
| Allen            | 234                 | St. Bernard          | 136                 |
| Ascension        | 195                 | St. Charles          | 100                 |
| Assumption       | 27                  | St. Helena           | 16                  |
| Avoyelles        | 139                 | St. James            | 57                  |
| Beauregard       | 44                  | St. John the Baptist | 139                 |
| Bienville        | 29                  | St. Landry           | 263                 |
| Bossier          | 163                 | St. Martin           | 105                 |
| Caddo            | 967                 | St. Mary             | 79                  |
| Calcasieu        | 673                 | St. Tammany          | 370                 |
| Caldwell         | 18                  | Tangipahoa           | 338                 |
| Cameron          | 3                   | Tensas               | 35                  |
| Catahoula        | 25                  | Terrebonne           | 193                 |
| Claiborne        | 61                  | Union                | 38                  |
| Concordia        | 44                  | Vermilion            | 88                  |
| De Soto          | 56                  | Vernon               | 58                  |
| East Baton Rouge | 3,592               | Washington           | 177                 |
| East Carroll     | 30                  | Webster              | 58                  |
| East Feliciana   | 161                 | West Baton Rouge     | 101                 |
| Evangeline       | 70                  | West Carroll         | 11                  |
| Franklin         | 29                  | West Feliciana       | 149                 |
| Grant            | 29                  | Winn                 | 54                  |
| Iberia           | 117                 |                      |                     |
| Iberville        | 430                 |                      |                     |
| Jackson          | 38                  |                      |                     |
| Jefferson        | 1,663               |                      |                     |
| Jefferson Davis  | 61                  |                      |                     |
| La Salle         | 18                  |                      |                     |
| Lafayette        | 662                 |                      |                     |
| Lafourche        | 116                 |                      |                     |
| Lincoln          | 70                  |                      |                     |
| Livingston       | 165                 |                      |                     |
| Madison          | 42                  |                      |                     |
| Morehouse        | 67                  |                      |                     |
| Natchitoches     | 115                 |                      |                     |
| Orleans          | 4,731               |                      |                     |
| Ouachita         | 554                 |                      |                     |
| Plaquemines      | 33                  |                      |                     |
| Pointe Coupee    | 55                  |                      |                     |
| Rapides          | 417                 |                      |                     |
| Red River        | 9                   |                      |                     |
| Richland         | 42                  |                      |                     |
|                  |                     | <b>Total</b>         | <b>18,684</b>       |

**Persons Living with AIDS**  
as of March 31, 2012

| <u>Parish</u>    | <u>Living Cases</u> | <u>Parish</u>        | <u>Living Cases</u> |
|------------------|---------------------|----------------------|---------------------|
| Acadia           | 57                  | Sabine               | 16                  |
| Allen            | 118                 | St. Bernard          | 87                  |
| Ascension        | 97                  | St. Charles          | 51                  |
| Assumption       | 15                  | St. Helena           | 10                  |
| Avoyelles        | 73                  | St. James            | 33                  |
| Beauregard       | 29                  | St. John the Baptist | 74                  |
| Bienville        | 15                  | St. Landry           | 152                 |
| Bossier          | 84                  | St. Martin           | 61                  |
| Caddo            | 501                 | St. Mary             | 50                  |
| Calcasieu        | 386                 | St. Tammany          | 209                 |
| Caldwell         | 10                  | Tangipahoa           | 180                 |
| Cameron          | 2                   | Tensas               | 16                  |
| Catahoula        | 15                  | Terrebonne           | 113                 |
| Claiborne        | 35                  | Union                | 28                  |
| Concordia        | 20                  | Vermilion            | 54                  |
| De Soto          | 33                  | Vernon               | 28                  |
| East Baton Rouge | 1,941               | Washington           | 93                  |
| East Carroll     | 18                  | Webster              | 25                  |
| East Feliciana   | 92                  | West Baton Rouge     | 61                  |
| Evangeline       | 38                  | West Carroll         | 5                   |
| Franklin         | 10                  | West Feliciana       | 94                  |
| Grant            | 16                  | Winn                 | 30                  |
| Iberia           | 65                  |                      |                     |
| Iberville        | 258                 |                      |                     |
| Jackson          | 24                  |                      |                     |
| Jefferson        | 909                 |                      |                     |
| Jefferson Davis  | 37                  |                      |                     |
| La Salle         | 10                  |                      |                     |
| Lafayette        | 345                 |                      |                     |
| Lafourche        | 73                  |                      |                     |
| Lincoln          | 35                  |                      |                     |
| Livingston       | 91                  |                      |                     |
| Madison          | 23                  |                      |                     |
| Morehouse        | 35                  |                      |                     |
| Natchitoches     | 59                  |                      |                     |
| Orleans          | 2,535               |                      |                     |
| Ouachita         | 292                 |                      |                     |
| Plaquemines      | 21                  |                      |                     |
| Pointe Coupee    | 35                  |                      |                     |
| Rapides          | 203                 |                      |                     |
| Red River        | 7                   |                      |                     |
| Richland         | 24                  |                      |                     |
|                  |                     | <b>Total</b>         | <b>10,157</b>       |

**Persons Living with HIV/AIDS  
Metro New Orleans  
as of March 31, 2012**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **15,139** cumulative cases have been detected in the New Orleans MSA since the beginning of the epidemic, including **157** pediatric cases.
- **6,567** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **54** pediatric deaths
- **7,229** persons are currently living with HIV/AIDS in the New Orleans MSA.  
Persons living with HIV: **3,310**  
Persons living with AIDS: **3,919**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 1,863        | 26 %           |
| Men           | 5,366        | 74 %           |
| <b>Total</b>  | <b>7,229</b> | <b>100 %</b>   |

Age Category

| <u>Current Age</u> | <u>Cases</u> | <u>Percent</u> |
|--------------------|--------------|----------------|
| 0 - 12             | 24           | <1 %           |
| 13 - 19            | 44           | 1 %            |
| 20 - 24            | 270          | 4 %            |
| 25 - 29            | 540          | 7 %            |
| 30 - 34            | 700          | 10 %           |
| 35 - 39            | 738          | 10 %           |
| 40 - 44            | 966          | 13 %           |
| 45 - 49            | 1,177        | 16 %           |
| 50 - 54            | 1,181        | 16 %           |
| 55 - 59            | 802          | 11 %           |
| 60+                | 787          | 11 %           |
| <b>Total</b>       | <b>7,229</b> | <b>100 %</b>   |

Race/Ethnicity

|                        | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|------------------------|--------------|--------------|--------------|----------------|
| Black, Non-Hispanic    | 2,849        | 1,521        | 4,370        | 60 %           |
| White, Non-Hispanic    | 2,154        | 233          | 2,387        | 33 %           |
| Hispanic               | 299          | 90           | 389          | 5 %            |
| Asian/Pacific Islander | 27           | 7            | 34           | <1 %           |
| American Indian        | 5            | 0            | 5            | <1 %           |
| Unknown                | 4            | 2            | 6            | <1 %           |
| Multi-race             | 28           | 10           | 38           | 1 %            |
| <b>Total</b>           | <b>5,366</b> | <b>1,863</b> | <b>7,229</b> | <b>100 %</b>   |

Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 2,799        | 0            | 2,799        | 58 %           |
| Injection drug use                         | 358          | 207          | 565          | 12 %           |
| Men who have sex with men and inject drugs | 333          | 0            | 333          | 7 %            |
| Heterosexual contact                       | 326          | 708          | 1,034        | 21 %           |
| Transfusion/Hemophilia                     | 21           | 17           | 38           | 1 %            |
| Perinatal                                  | 27           | 40           | 67           | 1 %            |
| <b>Total</b>                               | <b>3,864</b> | <b>972</b>   | <b>4,836</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>1,502</i> | <i>891</i>   | <i>2,393</i> |                |

**Persons Living with AIDS  
Metro New Orleans  
as of March 31, 2012**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **10,386** cumulative AIDS cases have been diagnosed in the New Orleans MSA since the beginning of the epidemic, including **83** pediatric cases.
- **3,919** persons are currently living with AIDS in the New Orleans MSA.

| <u>Gender</u> | <b>Cases</b> | <b>Percent</b> |
|---------------|--------------|----------------|
| Women         | 959          | 24 %           |
| Men           | 2,960        | 76 %           |
| <b>Total</b>  | <b>3,919</b> | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  | <b>Men</b>   | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| <b>Current Age</b>  | <b>Cases</b> | <b>Percent</b> |                        |              |              |              |                |
| 0 - 12              | 4            | <1 %           | Black, Non-Hispanic    | 1,535        | 794          | 2,329        | 59 %           |
| 13 - 19             | 16           | <1 %           | White, Non-Hispanic    | 1,223        | 97           | 1,320        | 34 %           |
| 20 - 24             | 73           | 2 %            | Hispanic               | 173          | 59           | 232          | 6 %            |
| 25 - 29             | 167          | 4 %            | Asian/Pacific Islander | 10           | 3            | 13           | <1 %           |
| 30 - 34             | 283          | 7 %            | American Indian        | 1            | 0            | 1            | <1 %           |
| 35 - 39             | 362          | 9 %            | Unknown                | 0            | 1            | 1            | <1 %           |
| 40 - 44             | 544          | 14 %           | Multi-race             | 18           | 5            | 23           | 1 %            |
| 45 - 49             | 712          | 18 %           | <b>Total</b>           | <b>2,960</b> | <b>959</b>   | <b>3,919</b> | <b>100 %</b>   |
| 50 - 54             | 746          | 19 %           |                        |              |              |              |                |
| 55 - 59             | 510          | 13 %           |                        |              |              |              |                |
| 60+                 | 502          | 13 %           |                        |              |              |              |                |
| <b>Total</b>        | <b>3,919</b> | <b>100 %</b>   |                        |              |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b>   | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 1,562        | 0            | 1,562        | 57 %           |
| Injection drug use                         | 222          | 109          | 331          | 12 %           |
| Men who have sex with men and inject drugs | 221          | 0            | 221          | 8 %            |
| Heterosexual contact                       | 202          | 395          | 597          | 22 %           |
| Transfusion/Hemophilia                     | 13           | 9            | 22           | 1 %            |
| Perinatal                                  | 12           | 19           | 31           | 1 %            |
| <b>Total</b>                               | <b>2,232</b> | <b>532</b>   | <b>2,764</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>728</i>   | <i>427</i>   | <i>1,155</i> |                |

**Persons Newly Diagnosed with HIV/AIDS  
Metro New Orleans**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

**HIV CASES DIAGNOSED January - December 2011**

- 494 persons were newly diagnosed with HIV in the New Orleans MSA.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 377          | 76 %           | Black, Non-Hispanic   | 342          | 69 %           |
| Women         | 117          | 24 %           | White, Non-Hispanic   | 113          | 23 %           |
| <b>Total</b>  | <b>494</b>   | <b>100 %</b>   | Hispanic              | 37           | 7 %            |
|               |              |                | Unknown               | 1            | <1 %           |
|               |              |                | Multi-race            | 1            | <1 %           |
|               |              |                | <b>Total</b>          | <b>494</b>   | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 0 - 12                  | 2            | <1 %           | Men who have sex with men                  | 197          | 65 %           |
| 13 - 24                 | 110          | 22 %           | Injection drug use                         | 28           | 9 %            |
| 25 - 34                 | 152          | 31 %           | Men who have sex with men and inject drugs | 6            | 2 %            |
| 35 - 44                 | 85           | 17 %           | Heterosexual contact                       | 70           | 23 %           |
| 45+                     | 145          | 29 %           | Perinatal                                  | 3            | 1 %            |
| <b>Total</b>            | <b>494</b>   | <b>100 %</b>   | <b>Total</b>                               | <b>304</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>190</i>   |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 289 persons were newly diagnosed with AIDS in the New Orleans MSA.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 210          | 73 %           | Black, Non-Hispanic   | 198          | 69 %           |
| Women         | 79           | 27 %           | White, Non-Hispanic   | 73           | 25 %           |
| <b>Total</b>  | <b>289</b>   | <b>100 %</b>   | Hispanic              | 16           | 6 %            |
|               |              |                | Unknown               | 1            | <1 %           |
|               |              |                | Multi-race            | 1            | <1 %           |
|               |              |                | <b>Total</b>          | <b>289</b>   | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 26           | 9 %            | Men who have sex with men                  | 106          | 62 %           |
| 25 - 34                 | 77           | 27 %           | Injection drug use                         | 20           | 12 %           |
| 35 - 44                 | 73           | 25 %           | Men who have sex with men and inject drugs | 5            | 3 %            |
| 45+                     | 113          | 39 %           | Heterosexual contact                       | 37           | 22 %           |
| <b>Total</b>            | <b>289</b>   | <b>100 %</b>   | Perinatal                                  | 3            | 2 %            |
|                         |              |                | <b>Total</b>                               | <b>171</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>118</i>   |                |

**Persons Living with HIV/AIDS**  
**Metro Baton Rouge**  
**as of March 31, 2012**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,409** cumulative cases have been detected in the Baton Rouge MSA since the beginning of the epidemic, including **74** pediatric cases.
- **3,145** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **19** pediatric deaths.
- **4,864** persons are currently living with HIV/AIDS in the Baton Rouge MSA.  
 Persons living with HIV: **2,185**  
 Persons living with AIDS: **2,679**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 1,790        | 37 %           |
| Men           | 3,074        | 63 %           |
| <b>Total</b>  | <b>4,864</b> | <b>100 %</b>   |

Age Category

| <u>Current Age</u> | <u>Cases</u> | <u>Percent</u> |
|--------------------|--------------|----------------|
| 0 - 12             | 23           | <1 %           |
| 13 - 19            | 47           | 1 %            |
| 20 - 24            | 212          | 4 %            |
| 25 - 29            | 418          | 9 %            |
| 30 - 34            | 581          | 12 %           |
| 35 - 39            | 625          | 13 %           |
| 40 - 44            | 694          | 14 %           |
| 45 - 49            | 697          | 14 %           |
| 50 - 54            | 685          | 14 %           |
| 55 - 59            | 458          | 9 %            |
| 60+                | 424          | 9 %            |
| <b>Total</b>       | <b>4,864</b> | <b>100 %</b>   |

Race/Ethnicity

|                        | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|------------------------|--------------|--------------|--------------|----------------|
| Black, Non-Hispanic    | 2,375        | 1,611        | 3,986        | 82 %           |
| White, Non-Hispanic    | 626          | 159          | 785          | 16 %           |
| Hispanic               | 46           | 12           | 58           | 1 %            |
| Asian/Pacific Islander | 7            | 2            | 9            | <1 %           |
| American Indian        | 2            | 1            | 3            | <1 %           |
| Unknown                | 3            | 0            | 3            | <1 %           |
| Multi-race             | 15           | 5            | 20           | <1 %           |
| <b>Total</b>           | <b>3,074</b> | <b>1,790</b> | <b>4,864</b> | <b>100 %</b>   |

Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 1,143        | 0            | 1,143        | 38 %           |
| Injection drug use                         | 404          | 244          | 648          | 22 %           |
| Men who have sex with men and inject drugs | 200          | 0            | 200          | 7 %            |
| Heterosexual contact                       | 301          | 627          | 928          | 31 %           |
| Transfusion/Hemophilia                     | 7            | 10           | 17           | 1 %            |
| Perinatal                                  | 31           | 26           | 57           | 2 %            |
| <b>Total</b>                               | <b>2,086</b> | <b>907</b>   | <b>2,993</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>988</i>   | <i>883</i>   | <i>1,871</i> |                |

**Persons Living with AIDS  
Metro Baton Rouge  
as of March 31, 2012**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **4,995** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA since the beginning of the epidemic, including **33** pediatric cases.
- **2,679** persons are currently living with AIDS in the Baton Rouge MSA.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 904          | 34 %           |
| Men           | 1,775        | 66 %           |
| <b>Total</b>  | <b>2,679</b> | <b>100 %</b>   |

| <u>Age Category</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| 0 - 12              | 3            | <1 %           | Black, Non-Hispanic    | 1,383        | 828          | 2,211        | 83 %           |
| 13 - 19             | 15           | 1 %            | White, Non-Hispanic    | 354          | 68           | 422          | 16 %           |
| 20 - 24             | 56           | 2 %            | Hispanic               | 24           | 7            | 31           | 1 %            |
| 25 - 29             | 151          | 6 %            | Asian/Pacific Islander | 3            | 0            | 3            | <1 %           |
| 30 - 34             | 256          | 10 %           | American Indian        | 2            | 0            | 2            | <1 %           |
| 35 - 39             | 328          | 12 %           | Multi-race             | 9            | 1            | 10           | <1 %           |
| 40 - 44             | 424          | 16 %           | <b>Total</b>           | <b>1,775</b> | <b>904</b>   | <b>2,679</b> | <b>100 %</b>   |
| 45 - 49             | 433          | 16 %           |                        |              |              |              |                |
| 50 - 54             | 434          | 16 %           |                        |              |              |              |                |
| 55 - 59             | 297          | 11 %           |                        |              |              |              |                |
| 60+                 | 282          | 11 %           |                        |              |              |              |                |
| <b>Total</b>        | <b>2,679</b> | <b>100 %</b>   |                        |              |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b>   | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 628          | 0            | 628          | 36 %           |
| Injection drug use                         | 306          | 143          | 449          | 26 %           |
| Men who have sex with men and inject drugs | 142          | 0            | 142          | 8 %            |
| Heterosexual contact                       | 171          | 337          | 508          | 29 %           |
| Transfusion/Hemophilia                     | 5            | 8            | 13           | 1 %            |
| Perinatal                                  | 11           | 8            | 19           | 1 %            |
| <b>Total</b>                               | <b>1,263</b> | <b>496</b>   | <b>1,759</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>512</i>   | <i>408</i>   | <i>920</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2011**

- 321 persons were newly diagnosed with HIV in the Baton Rouge MSA.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 203          | 63 %           | Black, Non-Hispanic    | 273          | 85 %           |
| Women         | 118          | 37 %           | White, Non-Hispanic    | 42           | 13 %           |
| <b>Total</b>  | <b>321</b>   | <b>100 %</b>   | Hispanic               | 2            | 1 %            |
|               |              |                | Asian/Pacific Islander | 1            | <1 %           |
|               |              |                | American Indian        | 1            | <1 %           |
|               |              |                | Unknown                | 1            | <1 %           |
|               |              |                | Multi-race             | 1            | <1 %           |
|               |              |                | <b>Total</b>           | <b>321</b>   | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 84           | 26 %           | Men who have sex with men                  | 90           | 56 %           |
| 25 - 34                 | 97           | 30 %           | Injection drug use                         | 12           | 7 %            |
| 35 - 44                 | 67           | 21 %           | Men who have sex with men and inject drugs | 2            | 1 %            |
| 45+                     | 73           | 23 %           | Heterosexual contact                       | 58           | 36 %           |
| <b>Total</b>            | <b>321</b>   | <b>100 %</b>   | <b>Total</b>                               | <b>162</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>159</i>   |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 227 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 154          | 68 %           | Black, Non-Hispanic    | 204          | 90 %           |
| Women         | 73           | 32 %           | White, Non-Hispanic    | 19           | 8 %            |
| <b>Total</b>  | <b>227</b>   | <b>100 %</b>   | Hispanic               | 2            | 1 %            |
|               |              |                | Asian/Pacific Islander | 1            | <1 %           |
|               |              |                | Multi-race             | 1            | <1 %           |
|               |              |                | <b>Total</b>           | <b>227</b>   | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 22           | 10 %           | Men who have sex with men          | 53           | 41 %           |
| 25 - 34                 | 64           | 28 %           | Injection drug use                 | 29           | 22 %           |
| 35 - 44                 | 65           | 29 %           | Heterosexual contact               | 44           | 34 %           |
| 45+                     | 76           | 33 %           | Perinatal                          | 3            | 2 %            |
| <b>Total</b>            | <b>227</b>   | <b>100 %</b>   | <b>Total</b>                       | <b>129</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>          | <i>98</i>    |                |

## Persons Living with HIV/AIDS

### Region 1: New Orleans Region

as of March 31, 2012

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **14,220** cumulative cases have been detected in Region 1 since the beginning of the epidemic, including **141** pediatric cases.
- **6,180** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **49** pediatric deaths.
- **6,563** persons are currently living with HIV/AIDS in Region 1.  
Persons living with HIV: **3,011**  
Persons living with AIDS: **3,552**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 1,684        | 26 %           |
| Men           | 4,879        | 74 %           |
| <b>Total</b>  | <b>6,563</b> | <b>100 %</b>   |

| <u>Age Category</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| 0 - 12              | 19           | <1 %           | Black, Non-Hispanic    | 2,642        | 1,402        | 4,044        | 62 %           |
| 13 - 19             | 35           | 1 %            | White, Non-Hispanic    | 1,893        | 181          | 2,074        | 32 %           |
| 20 - 24             | 239          | 4 %            | Hispanic               | 285          | 83           | 368          | 6 %            |
| 25 - 29             | 486          | 7 %            | Asian/Pacific Islander | 26           | 7            | 33           | 1 %            |
| 30 - 34             | 634          | 10 %           | American Indian        | 5            | 0            | 5            | <1 %           |
| 35 - 39             | 682          | 10 %           | Unknown                | 4            | 1            | 5            | <1 %           |
| 40 - 44             | 871          | 13 %           | Multi-race             | 24           | 10           | 34           | 1 %            |
| 45 - 49             | 1,053        | 16 %           | <b>Total</b>           | <b>4,879</b> | <b>1,684</b> | <b>6,563</b> | <b>100 %</b>   |
| 50 - 54             | 1,082        | 16 %           |                        |              |              |              |                |
| 55 - 59             | 732          | 11 %           |                        |              |              |              |                |
| 60+                 | 730          | 11 %           |                        |              |              |              |                |
| <b>Total</b>        | <b>6,563</b> | <b>100 %</b>   |                        |              |              |              |                |

#### Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 2,521        | 0            | 2,521        | 58 %           |
| Injection drug use                         | 330          | 187          | 517          | 12 %           |
| Men who have sex with men and inject drugs | 313          | 0            | 313          | 7 %            |
| Heterosexual contact                       | 299          | 637          | 936          | 21 %           |
| Transfusion/Hemophilia                     | 18           | 16           | 34           | <1 %           |
| Perinatal                                  | 22           | 33           | 55           | 1 %            |
| <b>Total</b>                               | <b>3,503</b> | <b>873</b>   | <b>4,376</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>1,376</i> | <i>811</i>   | <i>2,187</i> |                |



## Persons Newly Diagnosed with HIV/AIDS

### Region 1: New Orleans Region

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

### HIV CASES DIAGNOSED January - December 2011

- 445 persons were newly diagnosed with HIV in Region 1.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 339          | 76 %           | Black, Non-Hispanic   | 306          | 69 %           |
| Women         | 106          | 24 %           | White, Non-Hispanic   | 102          | 23 %           |
| <b>Total</b>  | <b>445</b>   | <b>100 %</b>   | Hispanic              | 35           | 8 %            |
|               |              |                | Unknown               | 1            | <1 %           |
|               |              |                | Multi-race            | 1            | <1 %           |
|               |              |                | <b>Total</b>          | <b>445</b>   | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 0 - 12                  | 2            | <1 %           | Men who have sex with men                  | 175          | 65 %           |
| 13 - 24                 | 91           | 20 %           | Injection drug use                         | 26           | 10 %           |
| 25 - 34                 | 140          | 31 %           | Men who have sex with men and inject drugs | 5            | 2 %            |
| 35 - 44                 | 79           | 18 %           | Heterosexual contact                       | 60           | 22 %           |
| 45+                     | 133          | 30 %           | Perinatal                                  | 3            | 1 %            |
| <b>Total</b>            | <b>445</b>   | <b>100 %</b>   | <b>Total</b>                               | <b>269</b>   | <b>100 %</b>   |

*No Identified Risk* 176

### AIDS CASES DIAGNOSED January - December 2011

- 261 persons were newly diagnosed with AIDS in Region 1.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 187          | 72 %           | Black, Non-Hispanic   | 182          | 70 %           |
| Women         | 74           | 28 %           | White, Non-Hispanic   | 64           | 25 %           |
| <b>Total</b>  | <b>261</b>   | <b>100 %</b>   | Hispanic              | 15           | 6 %            |
|               |              |                | <b>Total</b>          | <b>261</b>   | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 22           | 8 %            | Men who have sex with men                  | 91           | 60 %           |
| 25 - 34                 | 72           | 28 %           | Injection drug use                         | 19           | 13 %           |
| 35 - 44                 | 64           | 25 %           | Men who have sex with men and inject drugs | 5            | 3 %            |
| 45+                     | 103          | 39 %           | Heterosexual contact                       | 33           | 22 %           |
| <b>Total</b>            | <b>261</b>   | <b>100 %</b>   | Perinatal                                  | 3            | 2 %            |
|                         |              |                | <b>Total</b>                               | <b>151</b>   | <b>100 %</b>   |

*No Identified Risk* 110

**Persons Living with HIV/AIDS  
Region 2: Baton Rouge Region  
as of March 31, 2012**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **7,162** cumulative cases have been detected in Region 2 since the beginning of the epidemic, including **69** pediatric cases.
- **3,036** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,683** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **2,105**  
Persons living with AIDS: **2,578**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 1,734        | 37 %           |
| Men           | 2,949        | 63 %           |
| <b>Total</b>  | <b>4,683</b> | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |              |              |              |                |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
| 0 - 12              | 21           | <1 %           | Black, Non-Hispanic    | 2,335        | 1,590        | 3,925        | 84 %           |
| 13 - 19             | 47           | 1 %            | White, Non-Hispanic    | 544          | 125          | 669          | 14 %           |
| 20 - 24             | 206          | 4 %            | Hispanic               | 43           | 12           | 55           | 1 %            |
| 25 - 29             | 409          | 9 %            | Asian/Pacific Islander | 7            | 1            | 8            | <1 %           |
| 30 - 34             | 568          | 12 %           | American Indian        | 2            | 1            | 3            | <1 %           |
| 35 - 39             | 599          | 13 %           | Unknown                | 3            | 0            | 3            | <1 %           |
| 40 - 44             | 666          | 14 %           | Multi-race             | 15           | 5            | 20           | <1 %           |
| 45 - 49             | 667          | 14 %           | <b>Total</b>           | <b>2,949</b> | <b>1,734</b> | <b>4,683</b> | <b>100 %</b>   |
| 50 - 54             | 653          | 14 %           |                        |              |              |              |                |
| 55 - 59             | 442          | 9 %            |                        |              |              |              |                |
| 60+                 | 405          | 9 %            |                        |              |              |              |                |
| <b>Total</b>        | <b>4,683</b> | <b>100 %</b>   |                        |              |              |              |                |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 1,085        | 0            | 1,085        | 38 %           |
| Injection drug use                         | 387          | 234          | 621          | 22 %           |
| Men who have sex with men and inject drugs | 192          | 0            | 192          | 7 %            |
| Heterosexual contact                       | 288          | 605          | 893          | 31 %           |
| Transfusion/Hemophilia                     | 6            | 10           | 16           | 1 %            |
| Perinatal                                  | 30           | 24           | 54           | 2 %            |
| <b>Total</b>                               | <b>1,988</b> | <b>873</b>   | <b>2,861</b> | <b>100%</b>    |
| <i>No Identified Risk</i>                  | <i>961</i>   | <i>861</i>   | <i>1,822</i> |                |

**Persons Living with AIDS  
Region 2: Baton Rouge Region  
as of March 31, 2012**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **4,833** cumulative AIDS cases have been diagnosed in Region 2 since the beginning of the epidemic, including **31** pediatric cases.
- **2,578** persons are currently living with AIDS in Region 2.

| <b>Gender</b> | <b>Cases</b> | <b>Percent</b> |
|---------------|--------------|----------------|
| Women         | 876          | 34 %           |
| Men           | 1,702        | 66 %           |
| <b>Total</b>  | <b>2,578</b> | <b>100 %</b>   |

| <b>Age Category</b> | <b>Cases</b> | <b>Percent</b> | <b>Race/Ethnicity</b>  | <b>Men</b>   | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| <b>Current Age</b>  |              |                |                        |              |              |              |                |
| 0 - 12              | 3            | <1 %           | Black, Non-Hispanic    | 1,358        | 817          | 2,175        | 84 %           |
| 13 - 19             | 15           | 1 %            | White, Non-Hispanic    | 307          | 51           | 358          | 14 %           |
| 20 - 24             | 55           | 2 %            | Hispanic               | 23           | 7            | 30           | 1 %            |
| 25 - 29             | 149          | 6 %            | Asian/Pacific Islander | 3            | 0            | 3            | <1 %           |
| 30 - 34             | 250          | 10 %           | American Indian        | 2            | 0            | 2            | <1 %           |
| 35 - 39             | 315          | 12 %           | Multi-race             | 9            | 1            | 10           | <1 %           |
| 40 - 44             | 407          | 16 %           | <b>Total</b>           | <b>1,702</b> | <b>876</b>   | <b>2,578</b> | <b>100 %</b>   |
| 45 - 49             | 412          | 16 %           |                        |              |              |              |                |
| 50 - 54             | 415          | 16 %           |                        |              |              |              |                |
| 55 - 59             | 285          | 11 %           |                        |              |              |              |                |
| 60+                 | 272          | 11 %           |                        |              |              |              |                |
| <b>Total</b>        | <b>2,578</b> | <b>100 %</b>   |                        |              |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b>   | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|--------------|--------------|--------------|----------------|
| Men who have sex with men                  | 595          | 0            | 595          | 35 %           |
| Injection drug use                         | 291          | 137          | 428          | 25 %           |
| Men who have sex with men and inject drugs | 138          | 0            | 138          | 8 %            |
| Heterosexual contact                       | 164          | 326          | 490          | 29 %           |
| Transfusion/Hemophilia                     | 4            | 8            | 12           | 1 %            |
| Perinatal                                  | 11           | 7            | 18           | 1 %            |
| <b>Total</b>                               | <b>1,203</b> | <b>478</b>   | <b>1,681</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>499</i>   | <i>398</i>   | <i>897</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2011**

- 308 persons were newly diagnosed with HIV in Region 2.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 195          | 63 %           | Black, Non-Hispanic    | 271          | 88 %           |
| Women         | 113          | 37 %           | White, Non-Hispanic    | 32           | 10 %           |
| <b>Total</b>  | <b>308</b>   | <b>100 %</b>   | Hispanic               | 1            | <1 %           |
|               |              |                | Asian/Pacific Islander | 1            | <1 %           |
|               |              |                | American Indian        | 1            | <1 %           |
|               |              |                | Unknown                | 1            | <1 %           |
|               |              |                | Multi-race             | 1            | <1 %           |
|               |              |                | <b>Total</b>           | <b>308</b>   | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 81           | 26 %           | Men who have sex with men                  | 86           | 55 %           |
| 25 - 34                 | 96           | 31 %           | Injection drug use                         | 12           | 8 %            |
| 35 - 44                 | 63           | 20 %           | Men who have sex with men and inject drugs | 2            | 1 %            |
| 45+                     | 68           | 22%            | Heterosexual contact                       | 55           | 35 %           |
| <b>Total</b>            | <b>308</b>   | <b>100 %</b>   | <b>Total</b>                               | <b>155</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>153</i>   |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 218 persons were newly diagnosed with AIDS in Region 2.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 148          | 68 %           | Black, Non-Hispanic    | 200          | 92 %           |
| Women         | 70           | 32 %           | White, Non-Hispanic    | 15           | 7 %            |
| <b>Total</b>  | <b>218</b>   | <b>100 %</b>   | Hispanic               | 1            | <1 %           |
|               |              |                | Asian/Pacific Islander | 1            | <1 %           |
|               |              |                | Multi-race             | 1            | <1 %           |
|               |              |                | <b>Total</b>           | <b>218</b>   | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 22           | 10 %           | Men who have sex with men          | 51           | 41 %           |
| 25 - 34                 | 63           | 29 %           | Injection drug use                 | 28           | 23 %           |
| 35 - 44                 | 60           | 28 %           | Heterosexual contact               | 42           | 34 %           |
| 45+                     | 73           | 33 %           | Perinatal                          | 3            | 2 %            |
| <b>Total</b>            | <b>218</b>   | <b>100 %</b>   | <b>Total</b>                       | <b>124</b>   | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>          | <i>94</i>    |                |

**Persons Living with HIV/AIDS****Region 3: Houma Region****as of March 31, 2012***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,062** cumulative cases have been detected in Region 3 since the beginning of the epidemic, including **16** pediatric cases.
- **488** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **711** persons are currently living with HIV/AIDS in Region 3.  
Persons living with HIV: **302**  
Persons living with AIDS: **409**

| <b><u>Gender</u></b> | <b>Cases</b> | <b>Percent</b> |
|----------------------|--------------|----------------|
| Women                | 222          | 31 %           |
| Men                  | 489          | 69 %           |
| <b>Total</b>         | <b>711</b>   | <b>100 %</b>   |

| <b><u>Age Category</u></b> |              |                | <b><u>Race/Ethnicity</u></b> |            |              |              |                |
|----------------------------|--------------|----------------|------------------------------|------------|--------------|--------------|----------------|
| <b>Current Age</b>         | <b>Cases</b> | <b>Percent</b> |                              | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
| 0 - 12                     | 2            | <1 %           | Black, Non-Hispanic          | 251        | 164          | 415          | 58 %           |
| 13 - 19                    | 10           | 1 %            | White, Non-Hispanic          | 214        | 50           | 264          | 37 %           |
| 20 - 24                    | 42           | 6 %            | Hispanic                     | 17         | 4            | 21           | 3 %            |
| 25 - 29                    | 74           | 10 %           | Asian/Pacific Islander       | 2          | 1            | 3            | <1 %           |
| 30 - 34                    | 74           | 10 %           | American Indian              | 1          | 2            | 3            | <1 %           |
| 35 - 39                    | 79           | 11 %           | Multi-race                   | 4          | 1            | 5            | 1 %            |
| 40 - 44                    | 92           | 13 %           | <b>Total</b>                 | <b>489</b> | <b>222</b>   | <b>711</b>   | <b>100 %</b>   |
| 45 - 49                    | 110          | 15 %           |                              |            |              |              |                |
| 50 - 54                    | 99           | 14 %           |                              |            |              |              |                |
| 55 - 59                    | 72           | 10 %           |                              |            |              |              |                |
| 60+                        | 57           | 8 %            |                              |            |              |              |                |
| <b>Total</b>               | <b>711</b>   | <b>100 %</b>   |                              |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 269        | 0            | 269          | 55 %           |
| Injection drug use                         | 38         | 22           | 60           | 12 %           |
| Men who have sex with men and inject drugs | 15         | 0            | 15           | 3 %            |
| Heterosexual contact                       | 31         | 101          | 132          | 27 %           |
| Transfusion/Hemophilia                     | 0          | 1            | 1            | <1 %           |
| Perinatal                                  | 5          | 5            | 10           | 2 %            |
| <b>Total</b>                               | <b>358</b> | <b>129</b>   | <b>487</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>131</i> | <i>93</i>    | <i>224</i>   |                |

**Persons Living with AIDS****Region 3: Houma Region****as of March 31, 2012***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

• **747** cumulative AIDS cases have been diagnosed in Region 3 since the beginning of the epidemic, including **10** pediatric cases.

• **409** persons are currently living with AIDS in Region 3.

| <b><u>Gender</u></b> | <b>Cases</b> | <b>Percent</b> |
|----------------------|--------------|----------------|
| Women                | 121          | 30 %           |
| Men                  | 288          | 70 %           |
| <b>Total</b>         | <b>409</b>   | <b>100 %</b>   |

| <b><u>Age Category</u></b> |              |                | <b><u>Race/Ethnicity</u></b> |            |              |              |                |
|----------------------------|--------------|----------------|------------------------------|------------|--------------|--------------|----------------|
| <b>Current Age</b>         | <b>Cases</b> | <b>Percent</b> |                              | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
| 13 - 19                    | 3            | 1 %            | Black, Non-Hispanic          | 153        | 91           | 244          | 60 %           |
| 20 - 24                    | 15           | 4 %            | White, Non-Hispanic          | 118        | 24           | 142          | 35 %           |
| 25 - 29                    | 27           | 7 %            | Hispanic                     | 13         | 2            | 15           | 4 %            |
| 30 - 34                    | 38           | 9 %            | Asian/Pacific Islander       | 1          | 1            | 2            | <1 %           |
| 35 - 39                    | 39           | 10 %           | American Indian              | 1          | 2            | 3            | 1 %            |
| 40 - 44                    | 50           | 12 %           | Multi-race                   | 2          | 1            | 3            | 1 %            |
| 45 - 49                    | 77           | 19 %           | <b>Total</b>                 | <b>288</b> | <b>121</b>   | <b>409</b>   | <b>100 %</b>   |
| 50 - 54                    | 65           | 16 %           |                              |            |              |              |                |
| 55 - 59                    | 54           | 13 %           |                              |            |              |              |                |
| 60+                        | 41           | 10 %           |                              |            |              |              |                |
| <b>Total</b>               | <b>409</b>   | <b>100 %</b>   |                              |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 149        | 0            | 149          | 53 %           |
| Injection drug use                         | 28         | 14           | 42           | 15 %           |
| Men who have sex with men and inject drugs | 10         | 0            | 10           | 4 %            |
| Heterosexual contact                       | 22         | 51           | 73           | 26 %           |
| Transfusion/Hemophilia                     | 0          | 1            | 1            | <1 %           |
| Perinatal                                  | 3          | 4            | 7            | 2 %            |
| <b>Total</b>                               | <b>212</b> | <b>70</b>    | <b>282</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>76</i>  | <i>51</i>    | <i>127</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2011**

- 60 persons were newly diagnosed with HIV in Region 3.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 47           | 78 %           | Black, Non-Hispanic    | 41           | 68 %           |
| Women         | 13           | 22 %           | White, Non-Hispanic    | 13           | 22 %           |
| <b>Total</b>  | <b>60</b>    | <b>100 %</b>   | Hispanic               | 5            | 8 %            |
|               |              |                | Asian/Pacific Islander | 1            | 2 %            |
|               |              |                | <b>Total</b>           | <b>60</b>    | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 22           | 37 %           | Men who have sex with men          | 27           | 60 %           |
| 25 - 34                 | 14           | 23 %           | Injection drug use                 | 3            | 7 %            |
| 35 - 44                 | 10           | 17 %           | Heterosexual contact               | 15           | 33 %           |
| 45+                     | 14           | 23%            | <b>Total</b>                       | <b>45</b>    | <b>100 %</b>   |
| <b>Total</b>            | <b>60</b>    | <b>100 %</b>   | <i>No Identified Risk</i>          | <i>15</i>    |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 33 persons were newly diagnosed with AIDS in Region 3.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 28           | 85 %           | Black, Non-Hispanic    | 21           | 64 %           |
| Women         | 5            | 15 %           | White, Non-Hispanic    | 6            | 18 %           |
| <b>Total</b>  | <b>33</b>    | <b>100 %</b>   | Hispanic               | 5            | 15 %           |
|               |              |                | Asian/Pacific Islander | 1            | 3 %            |
|               |              |                | <b>Total</b>           | <b>33</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 3            | 9 %            | Men who have sex with men          | 15           | 60 %           |
| 25 - 34                 | 9            | 27 %           | Injection drug use                 | 3            | 12 %           |
| 35 - 44                 | 10           | 30 %           | Heterosexual contact               | 7            | 28 %           |
| 45+                     | 11           | 33 %           | <b>Total</b>                       | <b>25</b>    | <b>100 %</b>   |
| <b>Total</b>            | <b>33</b>    | <b>100 %</b>   | <i>No Identified Risk</i>          | <i>8</i>     |                |

## Persons Living with HIV/AIDS

### Region 4: Lafayette Region

as of March 31, 2012

*Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **2,039** cumulative cases have been detected in Region 4 since the beginning of the epidemic, including **17** pediatric cases.
- **941** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,405** persons are currently living with HIV/AIDS in Region 4.  
Persons living with HIV: **633**  
Persons living with AIDS: **772**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 369          | 26 %           |
| Men           | 1,036        | 74 %           |
| <b>Total</b>  | <b>1,405</b> | <b>100 %</b>   |

| <u>Age Category</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| <b>Current Age</b>  |              |                |                        |              |              |              |                |
| 0 - 12              | 4            | <1 %           | Black, Non-Hispanic    | 543          | 261          | 804          | 57 %           |
| 13 - 19             | 8            | 1 %            | White, Non-Hispanic    | 430          | 97           | 527          | 38 %           |
| 20 - 24             | 52           | 4 %            | Hispanic               | 50           | 3            | 53           | 4 %            |
| 25 - 29             | 97           | 7 %            | Asian/Pacific Islander | 0            | 2            | 2            | <1 %           |
| 30 - 34             | 147          | 10 %           | American Indian        | 2            | 1            | 3            | <1 %           |
| 35 - 39             | 135          | 10 %           | Unknown                | 1            | 0            | 1            | <1 %           |
| 40 - 44             | 171          | 12 %           | Multi-race             | 10           | 5            | 15           | 1 %            |
| 45 - 49             | 290          | 21 %           | <b>Total</b>           | <b>1,036</b> | <b>369</b>   | <b>1,405</b> | <b>100 %</b>   |
| 50 - 54             | 230          | 16 %           |                        |              |              |              |                |
| 55 - 59             | 163          | 12 %           |                        |              |              |              |                |
| 60+                 | 108          | 8 %            |                        |              |              |              |                |
| <b>Total</b>        | <b>1,405</b> | <b>100 %</b>   |                        |              |              |              |                |

#### Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 499        | 0            | 499          | 54 %           |
| Injection drug use                         | 71         | 45           | 116          | 13 %           |
| Men who have sex with men and inject drugs | 56         | 0            | 56           | 6 %            |
| Heterosexual contact                       | 70         | 164          | 234          | 25 %           |
| Transfusion/Hemophilia                     | 5          | 1            | 6            | 1 %            |
| Confirmed Other                            | 0          | 1            | 1            | <1 %           |
| Perinatal                                  | 6          | 6            | 12           | 1 %            |
| <b>Total</b>                               | <b>707</b> | <b>217</b>   | <b>924</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>329</i> | <i>152</i>   | <i>481</i>   |                |

**Persons Living with AIDS  
Region 4: Lafayette Region  
as of March 31, 2012**

*Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,371** cumulative AIDS cases have been diagnosed in Region 4 since the beginning of the epidemic, including **12** pediatric cases.
- **772** persons are currently living with AIDS in Region 4.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 181          | 23 %           |
| Men           | 591          | 77 %           |
| <b>Total</b>  | <b>772</b>   | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |            |              |              |                |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
| 0 - 12              | 1            | <1 %           | Black, Non-Hispanic    | 302        | 134          | 436          | 56 %           |
| 13 - 19             | 5            | 1 %            | White, Non-Hispanic    | 262        | 43           | 305          | 40 %           |
| 20 - 24             | 9            | 1 %            | Hispanic               | 23         | 1            | 24           | 3 %            |
| 25 - 29             | 35           | 5 %            | Asian/Pacific Islander | 0          | 1            | 1            | <1 %           |
| 30 - 34             | 70           | 9 %            | Multi-race             | 4          | 2            | 6            | 1 %            |
| 35 - 39             | 72           | 9 %            | <b>Total</b>           | <b>591</b> | <b>181</b>   | <b>772</b>   | <b>100 %</b>   |
| 40 - 44             | 96           | 12 %           |                        |            |              |              |                |
| 45 - 49             | 180          | 23 %           |                        |            |              |              |                |
| 50 - 54             | 129          | 17 %           |                        |            |              |              |                |
| 55 - 59             | 106          | 14 %           |                        |            |              |              |                |
| 60+                 | 69           | 9 %            |                        |            |              |              |                |
| <b>Total</b>        | <b>772</b>   | <b>100 %</b>   |                        |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 295        | 0            | 295          | 56 %           |
| Injection drug use                         | 45         | 21           | 66           | 12 %           |
| Men who have sex with men and inject drugs | 38         | 0            | 38           | 7 %            |
| Heterosexual contact                       | 36         | 86           | 122          | 23 %           |
| Transfusion/Hemophilia                     | 3          | 1            | 4            | 1 %            |
| Perinatal                                  | 1          | 5            | 6            | 1 %            |
| <b>Total</b>                               | <b>418</b> | <b>113</b>   | <b>531</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>173</i> | <i>68</i>    | <i>241</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2011**

- 94 persons were newly diagnosed with HIV in Region 4.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 64           | 68 %           | Black, Non-Hispanic   | 58           | 62 %           |
| Women         | 30           | 32 %           | White, Non-Hispanic   | 29           | 31 %           |
| <b>Total</b>  | <b>94</b>    | <b>100 %</b>   | Hispanic              | 6            | 6 %            |
|               |              |                | Multi-race            | 1            | 1 %            |
|               |              |                | <b>Total</b>          | <b>94</b>    | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 19           | 20 %           | Men who have sex with men                  | 37           | 60 %           |
| 25 - 34                 | 30           | 32 %           | Injection drug use                         | 8            | 13 %           |
| 35 - 44                 | 23           | 24 %           | Men who have sex with men and inject drugs | 1            | 2 %            |
| 45+                     | 22           | 23 %           | Heterosexual contact                       | 16           | 26 %           |
| <b>Total</b>            | <b>94</b>    | <b>100 %</b>   | <b>Total</b>                               | <b>62</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | 32           |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 57 persons were newly diagnosed with AIDS in Region 4.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 42           | 74 %           | Black, Non-Hispanic   | 39           | 68 %           |
| Women         | 15           | 26 %           | White, Non-Hispanic   | 16           | 28 %           |
| <b>Total</b>  | <b>57</b>    | <b>100 %</b>   | Hispanic              | 2            | 4 %            |
|               |              |                | <b>Total</b>          | <b>57</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 5            | 9 %            | Men who have sex with men          | 24           | 65 %           |
| 25 - 34                 | 16           | 28 %           | Injection drug use                 | 5            | 14 %           |
| 35 - 44                 | 16           | 28 %           | Heterosexual contact               | 7            | 19 %           |
| 45+                     | 20           | 35 %           | Perinatal                          | 1            | 3 %            |
| <b>Total</b>            | <b>57</b>    | <b>100 %</b>   | <b>Total</b>                       | <b>37</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>          | 20           |                |

**Persons Living with HIV/AIDS  
Region 5: Lake Charles Region  
as of March 31, 2012**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,294** cumulative cases have been detected in Region 5 since the beginning of the epidemic, including **9** pediatric cases.
- **512** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,015** persons are currently living with HIV/AIDS in Region 5.  
Persons living with HIV: **443**  
Persons living with AIDS: **572**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 227          | 22 %           |
| Men           | 788          | 78 %           |
| <b>Total</b>  | <b>1,015</b> | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |              |              |                |              |
|---------------------|--------------|----------------|------------------------|--------------|--------------|----------------|--------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> | <u>Men</u>             | <u>Women</u> | <u>Total</u> | <u>Percent</u> |              |
| 0 - 12              | 3            | <1 %           | Black, Non-Hispanic    | 439          | 156          | 595            | 59 %         |
| 13 - 19             | 7            | 1 %            | White, Non-Hispanic    | 253          | 61           | 314            | 31 %         |
| 20 - 24             | 37           | 4 %            | Hispanic               | 82           | 6            | 88             | 9 %          |
| 25 - 29             | 68           | 7 %            | Asian/Pacific Islander | 4            | 0            | 4              | <1 %         |
| 30 - 34             | 102          | 10 %           | American Indian        | 3            | 1            | 4              | <1 %         |
| 35 - 39             | 134          | 13 %           | Multi-race             | 7            | 3            | 10             | 1 %          |
| 40 - 44             | 147          | 14 %           | <b>Total</b>           | <b>788</b>   | <b>227</b>   | <b>1,015</b>   | <b>100 %</b> |
| 45 - 49             | 184          | 18 %           |                        |              |              |                |              |
| 50 - 54             | 179          | 18 %           |                        |              |              |                |              |
| 55 - 59             | 85           | 8 %            |                        |              |              |                |              |
| 60+                 | 69           | 7 %            |                        |              |              |                |              |
| <b>Total</b>        | <b>1,015</b> | <b>100 %</b>   |                        |              |              |                |              |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 331        | 0            | 331          | 45 %           |
| Injection drug use                         | 99         | 31           | 130          | 18 %           |
| Men who have sex with men and inject drugs | 77         | 0            | 77           | 11 %           |
| Heterosexual contact                       | 84         | 97           | 181          | 25 %           |
| Transfusion/Hemophilia                     | 4          | 0            | 4            | <1 %           |
| Perinatal                                  | 3          | 6            | 9            | 1 %            |
| <b>Total</b>                               | <b>598</b> | <b>134</b>   | <b>732</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>190</i> | <i>93</i>    | <i>283</i>   |                |

**Persons Living with AIDS  
Region 5: Lake Charles Region  
as of March 31, 2012**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **895** cumulative AIDS cases have been diagnosed in Region 5 since the beginning of the epidemic, including **5** pediatric cases.
- **572** persons are currently living with AIDS in Region 5.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 112          | 20 %           |
| Men           | 460          | 80 %           |
| <b>Total</b>  | <b>572</b>   | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |            |              |              |                |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
| 0 - 12              | 1            | <1 %           | Black, Non-Hispanic    | 260        | 74           | 334          | 58 %           |
| 13 - 19             | 4            | 1 %            | White, Non-Hispanic    | 157        | 35           | 192          | 34 %           |
| 20 - 24             | 5            | 1 %            | Hispanic               | 36         | 2            | 38           | 7 %            |
| 25 - 29             | 30           | 5 %            | Asian/Pacific Islander | 2          | 0            | 2            | <1 %           |
| 30 - 34             | 44           | 8 %            | Multi-race             | 5          | 1            | 6            | 1 %            |
| 35 - 39             | 78           | 14 %           | <b>Total</b>           | <b>460</b> | <b>112</b>   | <b>572</b>   | <b>100 %</b>   |
| 40 - 44             | 91           | 16 %           |                        |            |              |              |                |
| 45 - 49             | 113          | 20 %           |                        |            |              |              |                |
| 50 - 54             | 116          | 20 %           |                        |            |              |              |                |
| 55 - 59             | 48           | 8 %            |                        |            |              |              |                |
| 60+                 | 42           | 7 %            |                        |            |              |              |                |
| <b>Total</b>        | <b>572</b>   | <b>100 %</b>   |                        |            |              |              |                |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 200        | 0            | 200          | 46 %           |
| Injection drug use                         | 64         | 22           | 86           | 20 %           |
| Men who have sex with men and inject drugs | 54         | 0            | 54           | 12 %           |
| Heterosexual contact                       | 47         | 43           | 90           | 21 %           |
| Transfusion/Hemophilia                     | 3          | 0            | 3            | 1 %            |
| Perinatal                                  | 2          | 2            | 4            | 1 %            |
| <b>Total</b>                               | <b>370</b> | <b>67</b>    | <b>437</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>90</i>  | <i>45</i>    | <i>135</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2011**

- 55 persons were newly diagnosed with HIV in Region 5.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 39           | 71 %           | Black, Non-Hispanic   | 37           | 67 %           |
| Women         | 16           | 29 %           | White, Non-Hispanic   | 15           | 27 %           |
| <b>Total</b>  | <b>55</b>    | <b>100 %</b>   | Hispanic              | 2            | 4 %            |
|               |              |                | Multi-race            | 1            | 2 %            |
|               |              |                | <b>Total</b>          | <b>55</b>    | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 0 - 12                  | 1            | 2 %            | Men who have sex with men          | 22           | 58 %           |
| 13 - 24                 | 13           | 24 %           | Injection drug use                 | 1            | 3 %            |
| 25 - 34                 | 18           | 33 %           | Heterosexual contact               | 14           | 37 %           |
| 35 - 44                 | 6            | 11 %           | Perinatal                          | 1            | 3 %            |
| 45+                     | 17           | 31 %           | <b>Total</b>                       | <b>38</b>    | <b>100 %</b>   |
| <b>Total</b>            | <b>55</b>    | <b>100 %</b>   | <i>No Identified Risk</i>          | <i>17</i>    |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 41 persons were newly diagnosed with AIDS in Region 5.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 33           | 80 %           | Black, Non-Hispanic   | 25           | 61 %           |
| Women         | 8            | 20 %           | White, Non-Hispanic   | 13           | 32 %           |
| <b>Total</b>  | <b>41</b>    | <b>100 %</b>   | Hispanic              | 2            | 5 %            |
|               |              |                | Multi-race            | 1            | 2 %            |
|               |              |                | <b>Total</b>          | <b>41</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 4            | 10 %           | Men who have sex with men                  | 16           | 55 %           |
| 25 - 34                 | 12           | 29 %           | Injection drug use                         | 4            | 14 %           |
| 35 - 44                 | 8            | 20 %           | Men who have sex with men and inject drugs | 2            | 7 %            |
| 45+                     | 17           | 41 %           | Heterosexual contact                       | 7            | 24 %           |
| <b>Total</b>            | <b>41</b>    | <b>100 %</b>   | <b>Total</b>                               | <b>29</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>12</i>    |                |

## Persons Living with HIV/AIDS

### Region 6: Alexandria Region

as of March 31, 2012

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,382** cumulative cases have been detected in Region 6 since the beginning of the epidemic, including **14** pediatric cases.
- **503** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **784** persons are currently living with HIV/AIDS in Region 6.  
Persons living with HIV: **389**  
Persons living with AIDS: **395**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 256          | 33 %           |
| Men           | 528          | 67 %           |
| <b>Total</b>  | <b>784</b>   | <b>100 %</b>   |

| <u>Age Category</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| 0 - 12              | 3            | <1 %           | Black, Non-Hispanic    | 341        | 200          | 541          | 69 %           |
| 13 - 19             | 7            | 1 %            | White, Non-Hispanic    | 150        | 49           | 199          | 25 %           |
| 20 - 24             | 30           | 4 %            | Hispanic               | 31         | 4            | 35           | 4 %            |
| 25 - 29             | 56           | 7 %            | Asian/Pacific Islander | 2          | 0            | 2            | <1 %           |
| 30 - 34             | 95           | 12 %           | American Indian        | 0          | 1            | 1            | <1 %           |
| 35 - 39             | 102          | 13 %           | Unknown                | 1          | 0            | 1            | <1 %           |
| 40 - 44             | 95           | 12 %           | Multi-race             | 3          | 2            | 5            | 1 %            |
| 45 - 49             | 133          | 17 %           | <b>Total</b>           | <b>528</b> | <b>256</b>   | <b>784</b>   | <b>100 %</b>   |
| 50 - 54             | 119          | 15 %           |                        |            |              |              |                |
| 55 - 59             | 86           | 11 %           |                        |            |              |              |                |
| 60+                 | 58           | 7 %            |                        |            |              |              |                |
| <b>Total</b>        | <b>784</b>   | <b>100 %</b>   |                        |            |              |              |                |

#### Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 211        | 0            | 211          | 41 %           |
| Injection drug use                         | 51         | 26           | 77           | 15 %           |
| Men who have sex with men and inject drugs | 36         | 0            | 36           | 7 %            |
| Heterosexual contact                       | 58         | 117          | 175          | 34 %           |
| Transfusion/Hemophilia                     | 7          | 1            | 8            | 2 %            |
| Perinatal                                  | 5          | 3            | 8            | 2 %            |
| <b>Total</b>                               | <b>368</b> | <b>147</b>   | <b>515</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>160</i> | <i>109</i>   | <i>269</i>   |                |

**Persons Living with AIDS****Region 6: Alexandria Region**

as of March 31, 2012

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

• **853** cumulative AIDS cases have been diagnosed in Region 6 since the beginning of the epidemic, including **5** pediatric cases.

• **395** persons are currently living with AIDS in Region 6.

| <b><u>Gender</u></b> | <b>Cases</b> | <b>Percent</b> |
|----------------------|--------------|----------------|
| Women                | 119          | 30 %           |
| Men                  | 276          | 70 %           |
| <b>Total</b>         | <b>395</b>   | <b>100 %</b>   |

| <b><u>Age Category</u></b> |              |                | <b><u>Race/Ethnicity</u></b> | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|----------------------------|--------------|----------------|------------------------------|------------|--------------|--------------|----------------|
| <b>Current Age</b>         | <b>Cases</b> | <b>Percent</b> |                              |            |              |              |                |
| 13 - 19                    | 2            | 1 %            | Black, Non-Hispanic          | 186        | 90           | 276          | 70 %           |
| 20 - 24                    | 9            | 2 %            | White, Non-Hispanic          | 78         | 27           | 105          | 27 %           |
| 25 - 29                    | 13           | 3 %            | Hispanic                     | 10         | 1            | 11           | 3 %            |
| 30 - 34                    | 35           | 9 %            | Asian/Pacific Islander       | 1          | 0            | 1            | <1 %           |
| 35 - 39                    | 51           | 13 %           | Multi-race                   | 1          | 1            | 2            | 1 %            |
| 40 - 44                    | 52           | 13 %           | <b>Total</b>                 | <b>276</b> | <b>119</b>   | <b>395</b>   | <b>100 %</b>   |
| 45 - 49                    | 76           | 19 %           |                              |            |              |              |                |
| 50 - 54                    | 71           | 18 %           |                              |            |              |              |                |
| 55 - 59                    | 47           | 12 %           |                              |            |              |              |                |
| 60+                        | 39           | 10 %           |                              |            |              |              |                |
| <b>Total</b>               | <b>395</b>   | <b>100 %</b>   |                              |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 104        | 0            | 104          | 39 %           |
| Injection drug use                         | 26         | 15           | 41           | 15 %           |
| Men who have sex with men and inject drugs | 28         | 0            | 28           | 10 %           |
| Heterosexual contact                       | 32         | 57           | 89           | 33 %           |
| Transfusion/Hemophilia                     | 75         | 0            | 5            | 2 %            |
| Perinatal                                  | 1          | 2            | 3            | 1 %            |
| <b>Total</b>                               | <b>196</b> | <b>74</b>    | <b>270</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>80</i>  | <i>45</i>    | <i>125</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

**HIV CASES DIAGNOSED January - December 2011**

- 76 persons were newly diagnosed with HIV in Region 6.

| <u>Gender</u> | Cases     | Percent      | <u>Race/Ethnicity</u> | Cases     | Percent      |
|---------------|-----------|--------------|-----------------------|-----------|--------------|
| Men           | 56        | 74 %         | Black, Non-Hispanic   | 37        | 49 %         |
| Women         | 20        | 26 %         | White, Non-Hispanic   | 16        | 21 %         |
| <b>Total</b>  | <b>76</b> | <b>100 %</b> | Hispanic              | 22        | 29 %         |
|               |           |              | Unknown               | 1         | 1 %          |
|               |           |              | <b>Total</b>          | <b>76</b> | <b>100 %</b> |

| <u>Age at Detection</u> | Cases     | Percent      | <u>Cases with a reported risk:</u>         | Cases     | Percent      |
|-------------------------|-----------|--------------|--|-----------|--------------|
| 0 - 12                  | 1         | 1 %          | Men who have sex with men                  | 20        | 65 %         |
| 13 - 24                 | 13        | 17 %         | Injection drug use                         | 1         | 3 %          |
| 25 - 34                 | 22        | 29 %         | Men who have sex with men and inject drugs | 1         | 3 %          |
| 35 - 44                 | 18        | 24 %         | Heterosexual contact                       | 8         | 26 %         |
| 45+                     | 22        | 29 %         | Perinatal                                  | 1         | 3 %          |
| <b>Total</b>            | <b>76</b> | <b>100 %</b> | <b>Total</b>                               | <b>31</b> | <b>100 %</b> |
|                         |           |              | <i>No Identified Risk</i>                  | <i>45</i> |              |

**AIDS CASES DIAGNOSED January - December 2011**

- 41 persons were newly diagnosed with AIDS in Region 6.

| <u>Gender</u> | Cases     | Percent      | <u>Race/Ethnicity</u> | Cases     | Percent      |
|---------------|-----------|--------------|-----------------------|-----------|--------------|
| Men           | 25        | 61 %         | Black, Non-Hispanic   | 28        | 68 %         |
| Women         | 16        | 39 %         | White, Non-Hispanic   | 8         | 20 %         |
| <b>Total</b>  | <b>41</b> | <b>100 %</b> | Hispanic              | 5         | 12 %         |
|               |           |              | <b>Total</b>          | <b>41</b> | <b>100 %</b> |

| <u>Age at Diagnosis</u> | Cases     | Percent      | <u>Cases with a reported risk:</u> | Cases     | Percent      |
|-------------------------|-----------|--------------|------------------------------------|-----------|--------------|
| 13 - 24                 | 5         | 12 %         | Men who have sex with men          | 10        | 48 %         |
| 25 - 34                 | 7         | 17 %         | Injection drug use                 | 3         | 14 %         |
| 35 - 44                 | 16        | 39 %         | Heterosexual contact               | 8         | 38 %         |
| 45+                     | 13        | 32 %         | <b>Total</b>                       | <b>21</b> | <b>100 %</b> |
| <b>Total</b>            | <b>41</b> | <b>100 %</b> | <i>No Identified Risk</i>          | <i>20</i> |              |

**Persons Living with HIV/AIDS**

**Region 7: Shreveport Region**

as of March 31, 2012

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,195** cumulative cases have been detected in Region 7 since the beginning of the epidemic, including **27** pediatric cases.
- **986** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **11** pediatric deaths.
- **1,479** persons are currently living with HIV/AIDS in Region 7.  
 Persons living with HIV: **704**  
 Persons living with AIDS: **775**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 433          | 29 %           |
| Men           | 1,046        | 71 %           |
| <b>Total</b>  | <b>1,479</b> | <b>100%</b>    |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |              |              |              |                |
|---------------------|--------------|----------------|------------------------|--------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        | <u>Men</u>   | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
| 0 - 12              | 3            | <1 %           | Black, Non-Hispanic    | 707          | 352          | 1,059        | 72 %           |
| 13 - 19             | 19           | 1 %            | White, Non-Hispanic    | 305          | 74           | 379          | 26 %           |
| 20 - 24             | 105          | 7 %            | Hispanic               | 17           | 5            | 22           | 1 %            |
| 25 - 29             | 148          | 10 %           | Asian/Pacific Islander | 5            | 0            | 5            | <1 %           |
| 30 - 34             | 182          | 12 %           | American Indian        | 8            | 1            | 9            | 1 %            |
| 35 - 39             | 166          | 11 %           | Multi-race             | 4            | 1            | 5            | <1 %           |
| 40 - 44             | 192          | 13 %           | <b>Total</b>           | <b>1,046</b> | <b>433</b>   | <b>1,479</b> | <b>100 %</b>   |
| 45 - 49             | 210          | 14 %           |                        |              |              |              |                |
| 50 - 54             | 200          | 14 %           |                        |              |              |              |                |
| 55 - 59             | 140          | 9 %            |                        |              |              |              |                |
| 60+                 | 114          | 8 %            |                        |              |              |              |                |
| <b>Total</b>        | <b>1,479</b> | <b>100 %</b>   |                        |              |              |              |                |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 548        | 0            | 548          | 53 %           |
| Injection drug use                         | 64         | 40           | 104          | 10 %           |
| Men who have sex with men and inject drugs | 85         | 0            | 85           | 8 %            |
| Heterosexual contact                       | 81         | 194          | 275          | 27 %           |
| Transfusion/Hemophilia                     | 4          | 3            | 7            | 1 %            |
| Perinatal                                  | 7          | 7            | 14           | 1 %            |
| <b>Total</b>                               | <b>789</b> | <b>244</b>   | <b>1,033</b> | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>257</i> | <i>189</i>   | <i>446</i>   |                |

**Persons Living with AIDS  
Region 7: Shreveport Region  
as of March 31, 2012**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,442** cumulative AIDS cases have been diagnosed in Region 7 since the beginning of the epidemic, including **19** pediatric cases.
- **775** persons are currently living with AIDS in Region 7.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 207          | 27 %           |
| Men           | 568          | 73 %           |
| <b>Total</b>  | <b>775</b>   | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        |            |              |              |                |
| 0 - 12              | 1            | <1 %           | Black, Non-Hispanic    | 385        | 170          | 555          | 72 %           |
| 13 - 19             | 7            | 1 %            | White, Non-Hispanic    | 164        | 33           | 197          | 25 %           |
| 20 - 24             | 28           | 4 %            | Hispanic               | 10         | 3            | 13           | 2 %            |
| 25 - 29             | 49           | 6 %            | Asian/Pacific Islander | 2          | 0            | 2            | <1 %           |
| 30 - 34             | 67           | 9 %            | American Indian        | 5          | 0            | 5            | 1 %            |
| 35 - 39             | 82           | 11 %           | Multi-race             | 2          | 1            | 3            | <1 %           |
| 40 - 44             | 107          | 14 %           | <b>Total</b>           | <b>568</b> | <b>207</b>   | <b>775</b>   | <b>100 %</b>   |
| 45 - 49             | 127          | 16 %           |                        |            |              |              |                |
| 50 - 54             | 129          | 17 %           |                        |            |              |              |                |
| 55 - 59             | 104          | 13 %           |                        |            |              |              |                |
| 60+                 | 74           | 10 %           |                        |            |              |              |                |
| <b>Total</b>        | <b>775</b>   | <b>100 %</b>   |                        |            |              |              |                |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 278        | 0            | 278          | 49 %           |
| Injection drug use                         | 45         | 16           | 61           | 11 %           |
| Men who have sex with men and inject drugs | 53         | 0            | 53           | 9 %            |
| Heterosexual contact                       | 61         | 99           | 160          | 28 %           |
| Transfusion/Hemophilia                     | 3          | 3            | 6            | 1 %            |
| Perinatal                                  | 3          | 5            | 8            | 1 %            |
| <b>Total</b>                               | <b>443</b> | <b>123</b>   | <b>566</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>125</i> | <i>84</i>    | <i>209</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2011**

- 134 persons were newly diagnosed with HIV in Region 7.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 100          | 75 %           | Black, Non-Hispanic    | 111          | 83 %           |
| Women         | 34           | 25 %           | White, Non-Hispanic    | 18           | 13 %           |
| <b>Total</b>  | <b>134</b>   | <b>100 %</b>   | Hispanic               | 1            | 1 %            |
|               |              |                | Asian/Pacific Islander | 2            | 1 %            |
|               |              |                | American Indian        | 2            | 1 %            |
|               |              |                | <b>Total</b>           | <b>134</b>   | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 49           | 37 %           | Men who have sex with men          | 61           | 81 %           |
| 25 - 34                 | 43           | 32 %           | Injection drug use                 | 1            | 1 %            |
| 35 - 44                 | 18           | 13 %           | Heterosexual contact               | 13           | 17 %           |
| 45+                     | 24           | 18 %           | <b>Total</b>                       | <b>75</b>    | <b>100 %</b>   |
| <b>Total</b>            | <b>134</b>   | <b>100 %</b>   | <i>No Identified Risk</i>          | <i>59</i>    |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 66 persons were newly diagnosed with AIDS in Region 7.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 48           | 73 %           | Black, Non-Hispanic   | 57           | 86 %           |
| Women         | 18           | 27 %           | White, Non-Hispanic   | 9            | 14 %           |
| <b>Total</b>  | <b>66</b>    | <b>100 %</b>   | <b>Total</b>          | <b>66</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 13           | 20 %           | Men who have sex with men          | 25           | 69 %           |
| 25 - 34                 | 22           | 33 %           | Injection drug use                 | 1            | 3 %            |
| 35 - 44                 | 16           | 24 %           | Heterosexual contact               | 10           | 28 %           |
| 45+                     | 15           | 23 %           | <b>Total</b>                       | <b>36</b>    | <b>100 %</b>   |
| <b>Total</b>            | <b>66</b>    | <b>100 %</b>   | <i>No Identified Risk</i>          | <i>30</i>    |                |

**Persons Living with HIV/AIDS****Region 8: Monroe Region****as of March 31, 2012***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,593** cumulative cases have been detected in Region 8 since the beginning of the epidemic, including **17** pediatric cases.
- **672** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **974** persons are currently living with HIV/AIDS in Region 8.  
Persons living with HIV: **454**  
Persons living with AIDS: **520**

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        |            |              |              |                |
| 0 - 12              | 6            | 1 %            | Black, Non-Hispanic    | 444        | 293          | 737          | 76 %           |
| 13 - 19             | 12           | 1 %            | White, Non-Hispanic    | 163        | 45           | 208          | 21 %           |
| 20 - 24             | 36           | 4 %            | Hispanic               | 13         | 4            | 17           | 2 %            |
| 25 - 29             | 71           | 7 %            | Asian/Pacific Islander | 3          | 1            | 4            | <1 %           |
| 30 - 34             | 132          | 14 %           | American Indian        | 2          | 0            | 2            | <1 %           |
| 35 - 39             | 121          | 12 %           | Unknown                | 1          | 0            | 1            | <1 %           |
| 40 - 44             | 126          | 13 %           | Multi-race             | 3          | 2            | 5            | 1 %            |
| 45 - 49             | 147          | 15 %           | <b>Total</b>           | <b>629</b> | <b>345</b>   | <b>974</b>   | <b>100 %</b>   |
| 50 - 54             | 137          | 14 %           |                        |            |              |              |                |
| 55 - 59             | 108          | 11 %           |                        |            |              |              |                |
| 60+                 | 78           | 8 %            |                        |            |              |              |                |
| <b>Total</b>        | <b>974</b>   | <b>100 %</b>   |                        |            |              |              |                |

Exposure Category

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 317        | 0            | 317          | 47 %           |
| Injection drug use                         | 41         | 35           | 76           | 11 %           |
| Men who have sex with men and inject drugs | 38         | 0            | 38           | 6 %            |
| Heterosexual contact                       | 70         | 151          | 221          | 33 %           |
| Transfusion/Hemophilia                     | 2          | 3            | 5            | 1 %            |
| Perinatal                                  | 4          | 8            | 12           | 2 %            |
| <b>Total</b>                               | <b>472</b> | <b>197</b>   | <b>669</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>157</i> | <i>148</i>   | <i>305</i>   |                |

**Persons Living with AIDS****Region 8: Monroe Region  
as of March 31, 2012***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,030** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **8** pediatric cases.
- **520** persons are currently living with AIDS in Region 8.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 161          | 31 %           |
| Men           | 359          | 69 %           |
| <b>Total</b>  | <b>520</b>   | <b>100 %</b>   |

| <u>Age Category</u> |              |                | <u>Race/Ethnicity</u>  |            |              |              |                |
|---------------------|--------------|----------------|------------------------|------------|--------------|--------------|----------------|
| <u>Current Age</u>  | <u>Cases</u> | <u>Percent</u> |                        | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
| 0 - 12              | 1            | <1 %           | Black, Non-Hispanic    | 250        | 136          | 386          | 74 %           |
| 13 - 19             | 3            | 1 %            | White, Non-Hispanic    | 98         | 22           | 120          | 23 %           |
| 20 - 24             | 10           | 2 %            | Hispanic               | 8          | 2            | 10           | 2 %            |
| 25 - 29             | 22           | 4 %            | Asian/Pacific Islander | 2          | 0            | 2            | <1 %           |
| 30 - 34             | 59           | 11 %           | Multi-race             | 1          | 1            | 2            | <1 %           |
| 35 - 39             | 73           | 14 %           | <b>Total</b>           | <b>359</b> | <b>161</b>   | <b>520</b>   | <b>100 %</b>   |
| 40 - 44             | 74           | 14 %           |                        |            |              |              |                |
| 45 - 49             | 80           | 15 %           |                        |            |              |              |                |
| 50 - 54             | 81           | 16 %           |                        |            |              |              |                |
| 55 - 59             | 69           | 13 %           |                        |            |              |              |                |
| 60+                 | 48           | 9 %            |                        |            |              |              |                |
| <b>Total</b>        | <b>520</b>   | <b>100 %</b>   |                        |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 169        | 0            | 169          | 45 %           |
| Injection drug use                         | 25         | 23           | 48           | 13 %           |
| Men who have sex with men and inject drugs | 28         | 0            | 28           | 7 %            |
| Heterosexual contact                       | 49         | 75           | 124          | 33 %           |
| Transfusion/Hemophilia                     | 2          | 1            | 3            | 1 %            |
| Perinatal                                  | 3          | 0            | 3            | 1 %            |
| <b>Total</b>                               | <b>276</b> | <b>99</b>    | <b>375</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>83</i>  | <i>62</i>    | <i>145</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2011**

- 76 persons were newly diagnosed with HIV in Region 8.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|------------------------|--------------|----------------|
| Men           | 52           | 68 %           | Black, Non-Hispanic    | 55           | 72 %           |
| Women         | 24           | 32 %           | White, Non-Hispanic    | 16           | 21 %           |
| <b>Total</b>  | <b>76</b>    | <b>100 %</b>   | Hispanic               | 3            | 4 %            |
|               |              |                | Asian/Pacific Islander | 1            | 1 %            |
|               |              |                | Multi-race             | 1            | 1 %            |
|               |              |                | <b>Total</b>           | <b>76</b>    | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 22           | 29 %           | Men who have sex with men                  | 30           | 59 %           |
| 25 - 34                 | 15           | 20 %           | Injection drug use                         | 1            | 2 %            |
| 35 - 44                 | 18           | 24 %           | Men who have sex with men and inject drugs | 2            | 4 %            |
| 45+                     | 21           | 28 %           | Heterosexual contact                       | 17           | 33 %           |
| <b>Total</b>            | <b>76</b>    | <b>100 %</b>   | Perinatal                                  | 1            | 2 %            |
|                         |              |                | <b>Total</b>                               | <b>51</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>25</i>    |                |

**AIDS CASES DIAGNOSED January - December 2011**

- 38 persons were newly diagnosed with AIDS in Region 8.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 26           | 68 %           | Black, Non-Hispanic   | 26           | 68 %           |
| Women         | 12           | 32 %           | White, Non-Hispanic   | 11           | 29 %           |
| <b>Total</b>  | <b>38</b>    | <b>100 %</b>   | Hispanic              | 1            | 3 %            |
|               |              |                | <b>Total</b>          | <b>38</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 4            | 11 %           | Men who have sex with men                  | 15           | 56 %           |
| 25 - 34                 | 13           | 34 %           | Injection drug use                         | 1            | 4 %            |
| 35 - 44                 | 10           | 26 %           | Men who have sex with men and inject drugs | 1            | 4 %            |
| 45+                     | 11           | 29 %           | Heterosexual contact                       | 10           | 37 %           |
| <b>Total</b>            | <b>38</b>    | <b>100 %</b>   | <b>Total</b>                               | <b>27</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>11</i>    |                |

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region  
as of March 31, 2012**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,426** cumulative cases have been detected in Region 9 since the beginning of the epidemic, including **17** pediatric cases.
- **603** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,066** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **483**  
Persons living with AIDS: **583**

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|
| Women         | 286          | 27 %           |
| Men           | 780          | 73 %           |
| <b>Total</b>  | <b>1,066</b> | <b>100 %</b>   |

| <u>Age Category</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u>  |              |              |                |              |
|---------------------|--------------|----------------|------------------------|--------------|--------------|----------------|--------------|
| <u>Current Age</u>  |              |                | <u>Men</u>             | <u>Women</u> | <u>Total</u> | <u>Percent</u> |              |
| 0 - 12              | 7            | 1 %            | Black, Non-Hispanic    | 350          | 186          | 536            | 50 %         |
| 13 - 19             | 3            | <1 %           | White, Non-Hispanic    | 400          | 91           | 491            | 46 %         |
| 20 - 24             | 36           | 3 %            | Hispanic               | 22           | 7            | 29             | 3 %          |
| 25 - 29             | 64           | 6 %            | Asian/Pacific Islander | 1            | 1            | 2              | <1 %         |
| 30 - 34             | 96           | 9 %            | American Indian        | 1            | 0            | 1              | <1 %         |
| 35 - 39             | 116          | 11 %           | Unknown                | 0            | 1            | 1              | <1 %         |
| 40 - 44             | 161          | 15 %           | Multi-race             | 6            | 0            | 6              | 1 %          |
| 45 - 49             | 204          | 19 %           | <b>Total</b>           | <b>780</b>   | <b>286</b>   | <b>1,066</b>   | <b>100 %</b> |
| 50 - 54             | 175          | 16 %           |                        |              |              |                |              |
| 55 - 59             | 107          | 10 %           |                        |              |              |                |              |
| 60+                 | 97           | 9 %            |                        |              |              |                |              |
| <b>Total</b>        | <b>1,066</b> | <b>100 %</b>   |                        |              |              |                |              |

**Exposure Category**

| <u>Cases with a reported risk:</u>         | <u>Men</u> | <u>Women</u> | <u>Total</u> | <u>Percent</u> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 412        | 0            | 412          | 54 %           |
| Injection drug use                         | 65         | 48           | 113          | 15 %           |
| Men who have sex with men and inject drugs | 49         | 0            | 49           | 6 %            |
| Heterosexual contact                       | 57         | 105          | 162          | 21 %           |
| Transfusion/Hemophilia                     | 6          | 0            | 6            | 1 %            |
| Perinatal                                  | 8          | 7            | 15           | 2 %            |
| <b>Total</b>                               | <b>597</b> | <b>160</b>   | <b>757</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>183</i> | <i>126</i>   | <i>309</i>   |                |

**Persons Living with AIDS  
Region 9: Hammond/Slidell Region  
as of March 31, 2012**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **972** cumulative AIDS cases have been diagnosed in Region 8 since the beginning of the epidemic, including **10** pediatric cases.
- **583** persons are currently living with AIDS in Region 8.

| <b>Gender</b> | <b>Cases</b> | <b>Percent</b> |
|---------------|--------------|----------------|
| Women         | 132          | 23 %           |
| Men           | 451          | 77 %           |
| <b>Total</b>  | <b>583</b>   | <b>100 %</b>   |

| <b>Age Category</b> |              |                | <b>Race/Ethnicity</b> |            |              |              |                |
|---------------------|--------------|----------------|-----------------------|------------|--------------|--------------|----------------|
| <b>Current Age</b>  | <b>Cases</b> | <b>Percent</b> |                       | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
| 13 - 19             | 1            | <1 %           | Black, Non-Hispanic   | 198        | 84           | 282          | 48 %           |
| 20 - 24             | 6            | 1 %            | White, Non-Hispanic   | 235        | 43           | 278          | 48 %           |
| 25 - 29             | 20           | 3 %            | Hispanic              | 12         | 4            | 16           | 3 %            |
| 30 - 34             | 37           | 6 %            | American Indian       | 1          | 0            | 1            | <1 %           |
| 35 - 39             | 57           | 10 %           | Unknown               | 0          | 1            | 1            | <1 %           |
| 40 - 44             | 91           | 16 %           | Multi-race            | 5          | 0            | 5            | 1 %            |
| 45 - 49             | 131          | 22%            | <b>Total</b>          | <b>451</b> | <b>132</b>   | <b>583</b>   | <b>100 %</b>   |
| 50 - 54             | 105          | 18 %           |                       |            |              |              |                |
| 55 - 59             | 68           | 12 %           |                       |            |              |              |                |
| 60+                 | 67           | 11 %           |                       |            |              |              |                |
| <b>Total</b>        | <b>583</b>   | <b>100 %</b>   |                       |            |              |              |                |

**Exposure Category**

| <b>Cases with a reported risk:</b>         | <b>Men</b> | <b>Women</b> | <b>Total</b> | <b>Percent</b> |
|--|------------|--------------|--------------|----------------|
| Men who have sex with men                  | 237        | 0            | 237          | 55 %           |
| Injection drug use                         | 48         | 25           | 73           | 17 %           |
| Men who have sex with men and inject drugs | 27         | 0            | 27           | 6 %            |
| Heterosexual contact                       | 32         | 50           | 82           | 19 %           |
| Transfusion/Hemophilia                     | 6          | 0            | 6            | 1 %            |
| Perinatal                                  | 4          | 2            | 6            | 1 %            |
| <b>Total</b>                               | <b>354</b> | <b>77</b>    | <b>431</b>   | <b>100 %</b>   |
| <i>No Identified Risk</i>                  | <i>97</i>  | <i>55</i>    | <i>152</i>   |                |

**Persons Newly Diagnosed with HIV/AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2011**

- 70 persons were newly diagnosed with HIV in Region 9.

| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 45           | 64 %           | Black, Non-Hispanic   | 47           | 67 %           |
| Women         | 25           | 36 %           | White, Non-Hispanic   | 21           | 30 %           |
| <b>Total</b>  | <b>70</b>    | <b>100 %</b>   | Hispanic              | 2            | 3 %            |
|               |              |                | <b>Total</b>          | <b>70</b>    | <b>100 %</b>   |

| <u>Age at Detection</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u>         | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|--|--------------|----------------|
| 13 - 24                 | 15           | 21 %           | Men who have sex with men                  | 21           | 54 %           |
| 25 - 34                 | 17           | 24 %           | Injection drug use                         | 4            | 10 %           |
| 35 - 44                 | 17           | 24 %           | Men who have sex with men and inject drugs | 1            | 3 %            |
| 45+                     | 21           | 30 %           | Heterosexual contact                       | 13           | 33 %           |
| <b>Total</b>            | <b>70</b>    | <b>100 %</b>   | <b>Total</b>                               | <b>39</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>                  | <i>31</i>    |                |


**AIDS CASES DIAGNOSED January - December 2011**

- 43 persons were newly diagnosed with AIDS in Region 9.


| <u>Gender</u> | <u>Cases</u> | <u>Percent</u> | <u>Race/Ethnicity</u> | <u>Cases</u> | <u>Percent</u> |
|---------------|--------------|----------------|-----------------------|--------------|----------------|
| Men           | 34           | 79 %           | Black, Non-Hispanic   | 25           | 58 %           |
| Women         | 9            | 21 %           | White, Non-Hispanic   | 15           | 35 %           |
| <b>Total</b>  | <b>43</b>    | <b>100 %</b>   | Hispanic              | 1            | 2 %            |
|               |              |                | Unknown               | 1            | 2 %            |
|               |              |                | Multi-race            | 1            | 2 %            |
|               |              |                | <b>Total</b>          | <b>43</b>    | <b>100 %</b>   |

| <u>Age at Diagnosis</u> | <u>Cases</u> | <u>Percent</u> | <u>Cases with a reported risk:</u> | <u>Cases</u> | <u>Percent</u> |
|-------------------------|--------------|----------------|------------------------------------|--------------|----------------|
| 13 - 24                 | 5            | 12 %           | Men who have sex with men          | 14           | 56 %           |
| 25 - 34                 | 7            | 16 %           | Injection drug use                 | 4            | 16 %           |
| 35 - 44                 | 15           | 35 %           | Heterosexual contact               | 6            | 24 %           |
| 45+                     | 16           | 37 %           | Perinatal                          | 1            | 4 %            |
| <b>Total</b>            | <b>43</b>    | <b>100 %</b>   | <b>Total</b>                       | <b>25</b>    | <b>100 %</b>   |
|                         |              |                | <i>No Identified Risk</i>          | <i>18</i>    |                |

### 10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2002-2011)




\*The number of new HIV diagnoses in 2011 is subject to change as the data are not finalized.




\* The number of new AIDS diagnoses in 2011 is subject to change as the data are not finalized.

### 10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2002-2011)



\*The number of persons living with HIV/AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of March 31, 2012.



\*The number of persons living with AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of March 31, 2012.