


Second Quarter 2015

Vol. 13, No. 2



**Louisiana HIV, AIDS and Early Syphilis Surveillance  
Quarterly Report**

**June 30, 2015**

**Louisiana Department of Health and Hospitals  
Office of Public Health**

**STD/HIV Program (SHP)**

**1450 Poydras Street, Suite 2136**

**New Orleans, Louisiana 70112**

**504.568.7474**

**[haprequest@la.gov](mailto:haprequest@la.gov)**

**<http://dhh.louisiana.gov/hiv>**

**[www.hiv411.org](http://www.hiv411.org)**

**Louisiana Department of Health and Hospitals**  
**Office of Public Health**  
STD/HIV Surveillance Program

**DeAnn Gruber, PhD, LCSW**  
*Administrative Director*

**Debbie Wendell, PhD, MPH**  
*Data Management/Analysis Manager*

**Jessica Fridge, MSPH**  
*Surveillance Program Manager*

**Stephanie Taylor, MD**  
*STD Medical Director*

**Amy Busby**  
*Regional Operations Manager*

**Joy Ewell**  
*CDC Lead PHA-Louisiana*

*Editor/Production:*

**Demerial Banks, MPH**  
**Catherine Desmarais, MPH**

Data Management/Analysis and Surveillance:

**Demerial Banks, MPH, HIV Surveillance Epidemiologist**

**Tania Bechtel, HIV Data Manager**

**Antoine Brantley, MPH, Data Analyst**

**Catherine Desmarais, MPH, STD Surveillance Epidemiologist and Data Manager**

**Mohammad Rahman, MBBS, MPH, PhD, STD Epidemiologist Supervisor**

**William T. Robinson, Ph.D., Biostatistician**

**Denise Robertson, ICCR Coordinator**

**Javone Davis, Field Operations Supervisor**

**Josette Russell, HIV Data Entry Specialist**

**Lakeesha Brumfield, HIV Data Entry Specialist**

**Carmen Washington, HIV Data Manager**

**Ashley Larche, Field Operations Specialist**

**Ashley Hoover, STD/HIV Perinatal Surveillance Supervisor**

HIV Field Epidemiologists:

**Betsy Shepard, PAC, MPH, Epidemiologist Supervisor**

**James Hubbard**  
**Monica Pendelton**

**Region 1**  
**Regions 1, 3**

**Cheryl Edney, BS MT(ASCP)**  
**Gayle Norris, MA**  
**Gale Terry, LPN**

**Regions 4, 5, 6**  
**Regions 7, 8**  
**Regions 2, 9**

Regional STD Supervisors:

**Michael Carter**  
**Megan King**  
**Javone Davis**  
**Ken May**

**Region 1**  
**Region 2**  
**Regions 3, 8**  
**Region 4**

**Patrick Williams**  
**Amy Busby**  
**Charles Jones**  
**John Lyons**

**Region 5**  
**Region 6**  
**Region 7**  
**Region 9**

---

**TABLE OF CONTENTS**

<b>Contents</b>	<b>Page</b>
Surveillance Summary	1
Louisiana: Persons Living with HIV Infection	3
Persons newly diagnosed with HIV and AIDS	4
Persons diagnosed with Early Syphilis	5
Parish: Persons Living with HIV Infection	6
Persons diagnosed with Early Syphilis	7
Metro New Orleans: Persons Living with HIV Infection	8
Persons newly diagnosed with HIV and AIDS	9
Persons diagnosed with Early Syphilis	10
Metro Baton Rouge: Persons Living with HIV Infection	11
Persons newly diagnosed with HIV and AIDS	12
Persons diagnosed with Early Syphilis	13
Region 1: Persons Living with HIV Infection	14
Persons newly diagnosed with HIV and AIDS	15
Persons diagnosed with Early Syphilis	16
Region 2: Persons Living with HIV Infection	17
Persons newly diagnosed with HIV and AIDS	18
Persons diagnosed with Early Syphilis	19
Region 3: Persons Living with HIV Infection	20
Persons newly diagnosed with HIV and AIDS	21
Persons diagnosed with Early Syphilis	22
Region 4: Persons Living with HIV Infection	23
Persons newly diagnosed with HIV and AIDS	24
Persons diagnosed with Early Syphilis	25
Region 5: Persons Living with HIV Infection	26
Persons newly diagnosed with HIV and AIDS	27
Persons diagnosed with Early Syphilis	28
Region 6: Persons Living with HIV Infection	29
Persons newly diagnosed with HIV and AIDS	30
Persons diagnosed with Early Syphilis	31
Region 7: Persons Living with HIV Infection	32
Persons newly diagnosed with HIV and AIDS	33
Persons diagnosed with Early Syphilis	34
Region 8: Persons Living with HIV Infection	35
Persons newly diagnosed with HIV and AIDS	36
Persons diagnosed with Early Syphilis	37
Region 9: Persons Living with HIV Infection	38
Persons newly diagnosed with HIV and AIDS	39
Persons diagnosed with Early Syphilis	40
<b>List of Figures</b>	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2005-2014)	41
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2005-2014)	42
Louisiana: 5-Year Trends Early Latent Syphilis Diagnoses (2010-2014)	42
Louisiana: 10-Year Persons Living with HIV Infection (2005-2014)	43
<b>Surveillance Breakout: 2014 HIV Continuum of Care</b>	44

## Surveillance Summary

### Data in this report includes cases diagnosed with HIV, AIDS or Early Syphilis

- In 2013, Louisiana ranked **3<sup>rd</sup>** in the nation for estimated HIV case rates (30.3 per 100,000 population) and **11<sup>th</sup>** in the estimated number of HIV cases. The New Orleans MSA ranked **2<sup>nd</sup>** and the Baton Rouge MSA ranked **4<sup>th</sup>** for estimated HIV case rates (43.4 and 38.1 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (vol. 25) was released in February 2015 and provided the 2013 rankings.
- According to the same report, Louisiana ranked **3<sup>rd</sup>** highest in estimated state AIDS case rates (16.9 per 100,000) and **11<sup>th</sup>** in the number of estimated AIDS cases in 2013. The Baton Rouge metropolitan area ranked **3<sup>rd</sup>** in estimated AIDS case rates (25.4 per 100,000) and the New Orleans metropolitan area ranked **5<sup>th</sup>** in estimated AIDS case rates (33.0 per 100,000) in 2013 among the large metropolitan areas in the nation.
- In 2013, Louisiana ranked **3<sup>rd</sup>** in the nation for primary and secondary (P&S) syphilis case rates (9.1 per 100,000 population) according to the 2013 *CDC STD Surveillance Report*.
- As of June 30, 2015, a total of **20,272** persons are living with HIV infection (PLWH) in Louisiana; of these individuals, **10,649** persons (53%) have an AIDS diagnosis.
- In 2014, **1,337** new HIV cases were diagnosed in Louisiana. Of these cases, **30%** (n=403) occurred in Region 1 (New Orleans) and **25%** (n=333) occurred in Region 2 (Baton Rouge).
- In the first half of 2015 (January – June), a total of **419** persons were diagnosed with early syphilis\* in Louisiana; **240** persons were diagnosed with P&S syphilis, and **178** persons were diagnosed with early latent syphilis. Of these cases, **27%** (n=111) occurred in Region 1 (New Orleans) and **17%** (n=73) occurred in Region 2 (Baton Rouge).
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2014, of the persons who reported a risk factor, **71%** reported being MSM, and an additional **2%** reported being MSM and an injection drug user (IDU). As of June 30, 2015, **54%** of all people living with HIV infection in Louisiana were MSM.
- The primary risk factor for early syphilis diagnoses in Louisiana is MSM. In the first half of 2015, of the persons who reported a risk factor, **46%** reported being MSM, and **43%** reported engaging in heterosexual activity. *Persons could report multiple risk factors for syphilis diagnoses.*
- In Louisiana, **74%** of new HIV cases, **69%** of new AIDS cases, and **70%** of the early syphilis diagnoses were among men.
- African Americans in Louisiana are experiencing a severe health disparity in regards to HIV and STDs. In 2014, **70%** of newly diagnosed HIV cases and **74%** of newly diagnosed AIDS cases were among African Americans. In the first half of 2015, **78%** of early syphilis cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new HIV and syphilis diagnoses occurred among adolescents and young adults. In 2014, **25%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **33%** occurred among persons 25-34 years old. In the first half of 2015, **44%** of all early syphilis diagnoses occurred among persons 13-24 years old and an additional **34%** occurred among persons 25-34 years old.

\* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

**New Quarterly Report Format:**

SHP's new quarterly report format includes P&S syphilis and early latent syphilis diagnoses for Louisiana, the New Orleans and Baton Rouge MSAs, and all nine of the public health regions. It is important to note that the time periods for the HIV and syphilis data are not equivalent. Please pay special attention to the titles above each table. There are different reporting delays and methods for HIV and syphilis which impact the timeliness of those data in this report. The 'Persons Living with AIDS' excerpts have been removed.

**AIDS Case Definition Change – Effective for all 2014 and future AIDS Diagnoses:**

Prior to 2014, the surveillance case definition for an AIDS diagnosis was: a CD4 cell count <200, a CD4 percentage <14%, or the diagnosis of an opportunistic infection (OI) such as Kaposi Sarcoma. The CDC has changed the case surveillance definition for AIDS. For all AIDS diagnoses, starting January 1, 2014, the case definition is: a CD4 cell count <200 or the diagnosis of an OI. A CD4 percent <14% is no longer part of the AIDS case definition, unless the CD4 count is not available. Previously, a person with a CD4 count of 300 but a percent of 10%, would have been defined as an AIDS case. Because that CD4 count is not below 200, that case is no longer considered a new AIDS diagnosis. If the CD4 count of 300 was not available and only the percent of 10% was available, then the case would be newly diagnosed as AIDS. This change in surveillance case definition will reduce the number of AIDS diagnoses that occur each year, starting with 2014 data.

**Transgender Data:**

SHP will be incorporating more transgender and gender identity data into the quarterly report. For this current report, the addition of transgender women and transgender men was incorporated into the Gender breakdown for PLWH, new diagnoses of HIV and AIDS, and new early syphilis diagnoses. In subsequent reports we will add transgender data to the risk categories as well.

**Time Periods for this Quarterly Report (Second Quarter 2015 Report):**

Persons Living with HIV Infection – As of June 30, 2015

New HIV Diagnoses – Calendar Year 2014 (Updated from 1<sup>st</sup> Quarter Report)

New AIDS Diagnoses – Calendar Year 2014 (Updated from 1<sup>st</sup> Quarter Report)

New P&S Syphilis Diagnoses – January to June 30, 2015 (First Half of 2015)

New Early Latent Syphilis Diagnoses – January to June 30, 2015 (First Half of 2015)

**Future Quarterly Report:**

*Third Quarter 2015 Report:* Release in November 2015

Persons Living with HIV Infection, As of September 30, 2015

HIV and AIDS Diagnoses, Calendar Year 2014 (Updated)

P&S Syphilis and Early Latent Syphilis Diagnoses, First-Third Quarter 2015 (January-September 2015)

*Fourth Quarter 2015 Report:* Release in February 2016

Persons Living with HIV Infection, As of December 31, 2015

HIV and AIDS Diagnoses, Calendar Year 2014 (Updated)

P&S Syphilis and Early Latent Syphilis Diagnoses, Calendar Year 2015

Please note: This report reflects only information reported to Louisiana's HIV/AIDS and STD surveillance systems.

**Persons Living with HIV Infection**  
**Louisiana**  
**as of June 30, 2015**

- **29,948** cumulative cases have been detected in Louisiana, including **292** pediatric cases.
- **13,164** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **89** pediatric deaths.
- **20,272** persons are currently living with HIV/AIDS in Louisiana.  
 Persons living with HIV: **9,623**  
 Persons living with AIDS: **10,649**

**Gender**

	<b>Cases</b>	<b>Percent</b>
Men	14,178	70 %
Women	5,924	29 %
Transgender Women	168	1 %
Transgender Men	2	<1 %
<b>Total</b>	<b>20,272</b>	<b>100 %</b>

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	52	<1 %
13 - 19	144	1 %
20 - 24	890	4 %
25 - 29	1,804	9 %
30 - 34	2,118	10 %
35 - 39	2,440	12 %
40 - 44	2,349	12 %
45 - 49	2,700	13 %
50 - 54	3,094	15 %
55 - 59	2,325	11 %
60+	2,356	12 %
<b>Total</b>	<b>20,272</b>	<b>100 %</b>

**Race/Ethnicity by Birth Sex**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	9,009	4,887	13,896	69 %
White, Non-Hispanic	4,483	827	5,310	26 %
Hispanic	653	152	805	4 %
Asian/Pacific Islander	68	15	83	<1 %
American Indian	26	10	36	<1 %
Unknown	11	1	12	<1 %
Multi-race	96	34	130	1 %
<b>Total</b>	<b>14,346</b>	<b>5,926</b>	<b>20,272</b>	<b>100 %</b>

**Exposure Category by Birth Sex**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	7,321	0	7,321	54 %
Injection drug use	1,040	640	1,680	12 %
Men who have sex with men and inject drugs	841	0	841	6 %
Heterosexual contact	1,103	2,373	3,476	26 %
Transfusion/Hemophilia	42	31	73	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	95	111	206	2 %
<b>Total</b>	<b>10,442</b>	<b>3,156</b>	<b>13,598</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>3,904</i>	<i>2,770</i>	<i>6,674</i>	

**Persons Newly Diagnosed with HIV and AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2014**

• 1,337 persons were newly diagnosed with HIV in Louisiana.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	979	73 %	Black, Non-Hispanic	937	70 %
Women	344	26 %	White, Non-Hispanic	293	22 %
Transgender Women	14	1 %	Hispanic	80	6 %
<b>Total</b>	<b>1,337</b>	<b>100 %</b>	Asian/Pacific Islander	11	1 %
			American Indian	4	<1 %
			Unknown	2	<1 %
			Multi-race	10	1 %
			<b>Total</b>	<b>1,337</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk (by birth sex):</u>	<b>Cases</b>	<b>Percent</b>
0 - 12	3	<1 %	Men who have sex with men	541	71 %
13 - 24	344	26 %	Injection drug use	45	6 %
25 - 34	428	32 %	Men who have sex with men and inject drugs	15	2 %
35 - 44	265	20 %	Heterosexual contact	153	20 %
45+	297	22 %	Perinatal	5	1 %
<b>Total</b>	<b>1,337</b>	<b>100 %</b>	<b>Total</b>	<b>759</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>578</i>	

**AIDS CASES DIAGNOSED January - December 2014**

• 615 persons were newly diagnosed with AIDS in Louisiana.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	416	67 %	Black, Non-Hispanic	457	74 %
Women	193	31 %	White, Non-Hispanic	116	19 %
Transgender Women	6	1 %	Hispanic	31	5 %
<b>Total</b>	<b>615</b>	<b>100 %</b>	Asian/Pacific Islander	3	<1 %
			American Indian	1	<1 %
			Unknown	1	<1 %
			Multi-race	6	1 %
			<b>Total</b>	<b>615</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk (by birth sex):</u>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	<1 %	Men who have sex with men	188	55 %
13 - 24	45	7 %	Injection drug use	42	12 %
25 - 34	176	29 %	Men who have sex with men and inject drugs	5	1 %
35 - 44	163	27 %	Heterosexual contact	102	30 %
45+	229	37 %	Transfusion/Hemophilia	1	<1 %
<b>Total</b>	<b>615</b>	<b>100 %</b>	Perinatal	3	1 %
			<b>Total</b>	<b>341</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>274</i>	

**Persons Diagnosed with Early Syphilis  
Louisiana**

**PERSONS DIAGNOSED WITH P&S SYPHILIS January - June 2015**

• 240 persons were diagnosed with P&S Syphilis in Louisiana between January 1 and June 30, 2015.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	177	74 %	American Indian	0	0 %
Women	63	26 %	Asian/Pacific Islander	2	1 %
<b>Total</b>	<b>240</b>	<b>100 %</b>	Black, Non-Hispanic	188	78 %
			Hispanic	3	1 %
			White, Non-Hispanic	47	20 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>240</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men and inject drugs	1	<1 %
13 - 19	23	10 %	Men who have sex with men	113	50 %
20 - 29	136	57 %	Injection drug use	1	<1 %
30 - 39	50	21 %	Transactional sex	8	4 %
40+	30	12 %	High risk heterosexual contact	32	14 %
<b>Total</b>	<b>240</b>	<b>100 %</b>	Heterosexual contact	93	41 %
			Incarceration	21	9 %
			Illegal drug use (non-injection)	41	18 %
			<i>No Reported Risk</i>	<i>13</i>	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - June 2015**

• 178 persons were diagnosed with Early Latent Syphilis in Louisiana between January 1 and June 30, 2015.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	113	64 %	American Indian	2	1 %
Women	61	34 %	Asian/Pacific Islander	1	1 %
Transgender Women	4	2 %	Black, Non-Hispanic	136	76 %
<b>Total</b>	<b>178</b>	<b>100 %</b>	Hispanic	7	4 %
			White, Non-Hispanic	32	18 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>178</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	24	14 %	Men who have sex with men	70	40 %
20 - 29	87	49 %	Injection drug use	0	0 %
30 - 39	38	21 %	Transactional sex	6	3 %
40+	29	16 %	High risk heterosexual contact	29	17 %
<b>Total</b>	<b>178</b>	<b>100 %</b>	Heterosexual contact	78	45 %
			Incarceration	17	10 %
			Illegal drug use (non-injection)	26	15 %
			<i>No Reported Risk</i>	<i>5</i>	

\* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

**Persons Living with HIV Infection by Parish**  
as of June 30, 2015

**Second Quarter 2015**

<b><u>Parish</u></b>	<b><u>Living Cases</u></b>	<b><u>Parish</u></b>	<b><u>Living Cases</u></b>
Acadia	112	Sabine	20
Allen	248	St. Bernard	176
Ascension	230	St. Charles	105
Assumption	32	St. Helena	16
Avoyelles	165	St. James	77
Beauregard	47	St. John the Baptist	167
Bienville	32	St. Landry	282
Bossier	205	St. Martin	104
Caddo	1,108	St. Mary	85
Calcasieu	660	St. Tammany	450
Caldwell	22	Tangipahoa	379
Cameron	3	Tensas	36
Catahoula	27	Terrebonne	199
Claiborne	76	Union	34
Concordia	44	Vermilion	99
De Soto	57	Vernon	70
East Baton Rouge	3,936	Washington	184
East Carroll	28	Webster	77
East Feliciana	146	West Baton Rouge	94
Evangeline	68	West Carroll	11
Franklin	51	West Feliciana	165
Grant	45	Winn	57
Iberia	117		
Iberville	314		
Jackson	20		
Jefferson	1,892		
Jefferson Davis	62		
La Salle	20		
Lafayette	735		
Lafourche	148		
Lincoln	100		
Livingston	214		
Madison	33		
Morehouse	59		
Natchitoches	117		
Orleans	4,982		
Ouachita	606		
Plaquemines	48		
Pointe Coupee	48		
Rapides	468		
Red River	15		
Richland	45		
		<b>Total</b>	<b>20,272</b>

**Persons Diagnosed with Early Syphilis\* by Parish  
January - June 2015**

<u>Parish</u>	<u>Diagnoses</u>	<u>Parish</u>	<u>Diagnoses</u>
Acadia	3	Sabine	0
Allen	1	St. Bernard	3
Ascension	5	St. Charles	0
Assumption	0	St. Helena	1
Avoyelles	1	St. James	0
Beauregard	0	St. John the Baptist	5
Bienville	0	St. Landry	7
Bossier	6	St. Martin	3
Caddo	51	St. Mary	0
Calcasieu	7	St. Tammany	4
Caldwell	0	Tangipahoa	4
Cameron	0	Tensas	0
Catahoula	0	Terrebonne	20
Claiborne	1	Union	0
Concordia	0	Vermilion	8
De Soto	5	Vernon	2
East Baton Rouge	65	Washington	0
East Carroll	2	Webster	0
East Feliciana	1	West Baton Rouge	0
Evangeline	1	West Carroll	1
Franklin	0	West Feliciana	0
Grant	0	Winn	0
Iberia	7		
Iberville	2		
Jackson	0		
Jefferson	23		
Jefferson Davis	1		
La Salle	0		
Lafayette	18		
Lafourche	4		
Lincoln	8		
Livingston	1		
Madison	0		
Morehouse	3		
Natchitoches	1		
Orleans	85		
Ouachita	45		
Plaquemines	0		
Pointe Coupee	0		
Rapides	13		
Red River	0		
Richland	0		
<b>Total</b>			<b>418</b>

\* A syphilis diagnosis with less than one year duration is considered to be "early syphilis." This designation covers the primary, secondary, and early latent stages of syphilis.

**Persons Living with HIV Infection  
Metro New Orleans  
as of June 30, 2015**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **12,959** cumulative cases have been detected in the New Orleans MSA, including **136** pediatric cases.
- **5,673** cumulative deaths among persons with HIV infection have occurred in the New Orleans MSA, including **43** pediatric deaths
- **7,897** persons are currently living with HIV infection in the New Orleans MSA.  
Persons living with HIV: **3,693**  
Persons living with AIDS: **4,204**

**Gender**

	<b>Cases</b>	<b>Percent</b>
Men	5,791	73 %
Women	2,007	25 %
Transgender Women	97	1 %
Transgender Men	2	<1 %
<b>Total</b>	<b>7,897</b>	<b>100 %</b>

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	20	<1 %
13 - 19	52	1 %
20 - 24	311	4 %
25 - 29	669	8 %
30 - 34	781	10 %
35 - 39	925	12 %
40 - 44	874	11 %
45 - 49	1,060	13 %
50 - 54	1,234	16 %
55 - 59	952	12 %
60+	1,019	13 %
<b>Total</b>	<b>7,897</b>	<b>100 %</b>

**Race/Ethnicity by Birth Sex**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	3,287	1,631	4,918	62 %
White, Non-Hispanic	2,146	254	2,400	30 %
Hispanic	369	108	477	6 %
Asian/Pacific Islander	38	6	44	1 %
American Indian	8	0	8	<1 %
Unknown	7	1	8	<1 %
Multi-race	33	9	42	1 %
<b>Total</b>	<b>5,888</b>	<b>2,009</b>	<b>7,897</b>	<b>100 %</b>

**Exposure Category by Birth Sex**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	3,308	0	3,308	61 %
Injection drug use	330	218	548	10 %
Men who have sex with men and inject drugs	327	0	327	6 %
Heterosexual contact	368	805	1,173	21 %
Transfusion/Hemophilia	19	14	33	1 %
Perinatal	30	44	74	1 %
<b>Total</b>	<b>4,382</b>	<b>1,081</b>	<b>5,463</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,506</i>	<i>928</i>	<i>2,434</i>	

## Persons Newly Diagnosed with HIV and AIDS

### Metro New Orleans

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

### HIV CASES DIAGNOSED January - December 2014

- 440 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	347	79 %	Black, Non-Hispanic	282	64 %
Women	88	20 %	White, Non-Hispanic	110	25 %
Transgender Women	5	1 %	Hispanic	39	9 %
<b>Total</b>	<b>440</b>	<b>100 %</b>	Asian/Pacific Islander	4	1 %
			Unknown	2	<1 %
			Multi-race	3	1 %
			<b>Total</b>	<b>440</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	226	77 %
13 - 24	121	28 %	Injection drug use	12	4 %
25 - 34	138	31 %	Men who have sex with men and inject drugs	6	2 %
35 - 44	90	20 %	Heterosexual contact	47	16 %
45+	90	20 %	Perinatal	1	<1 %
<b>Total</b>	<b>440</b>	<b>100 %</b>	<b>Total</b>	<b>292</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>148</i>	

### AIDS CASES DIAGNOSED January - December 2014

- 205 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	138	67 %	Black, Non-Hispanic	147	72 %
Women	64	31 %	White, Non-Hispanic	42	20 %
Transgender Women	3	1 %	Hispanic	13	6 %
<b>Total</b>	<b>205</b>	<b>100 %</b>	Asian/Pacific Islander	1	<1 %
			Unknown	1	<1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>205</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	74	60 %
13 - 24	12	6 %	Injection drug use	13	10 %
25 - 34	60	29 %	Men who have sex with men and inject drugs	1	1 %
35 - 44	58	28 %	Heterosexual contact	33	27 %
45+	73	36 %	Transfusion/Hemophilia	1	1 %
<b>Total</b>	<b>205</b>	<b>100 %</b>	Perinatal	2	2 %
			<b>Total</b>	<b>124</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>81</i>	

**Persons Diagnosed with Early Syphilis  
Metro New Orleans**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

**PERSONS DIAGNOSED WITH P&S SYPHILIS January - June 2015**

• 70 persons were diagnosed with P&S Syphilis in the New Orleans MSA from January through June 2015.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	63	90 %	American Indian	0	0 %
Women	7	10 %	Asian/Pacific Islander	1	1 %
<b>Total</b>	<b>70</b>	<b>100 %</b>	Black, Non-Hispanic	49	70 %
			Hispanic	3	4 %
			White, Non-Hispanic	17	24 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>70</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	2 %
13 - 19	4	6 %	Men who have sex with men	52	79 %
20 - 29	34	49 %	Injection drug use	0	0 %
30 - 39	17	24 %	Transactional sex	0	0 %
40+	15	21 %	High risk heterosexual contact	4	6 %
<b>Total</b>	<b>70</b>	<b>100 %</b>	Heterosexual contact	14	21 %
			Incarceration	5	8 %
			Illegal drug use (non-injection)	9	14 %
			<i>No Reported Risk</i>	4	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - June 2015**

• 50 persons were diagnosed with Early Latent Syphilis in the New Orleans MSA from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	40	80 %	American Indian	1	2 %
Women	8	16 %	Asian/Pacific Islander	1	2 %
Transgender Women	2	4 %	Black, Non-Hispanic	36	72 %
<b>Total</b>	<b>50</b>	<b>100 %</b>	Hispanic	3	6 %
			White, Non-Hispanic	9	18 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>50</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	5	10 %	Men who have sex with men	31	65 %
20 - 29	17	34 %	Injection drug use	0	0 %
30 - 39	17	34 %	Transactional sex	0	0 %
40+	11	22 %	High risk heterosexual contact	7	15 %
<b>Total</b>	<b>50</b>	<b>100 %</b>	Heterosexual contact	12	25 %
			Incarceration	1	2 %
			Illegal drug use (non-injection)	9	19 %
			<i>No Reported Risk</i>	2	

**Persons Living with HIV Infection  
Metro Baton Rouge  
as of June 30, 2015**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,307** cumulative cases have been detected in the Baton Rouge MSA, including **72** pediatric cases.
- **3,343** cumulative deaths among persons with HIV infection have occurred in the Baton Rouge MSA, including **17** pediatric deaths.
- **5,163** persons are currently living with HIV infection in the Baton Rouge MSA.  
Persons living with HIV: **2,414**  
Persons living with AIDS: **2,749**

**Gender**

	<b>Cases</b>	<b>Percent</b>
Men	3,273	63 %
Women	1,849	36 %
Transgender Women	41	1 %
<b>Total</b>	<b>5,163</b>	<b>100 %</b>

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	17	<1 %
13 - 19	37	1 %
20 - 24	229	4 %
25 - 29	458	9 %
30 - 34	605	12 %
35 - 39	650	13 %
40 - 44	632	12 %
45 - 49	690	13 %
50 - 54	745	14 %
55 - 59	540	10 %
60+	560	11 %
<b>Total</b>	<b>5,163</b>	<b>100 %</b>

**Race/Ethnicity by Birth Sex**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,590	1,658	4,248	82 %
White, Non-Hispanic	634	160	794	15 %
Hispanic	57	16	73	1 %
Asian/Pacific Islander	12	6	18	<1 %
American Indian	3	0	3	<1 %
Unknown	1	0	1	<1 %
Multi-race	17	9	26	1 %
<b>Total</b>	<b>3,314</b>	<b>1,849</b>	<b>5,163</b>	<b>100 %</b>

**Exposure Category by Birth Sex**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,379	0	1,379	43 %
Injection drug use	370	203	573	18 %
Men who have sex with men and inject drugs	186	0	186	6 %
Heterosexual contact	319	678	997	31 %
Transfusion/Hemophilia	6	8	14	<1 %
Perinatal	31	28	59	2 %
<b>Total</b>	<b>2,291</b>	<b>917</b>	<b>3,208</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,023</i>	<i>932</i>	<i>1,955</i>	

**Persons Newly Diagnosed with HIV and AIDS****Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2014**

- 349 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	239	68 %	Black, Non-Hispanic	290	83 %
Women	105	30 %	White, Non-Hispanic	40	11 %
Transgender Women	5	1 %	Hispanic	12	3 %
<b>Total</b>	<b>349</b>	<b>100 %</b>	Asian/Pacific Islander	5	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>349</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	119	66 %
13 - 24	85	24 %	Injection drug use	11	6 %
25 - 34	109	31 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	74	21 %	Heterosexual contact	43	24 %
45+	80	23 %	Perinatal	3	2 %
<b>Total</b>	<b>349</b>	<b>100 %</b>	<b>Total</b>	<b>179</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>170</i>	

**AIDS CASES DIAGNOSED January - December 2014**

- 172 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	117	68 %	Black, Non-Hispanic	144	84 %
Women	53	31 %	White, Non-Hispanic	20	12 %
Transgender Women	2	1 %	Hispanic	7	4 %
<b>Total</b>	<b>172</b>	<b>100 %</b>	Asian/Pacific Islander	1	1 %
			<b>Total</b>	<b>172</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	15	9 %	Men who have sex with men	43	50 %
25 - 34	44	26 %	Injection drug use	12	14 %
35 - 44	53	31 %	Men who have sex with men and inject drugs	1	1 %
45+	60	35 %	Heterosexual contact	30	35 %
<b>Total</b>	<b>172</b>	<b>100 %</b>	<b>Total</b>	<b>86</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>86</i>	

**Persons Diagnosed with Early Syphilis  
Metro Baton Rouge**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

**PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

• 47 persons were diagnosed with P&S Syphilis in the Baton Rouge MSA from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	34	72 %	American Indian	0	0 %
Women	13	28 %	Asian/Pacific Islander	1	2 %
<b>Total</b>	<b>47</b>	<b>100 %</b>	Black, Non-Hispanic	38	81 %
			Hispanic	0	0 %
			White, Non-Hispanic	8	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>47</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	8 %	Men who have sex with men	23	52 %
20 – 29	28	60 %	Injection drug use	1	2 %
30 - 39	9	19 %	Transactional sex	3	7 %
40+	6	13 %	High risk heterosexual contact	8	18 %
<b>Total</b>	<b>47</b>	<b>100 %</b>	Heterosexual contact	16	36 %
			Incarceration	6	14 %
			Illegal drug use (non-injection)	9	20 %
			<i>No Reported Risk</i>	3	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

• 28 persons were diagnosed with Early Latent Syphilis in the Baton Rouge MSA from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	20	71 %	American Indian	0	0 %
Women	7	25 %	Asian/Pacific Islander	0	0 %
Transgender Women	1	4 %	Black, Non-Hispanic	24	86 %
<b>Total</b>	<b>28</b>	<b>100 %</b>	Hispanic	0	0 %
			White, Non-Hispanic	4	14 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>28</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	4 %	Men who have sex with men	15	54 %
20 – 29	14	50 %	Injection drug use	0	0 %
30 - 39	9	32 %	Transactional sex	6	21 %
40+	4	14 %	High risk heterosexual contact	4	14 %
<b>Total</b>	<b>28</b>	<b>100 %</b>	Heterosexual contact	10	36 %
			Incarceration	7	25 %
			Illegal drug use (non-injection)	4	14 %
			<i>No Reported Risk</i>	0	



## Persons Newly Diagnosed with HIV and AIDS

### Region 1: New Orleans Region

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

### HIV CASES DIAGNOSED January - December 2014

- 403 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	323	80 %	Black, Non-Hispanic	262	65 %
Women	75	19 %	White, Non-Hispanic	98	24 %
Transgender Women	5	1 %	Hispanic	34	8 %
<b>Total</b>	<b>403</b>	<b>100 %</b>	Asian/Pacific Islander	4	1 %
			Unknown	2	<1 %
			Multi-race	3	1 %
			<b>Total</b>	<b>403</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	207	77 %
13 - 24	107	27 %	Injection drug use	11	4 %
25 - 34	130	32 %	Men who have sex with men and inject drugs	6	2 %
35-44	81	20 %	Heterosexual contact	45	17 %
45+	84	21 %	Perinatal	1	<1 %
<b>Total</b>	<b>403</b>	<b>100 %</b>	<b>Total</b>	<b>270</b>	<b>100 %</b>

*No Identified Risk* 133

### AIDS CASES DIAGNOSED January - December 2014

- 187 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	130	70 %	Black, Non-Hispanic	134	72 %
Women	55	29 %	White, Non-Hispanic	39	21 %
Transgender Women	2	1 %	Hispanic	11	6 %
<b>Total</b>	<b>187</b>	<b>100 %</b>	Asian/Pacific Islander	1	1 %
			Unknown	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>187</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	68	59 %
13 - 24	10	5 %	Injection drug use	13	11 %
25 - 34	56	30 %	Men who have sex with men and inject drugs	1	1 %
35 - 44	50	27 %	Heterosexual contact	30	26 %
45+	69	37 %	Transfusion/Hemophilia	1	1 %
<b>Total</b>	<b>187</b>	<b>100 %</b>	Perinatal	2	2 %
			<b>Total</b>	<b>115</b>	<b>100 %</b>

*No Identified Risk* 72

**Persons Diagnosed with Early Syphilis****Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 68 persons were diagnosed with P&S Syphilis in Region 1 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	62	91 %	American Indian	0	0 %
Women	6	9 %	Asian/Pacific Islander	1	2 %
<b>Total</b>	<b>68</b>	<b>100 %</b>	Black, Non-Hispanic	47	69 %
			Hispanic	3	4 %
			White, Non-Hispanic	17	25 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>68</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	2 %
13 - 19	4	6 %	Men who have sex with men	52	81 %
20 – 29	32	47 %	Injection drug use	0	0 %
30 - 39	17	25 %	Transactional sex	0	0 %
40+	15	22 %	High risk heterosexual contact	3	5 %
<b>Total</b>	<b>68</b>	<b>100 %</b>	Heterosexual contact	13	20 %
			Incarceration	4	6 %
			Illegal drug use (non-injection)	8	13 %
			<i>No Reported Risk</i>	4	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 43 persons were diagnosed with Early Latent Syphilis in Region 1 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	35	81 %	American Indian	1	2 %
Women	6	14 %	Asian/Pacific Islander	1	2 %
Transgender Women	2	5 %	Black, Non-Hispanic	32	74 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Hispanic	3	7 %
			White, Non-Hispanic	6	14 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>43</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	5 %	Men who have sex with men	29	69 %
20 – 29	14	32 %	Injection drug use	0	0 %
30 - 39	16	37 %	Transactional sex	0	0 %
40+	11	26 %	High risk heterosexual contact	5	12 %
<b>Total</b>	<b>43</b>	<b>100 %</b>	Heterosexual contact	9	21 %
			Incarceration	1	2 %
			Illegal drug use (non-injection)	8	19 %
			<i>No Reported Risk</i>	1	



**Persons Newly Diagnosed with HIV and AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2014**

- 333 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	231	69 %	Black, Non-Hispanic	282	85 %
Women	97	29 %	White, Non-Hispanic	33	10 %
Transgender Women	5	2 %	Hispanic	11	3 %
<b>Total</b>	<b>333</b>	<b>100 %</b>	Asian/Pacific Islander	5	2 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>333</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk (by birth sex):</u>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men	111	66 %
13 - 24	82	25 %	Injection drug use	10	6 %
25 - 34	102	31 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	70	21 %	Heterosexual contact	42	25 %
45+	78	23 %	Perinatal	3	2 %
<b>Total</b>	<b>333</b>	<b>100 %</b>	<b>Total</b>	<b>168</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>165</i>	

**AIDS CASES DIAGNOSED January - December 2014**

- 161 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	110	68 %	Black, Non-Hispanic	139	86 %
Women	49	31 %	White, Non-Hispanic	15	9 %
Transgender Women	2	1 %	Hispanic	6	4 %
<b>Total</b>	<b>161</b>	<b>100 %</b>	Asian/Pacific Islander	1	1 %
			<b>Total</b>	<b>161</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk (by birth sex):</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	14	9 %	Men who have sex with men	37	47 %
25 - 34	41	25 %	Injection drug use	11	14 %
35 - 44	48	30 %	Men who have sex with men and inject drugs	1	1 %
45+	58	36 %	Heterosexual contact	29	37 %
<b>Total</b>	<b>161</b>	<b>100 %</b>	<b>Total</b>	<b>78</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>83</i>	

**Persons Diagnosed with Early Syphilis****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 46 persons were diagnosed with P&S Syphilis in Region 2 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	33	72 %	American Indian	0	0 %
Women	13	28 %	Asian/Pacific Islander	1	2 %
<b>Total</b>	<b>46</b>	<b>100 %</b>	Black, Non-Hispanic	37	81 %
			Hispanic	0	0 %
			White, Non-Hispanic	8	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>46</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	3	6 %	Men who have sex with men	23	53 %
20 – 29	28	61 %	Injection drug use	1	2 %
30 - 39	9	20 %	Transactional sex	3	7 %
40+	6	13 %	High risk heterosexual contact	7	16 %
<b>Total</b>	<b>46</b>	<b>100 %</b>	Heterosexual contact	16	37 %
			Incarceration	6	14 %
			Illegal drug use (non-injection)	9	21 %
			<i>No Reported Risk</i>	3	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 27 persons were diagnosed with Early Latent Syphilis in Region 2 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	20	74 %	American Indian	0	0 %
Women	6	22 %	Asian/Pacific Islander	0	0 %
Transgender Women	1	4 %	Black, Non-Hispanic	24	89 %
<b>Total</b>	<b>27</b>	<b>100 %</b>	Hispanic	0	0 %
			White, Non-Hispanic	3	11 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>27</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	4 %	Men who have sex with men	15	56 %
20 – 29	13	48 %	Injection drug use	0	0 %
30 - 39	9	33 %	Transactional sex	5	19 %
40+	4	15 %	High risk heterosexual contact	3	11 %
<b>Total</b>	<b>27</b>	<b>100 %</b>	Heterosexual contact	10	37 %
			Incarceration	6	22 %
			Illegal drug use (non-injection)	3	11 %
			<i>No Reported Risk</i>	0	

**Persons Living with HIV Infection****Region 3: Houma Region****as of June 30, 2015***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **1,041** cumulative cases have been detected in Region 3, including **13** pediatric cases.
- **358** cumulative deaths among persons in Region 3 with HIV infection have occurred, including **2** pediatric deaths.
- **813** persons are currently living with HIV infection in Region 3.  
Persons living with HIV: **367**  
Persons living with AIDS: **446**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Men	537	66 %
Women	271	33 %
Transgender Women	5	1 %
<b>Total</b>	<b>813</b>	<b>100 %</b>

<u>Age Category</u>			<u>Race/Ethnicity by Sex at Birth</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	4	<1 %	Black, Non-Hispanic	283	201	484	60 %
13 - 19	10	1 %	White, Non-Hispanic	231	61	292	36 %
20 - 24	49	6 %	Hispanic	22	5	27	3 %
25 - 29	86	11 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	90	11 %	American Indian	1	1	2	<1 %
35 - 39	88	11 %	Multi-race	3	2	5	1 %
40 - 44	95	12 %	<b>Total</b>	<b>542</b>	<b>271</b>	<b>813</b>	<b>100 %</b>
45 - 49	106	13 %					
50 - 54	107	13 %					
55 - 59	88	11 %					
60+	90	11 %					
<b>Total</b>	<b>813</b>	<b>100 %</b>					

Exposure Category by Sex at Birth

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	319	0	319	57 %
Injection drug use	33	19	52	9 %
Men who have sex with men and inject drugs	19	0	19	3 %
Heterosexual contact	34	122	156	28 %
Perinatal	8	9	17	3 %
<b>Total</b>	<b>413</b>	<b>150</b>	<b>563</b>	<b>100 %</b>

<i>No Identified Risk</i>	<i>129</i>	<i>121</i>	<i>250</i>	
---------------------------	------------	------------	------------	--

## Persons Newly Diagnosed with HIV and AIDS

### Region 3: Houma Region

*Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

### HIV CASES DIAGNOSED January - December 2014

- 55 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	38	69 %	Black, Non-Hispanic	27	49 %
Women	17	31 %	White, Non-Hispanic	22	40 %
<b>Total</b>	<b>55</b>	<b>100 %</b>	Hispanic	6	11 %
			<b>Total</b>	<b>55</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	2 %	Men who have sex with men	25	74 %
13 - 24	19	35 %	Injection drug use	2	6 %
25 - 34	17	31 %	Heterosexual contact	6	18 %
35 - 44	6	11 %	Perinatal	1	3 %
45+	12	22 %	<b>Total</b>	<b>34</b>	<b>100 %</b>
<b>Total</b>	<b>55</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>21</i>	

### AIDS CASES DIAGNOSED January - December 2014

- 30 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	19	63 %	Black, Non-Hispanic	20	67 %
Women	10	33 %	White, Non-Hispanic	8	27 %
Transgender Women	1	3 %	Hispanic	2	7 %
<b>Total</b>	<b>30</b>	<b>100 %</b>	<b>Total</b>	<b>30</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	7 %	Men who have sex with men	12	63 %
25 - 34	9	30 %	Injection drug use	2	11 %
35 - 44	9	30 %	Heterosexual contact	4	21 %
45+	10	33 %	Perinatal	1	5 %
<b>Total</b>	<b>30</b>	<b>100 %</b>	<b>Total</b>	<b>19</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>11</i>	

**Persons Diagnosed with Early Syphilis****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 14 persons were diagnosed with P&S Syphilis in Region 3 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	6	43 %	American Indian	0	0 %
Women	8	57 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>14</b>	<b>100 %</b>	Black, Non-Hispanic	12	86 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	14 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>14</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	14 %	Men who have sex with men	0	0 %
20 – 29	8	57 %	Injection drug use	0	0 %
30 - 39	3	22 %	Transactional sex	2	14 %
40+	1	7 %	High risk heterosexual contact	6	43 %
<b>Total</b>	<b>14</b>	<b>100 %</b>	Heterosexual contact	9	64 %
			Incarceration	5	36 %
			Illegal drug use (non-injection)	7	50 %
			<i>No Reported Risk</i>	0	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 15 persons were diagnosed with Early Latent Syphilis in Region 3 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	8	53 %	American Indian	1	7 %
Women	7	47 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>15</b>	<b>100 %</b>	Black, Non-Hispanic	12	80 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	13 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>15</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	5	33 %	Men who have sex with men	2	13 %
20 – 29	7	47 %	Injection drug use	0	0 %
30 - 39	1	7 %	Transactional sex	0	0 %
40+	2	13 %	High risk heterosexual contact	5	33 %
<b>Total</b>	<b>15</b>	<b>100 %</b>	Heterosexual contact	9	60 %
			Incarceration	2	13 %
			Illegal drug use (non-injection)	3	20 %
			<i>No Reported Risk</i>	0	

**Persons Living with HIV Infection  
Region 4: Lafayette Region  
as of June 30, 2015**

*Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes*

- **1,980** cumulative cases have been detected in Region 4, including **13** pediatric cases.
- **808** cumulative deaths among persons in Region 4 with HIV infection have occurred, including **5** pediatric deaths.
- **1,517** persons are currently living with HIV infection in Region 4.  
Persons living with HIV: **725**  
Persons living with AIDS: **792**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Men	1,132	75 %
Women	378	25 %
Transgender Women	7	<1 %
<b>Total</b>	<b>1,517</b>	<b>100 %</b>

<u>Age Category</u>			<u>Race/Ethnicity by Sex at Birth</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
13 - 19	10	1 %	Black, Non-Hispanic	602	268	870	57 %
20 - 24	69	5 %	White, Non-Hispanic	462	98	560	37 %
25 - 29	129	9 %	Hispanic	56	6	62	4 %
30 - 34	140	9 %	Asian/Pacific Islander	2	2	4	<1 %
35 - 39	154	10 %	American Indian	2	2	4	<1 %
40 - 44	164	11 %	Multi-race	15	2	17	1 %
45 - 49	217	14 %	<b>Total</b>	<b>1,139</b>	<b>378</b>	<b>1,517</b>	<b>100 %</b>
50 - 54	267	18 %					
55 - 59	184	12 %					
60+	183	12 %					
<b>Total</b>	<b>1,517</b>	<b>100 %</b>					

**Exposure Category by Sex at Birth**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	587	0	587	59 %
Injection drug use	68	51	119	12 %
Men who have sex with men and inject drugs	57	0	57	6 %
Heterosexual contact	70	154	224	22 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	4	5	9	1 %
<b>Total</b>	<b>791ok</b>	<b>212</b>	<b>1,003</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>348</i>	<i>166</i>	<i>514</i>	

## Persons Newly Diagnosed with HIV and AIDS

### Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes

### HIV CASES DIAGNOSED January - December 2014

- 118 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	91	77 %	Black, Non-Hispanic	82	69 %
Women	27	23 %	White, Non-Hispanic	29	25 %
<b>Total</b>	<b>118</b>	<b>100 %</b>	Hispanic	5	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>118</b>	<b>100 %</b>

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk (by birth sex):</u>	Cases	Percent
13 - 24	32	27 %	Men who have sex with men	44	69 %
25 - 34	44	37 %	Injection drug use	6	9 %
35 - 44	15	13 %	Men who have sex with men and inject drugs	1	2 %
45+	27	23 %	Heterosexual contact	13	20 %
<b>Total</b>	<b>118</b>	<b>100 %</b>	<b>Total</b>	<b>64</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>54</i>	

### AIDS CASES DIAGNOSED January - December 2014

- 48 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	37	77 %	Black, Non-Hispanic	34	71 %
Women	11	23 %	White, Non-Hispanic	9	19 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	Hispanic	3	6 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	<b>48</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk (by birth sex):</u>	Cases	Percent
13 - 24	3	6 %	Men who have sex with men	16	57 %
25 - 34	16	33 %	Injection drug use	5	18 %
35 - 44	7	15 %	Men who have sex with men and inject drugs	1	4 %
45+	22	46 %	Heterosexual contact	6	21 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	<b>Total</b>	<b>28</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>20</i>	

**Persons Diagnosed with Early Syphilis****Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 28 persons were diagnosed with P&S Syphilis in Region 4 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	20	71 %	American Indian	0	0 %
Women	8	29 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>28</b>	<b>100 %</b>	Black, Non-Hispanic	19	68 %
			Hispanic	0	0 %
			White, Non-Hispanic	9	32 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>28</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	7 %	Men who have sex with men	11	44 %
20 – 29	17	61 %	Injection drug use	0	0 %
30 - 39	7	25 %	Transactional sex	1	4 %
40+	2	7 %	High risk heterosexual contact	3	12 %
<b>Total</b>	<b>28</b>	<b>100 %</b>	Heterosexual contact	11	44 %
			Incarceration	1	4 %
			Illegal drug use (non-injection)	4	16 %
			<i>No Reported Risk</i>	3	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 19 persons were diagnosed with Early Latent Syphilis in Region 4 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	10	53 %	American Indian	0	0 %
Women	9	47 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>19</b>	<b>100 %</b>	Black, Non-Hispanic	10	53 %
			Hispanic	1	5 %
			White, Non-Hispanic	8	42 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>19</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	11 %	Men who have sex with men	7	39 %
20 – 29	13	68 %	Injection drug use	0	0 %
30 - 39	2	11 %	Transactional sex	0	0 %
40+	2	11 %	High risk heterosexual contact	3	17 %
<b>Total</b>	<b>19</b>	<b>100 %</b>	Heterosexual contact	8	44 %
			Incarceration	1	6 %
			Illegal drug use (non-injection)	4	22 %
			<i>No Reported Risk</i>	1	

**Persons Living with HIV Infection  
Region 5: Lake Charles Region  
as of June 30, 2015**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **1,221** cumulative cases have been detected in Region 5, including **10** pediatric cases.
- **534** cumulative deaths among persons in Region 5 with HIV infection have occurred, including **2** pediatric deaths.
- **1,020** persons are currently living with HIV infection in Region 5.  
Persons living with HIV: **489**  
Persons living with AIDS: **531**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Men	770	75 %
Women	246	24 %
Transgender Women	4	<1%
<b>Total</b>	<b>1,020</b>	<b>100%</b>

<u>Age Category</u>			<u>Race/Ethnicity by Sex at Birth</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	3	<1 %	Black, Non-Hispanic	412	164	576	56 %
13 - 19	8	1 %	White, Non-Hispanic	268	73	341	33 %
20 - 24	30	3 %	Hispanic	77	4	81	8 %
25 - 29	78	8 %	Asian/Pacific Islander	5	0	5	<1 %
30 - 34	100	10 %	American Indian	2	0	2	<1 %
35 - 39	124	12 %	Multi-race	10	5	15	1 %
40 - 44	131	13 %	<b>Total</b>	<b>774</b>	<b>246</b>	<b>1,020</b>	<b>100 %</b>
45 - 49	142	14 %					
50 - 54	177	17 %					
55 - 59	124	12 %					
60+	103	10 %					
<b>Total</b>	<b>1,020</b>	<b>100 %</b>					

**Exposure Category by Sex at Birth**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	358	0	358	48 %
Injection drug use	81	33	114	15 %
Men who have sex with men and inject drugs	71	0	71	10 %
Heterosexual contact	81	107	188	25 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	5	9	14	2 %
<b>Total</b>	<b>598</b>	<b>149</b>	<b>747</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>176</i>	<i>97</i>	<i>273</i>	

**Persons Newly Diagnosed with HIV and AIDS  
Region 5: Lake Charles Region**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

**HIV CASES DIAGNOSED January - December 2014**

- 49 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	37	76 %	Black, Non-Hispanic	17	35 %
Women	12	24 %	White, Non-Hispanic	26	53 %
<b>Total</b>	<b>49</b>	<b>100 %</b>	Hispanic	4	8 %
			Asian/Pacific Islander	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	<b>49</b>	<b>100 %</b>

<u>Age at Detection</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	8	16 %	Men who have sex with men	19	59 %
25 - 34	16	33 %	Injection drug use	5	16 %
35 - 44	10	20 %	Men who have sex with men and inject drugs	2	6 %
45+	15	31 %	Heterosexual contact	6	19 %
<b>Total</b>	<b>49</b>	<b>100 %</b>	<b>Total</b>	<b>32</b>	<b>100 %</b>

*No Identified Risk* 17

**AIDS CASES DIAGNOSED January - December 2014**

- 21 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	<b>Cases</b>	<b>Percent</b>	<u>Race/Ethnicity</u>	<b>Cases</b>	<b>Percent</b>
Men	14	67 %	Black, Non-Hispanic	7	33 %
Women	7	33 %	White, Non-Hispanic	12	57 %
<b>Total</b>	<b>21</b>	<b>100 %</b>	Hispanic	1	5 %
			Multi-race	1	5 %
			<b>Total</b>	<b>21</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<b>Cases</b>	<b>Percent</b>	<u>Cases with a reported risk:</u>	<b>Cases</b>	<b>Percent</b>
13 - 24	2	10 %	Men who have sex with men	6	55 %
25 - 34	8	38 %	Injection drug use	3	27 %
35 - 44	4	19 %	Heterosexual contact	2	18 %
45+	7	33 %	<b>Total</b>	<b>11</b>	<b>100 %</b>
<b>Total</b>	<b>21</b>	<b>100 %</b>			

*No Identified Risk* 10

**Persons Diagnosed with Early Syphilis****Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 4 persons were diagnosed with P&S Syphilis in Region 5 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	3	75 %	American Indian	0	0 %
Women	1	25 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>4</b>	<b>100 %</b>	Black, Non-Hispanic	2	50 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	50 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>4</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	2	50 %
20 – 29	2	50 %	Injection drug use	0	0 %
30 - 39	1	25 %	Transactional sex	1	25 %
40+	1	25 %	High risk heterosexual contact	1	25 %
<b>Total</b>	<b>4</b>	<b>100 %</b>	Heterosexual contact	1	25 %
			Incarceration	1	25 %
			Illegal drug use (non-injection)	2	50 %
			<i>No Reported Risk</i>	<i>0</i>	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 5 persons were diagnosed with Early Latent Syphilis in Region 5 from January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	4	80 %	American Indian	0	0 %
Women	1	20 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>5</b>	<b>100 %</b>	Black, Non-Hispanic	3	60 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	40 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>5</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	20 %	Men who have sex with men	4	80 %
20 – 29	3	60 %	Injection drug use	0	0 %
30 - 39	1	20 %	Transactional sex	0	0 %
40+	0	0 %	High risk heterosexual contact	1	20 %
<b>Total</b>	<b>5</b>	<b>100 %</b>	Heterosexual contact	1	20 %
			Incarceration	1	20 %
			Illegal drug use (non-injection)	2	40 %
			<i>No Reported Risk</i>	<i>0</i>	

**Persons Living with HIV Infection****Region 6: Alexandria Region****as of June 30, 2015***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,380** cumulative cases have been detected in Region 6, including **15** pediatric cases.
- **515** cumulative deaths among persons in Region 6 with HIV infection have occurred, including **5** pediatric deaths.
- **896** persons are currently living with HIV infection in Region 6.  
Persons living with HIV: **462**  
Persons living with AIDS: **434**

**Gender**

	<b>Cases</b>	<b>Percent</b>
Men	629	70 %
Women	264	30 %
Transgender	3	<1 %
<b>Total</b>	<b>896</b>	<b>100%</b>

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	<1 %
13 - 19	3	<1 %
20 - 24	40	4 %
25 - 29	72	8 %
30 - 34	89	10 %
35 - 39	126	14 %
40 - 44	106	12 %
45 - 49	120	13 %
50 - 54	138	15 %
55 - 59	103	11 %
60+	97	11 %
<b>Total</b>	<b>896</b>	<b>100 %</b>

**Race/Ethnicity by Sex at Birth**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	398	212	610	68 %
White, Non-Hispanic	188	45	233	26 %
Hispanic	37	4	41	5 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	0	1	1	<1 %
Unknown	1	0	1	<1 %
Multi-race	5	2	7	1 %
<b>Total</b>	<b>632</b>	<b>264</b>	<b>896</b>	<b>100 %</b>

**Exposure Category by Sex at Birth**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	271	0	271	45 %
Injection drug use	57	23	80	13 %
Men who have sex with men and inject drugs	34	0	34	6 %
Heterosexual contact	69	130	199	33 %
Transfusion/Hemophilia	5	2	7	1 %
Perinatal	5	4	9	2 %
<b>Total</b>	<b>441</b>	<b>159</b>	<b>600</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>191</i>	<i>105</i>	<i>296</i>	

## Persons Newly Diagnosed with HIV and AIDS

### Region 6: Alexandria Region

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

### HIV CASES DIAGNOSED January - December 2014

- 65 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	48	74 %	Black, Non-Hispanic	31	48 %
Women	16	25 %	White, Non-Hispanic	21	32 %
Transgender Woman	1	1%	Hispanic	13	20 %
<b>Total</b>	<b>65</b>	<b>100 %</b>	<b>Total</b>	<b>65</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	11	17 %	Men who have sex with men	18	62 %
25 - 34	21	32 %	Injection drug use	2	7 %
35 - 44	18	28 %	Heterosexual contact	9	31 %
45+	15	23 %	<b>Total</b>	<b>29</b>	<b>100 %</b>
<b>Total</b>	<b>65</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>36</i>	

### AIDS CASES DIAGNOSED January - December 2014

- 25 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	18	72 %	Black, Non-Hispanic	16	64 %
Women	7	28 %	White, Non-Hispanic	5	20 %
<b>Total</b>	<b>25</b>	<b>100 %</b>	Hispanic	4	16 %
			<b>Total</b>	<b>25</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	4 %	Men who have sex with men	8	67 %
25 - 34	6	24 %	Injection drug use	1	8 %
35 - 44	6	24 %	Heterosexual contact	3	25 %
45+	12	48 %	<b>Total</b>	<b>12</b>	<b>100 %</b>
<b>Total</b>	<b>25</b>	<b>100 %</b>	<i>No Identified Risk</i>	<i>13</i>	

**Persons Diagnosed with Early Syphilis****Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

**PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 11 persons were diagnosed with P&S Syphilis in Region 6 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	10	91 %	American Indian	0	0 %
Women	1	9 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>11</b>	<b>100 %</b>	Black, Non-Hispanic	10	91 %
			Hispanic	0	0 %
			White, Non-Hispanic	1	9 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>11</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	9 %	Men who have sex with men	7	70 %
20 – 29	6	55 %	Injection drug use	0	0 %
30 - 39	3	27 %	Transactional sex	0	0 %
40+	1	9 %	High risk heterosexual contact	2	20 %
<b>Total</b>	<b>11</b>	<b>100 %</b>	Heterosexual contact	4	40 %
			Incarceration	2	20 %
			Illegal drug use (non-injection)	3	30 %
			<i>No Reported Risk</i>	<i>1</i>	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 5 persons were diagnosed with Early Latent Syphilis in Region 6 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	4	80 %	American Indian	0	0 %
Women	1	20 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>5</b>	<b>100 %</b>	Black, Non-Hispanic	3	60 %
			Hispanic	1	20 %
			White, Non-Hispanic	1	20 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>5</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	1	25 %
20 – 29	1	20 %	Injection drug use	0	0 %
30 - 39	2	40 %	Transactional sex	0	0 %
40+	2	40 %	High risk heterosexual contact	1	25 %
<b>Total</b>	<b>5</b>	<b>100 %</b>	Heterosexual contact	2	50 %
			Incarceration	3	75 %
			Illegal drug use (non-injection)	2	50 %
			<i>No Reported Risk</i>	<i>1</i>	

## Persons Living with HIV Infection

### Region 7: Shreveport Region

as of June 30, 2015

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,216** cumulative cases have been detected in Region 7, including **20** pediatric cases.
- **1,009** cumulative deaths among persons in Region 7 with HIV infection have occurred, including **10** pediatric deaths.
- **1,707** persons are currently living with HIV infection in Region 7.  
Persons living with HIV: **875**  
Persons living with AIDS: **832**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Men	1,196	70 %
Women	503	30 %
Transgender Women	8	<1 %
<b>Total</b>	<b>1,707</b>	<b>100 %</b>

#### Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %
13 - 19	14	1 %
20 - 24	114	7 %
25 - 29	213	12 %
30 - 34	202	12 %
35 - 39	231	14 %
40 - 44	171	10 %
45 - 49	201	12 %
50 - 54	240	14 %
55 - 59	163	10 %
60+	157	9 %
<b>Total</b>	<b>1,707</b>	<b>100 %</b>

#### Race/Ethnicity by Sex at Birth

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	838	414	1,252	73 %
White, Non-Hispanic	325	78	403	24 %
Hispanic	21	5	26	2 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	8	3	11	1 %
Unknown	1	0	1	<1 %
Multi-race	8	3	11	1 %
<b>Total</b>	<b>1,204</b>	<b>503</b>	<b>1,707</b>	<b>100 %</b>

#### Exposure Category by Sex at Birth

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	687	0	687	58 %
Injection drug use	50	50	100	8 %
Men who have sex with men and inject drugs	87	0	87	7 %
Heterosexual contact	77	213	290	24 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	6	8	14	1 %
<b>Total</b>	<b>910</b>	<b>274</b>	<b>1,184</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>294</i>	<i>229</i>	<i>523</i>	

## Persons Newly Diagnosed with HIV and AIDS

### Region 7: Shreveport Region

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

### HIV CASES DIAGNOSED January - December 2014

- 144 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	103	72 %	Black, Non-Hispanic	111	77 %
Women	39	27 %	White, Non-Hispanic	27	19 %
Transgender Women	2	1 %	Hispanic	2	1 %
<b>Total</b>	<b>144</b>	<b>100 %</b>	American Indian	1	1 %
			Multi-race	3	2 %
			<b>Total</b>	<b>144</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	42	29 %	Men who have sex with men	62	77 %
25 - 34	50	35 %	Injection drug use	4	5 %
35 - 44	25	17 %	Men who have sex with men and inject drugs	2	2 %
45+	27	19 %	Heterosexual contact	13	16 %
<b>Total</b>	<b>144</b>	<b>100 %</b>	<b>Total</b>	<b>81</b>	<b>100 %</b>

*No Identified Risk* 63

### AIDS CASES DIAGNOSED January - December 2014

- 48 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	33	69 %	Black, Non-Hispanic	37	77 %
Women	14	29 %	White, Non-Hispanic	8	17 %
Transgender Women	1	2 %	Hispanic	1	2 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	Multi-race	2	4 %
			<b>Total</b>	<b>48</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	10 %	Men who have sex with men	15	62 %
25 - 34	18	38 %	Injection drug use	2	8 %
35 - 44	11	23 %	Men who have sex with men and inject drugs	2	8 %
45+	14	29 %	Heterosexual contact	5	21 %
<b>Total</b>	<b>48</b>	<b>100 %</b>	<b>Total</b>	<b>24</b>	<b>100 %</b>

*No Identified Risk* 24

**Persons Diagnosed with Early Syphilis****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 34 persons were diagnosed with P&S Syphilis in Region 7 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	18	53 %	American Indian	0	0 %
Women	16	47 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>34</b>	<b>100 %</b>	Black, Non-Hispanic	29	85 %
			Hispanic	0	0 %
			White, Non-Hispanic	5	15 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>34</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	5	15 %	Men who have sex with men	7	21 %
20 – 29	20	59 %	Injection drug use	0	0 %
30 - 39	6	17 %	Transactional sex	1	3 %
40+	3	9 %	High risk heterosexual contact	7	21 %
<b>Total</b>	<b>34</b>	<b>100 %</b>	Heterosexual contact	29	88 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	6	18 %
			<i>No Reported Risk</i>	<i>1</i>	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 30 persons were diagnosed with Early Latent Syphilis in Region 7 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	16	53 %	American Indian	0	0 %
Women	14	47 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>30</b>	<b>100 %</b>	Black, Non-Hispanic	25	83 %
			Hispanic	0	0 %
			White, Non-Hispanic	5	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>30</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	6	20 %	Men who have sex with men	6	20 %
20 – 29	17	57 %	Injection drug use	0	0 %
30 - 39	3	10 %	Transactional sex	0	0 %
40+	4	13 %	High risk heterosexual contact	6	20 %
<b>Total</b>	<b>30</b>	<b>100 %</b>	Heterosexual contact	18	60 %
			Incarceration	2	7 %
			Illegal drug use (non-injection)	2	7 %
			<i>No Reported Risk</i>	<i>0</i>	



**Persons Newly Diagnosed with HIV and AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2014**

- 98 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	62	63 %	Black, Non-Hispanic	80	82 %
Women	35	36 %	White, Non-Hispanic	15	15 %
Transgender Women	1	1 %	American Indian	2	2 %
<b>Total</b>	<b>98</b>	<b>100 %</b>	Multi-race	1	1 %
			<b>Total</b>	<b>98</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk (by birth sex):</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	28	29 %	Men who have sex with men	29	63 %
25 - 34	24	24 %	Injection drug use	1	2 %
35 - 44	22	22 %	Men who have sex with men and inject drugs	1	2 %
45+	24	24 %	Heterosexual contact	15	33 %
<b>Total</b>	<b>98</b>	<b>100 %</b>	<b>Total</b>	<b>46</b>	<b>100 %</b>
			<i>No Identified Risk</i>	52	

**AIDS CASES DIAGNOSED January - December 2014**

- 49 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	27	55 %	Black, Non-Hispanic	40	82 %
Women	22	45 %	White, Non-Hispanic	7	14 %
<b>Total</b>	<b>49</b>	<b>100 %</b>	American Indian	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	<b>49</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	8 %	Men who have sex with men	9	36 %
25 - 34	12	24 %	Injection drug use	2	8 %
35 - 44	13	27 %	Heterosexual contact	14	56 %
45+	20	41 %	<b>Total</b>	<b>25</b>	<b>100 %</b>
<b>Total</b>	<b>49</b>	<b>100 %</b>	<i>No Identified Risk</i>	24	

**Persons Diagnosed with Early Syphilis****Region 8: Monroe Region**

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

**PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 32 persons were diagnosed with P&S Syphilis in Region 8 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	22	69 %	American Indian	0	0 %
Women	10	31 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>32</b>	<b>100 %</b>	Black, Non-Hispanic	30	94 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	6 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>32</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	3 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	13 %	Men who have sex with men	10	31 %
20 – 29	22	68 %	Injection drug use	0	0 %
30 - 39	4	13 %	Transactional sex	0	0 %
40+	1	3 %	High risk heterosexual contact	3	9 %
<b>Total</b>	<b>32</b>	<b>100 %</b>	Heterosexual contact	21	66 %
			Incarceration	2	6 %
			Illegal drug use (non-injection)	2	6 %
			<i>No Reported Risk</i>	0	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**

- 27 persons were diagnosed with Early Latent Syphilis in Region 8 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	13	48 %	American Indian	0	0 %
Women	13	48 %	Asian/Pacific Islander	0	0 %
Transgender Women	1	4 %	Black, Non-Hispanic	25	93 %
<b>Total</b>	<b>27</b>	<b>100 %</b>	Hispanic	0	0 %
			White, Non-Hispanic	2	7 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>27</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	6	22 %	Men who have sex with men	5	19 %
20 – 29	16	59 %	Injection drug use	0	0 %
30 - 39	2	8 %	Transactional sex	0	0 %
40+	3	11 %	High risk heterosexual contact	4	15 %
<b>Total</b>	<b>27</b>	<b>100 %</b>	Heterosexual contact	17	65 %
			Incarceration	1	4 %
			Illegal drug use (non-injection)	3	12 %
			<i>No Reported Risk</i>	1	

**Persons Living with HIV Infection  
Region 9: Hammond/Slidell Region  
as of June 30, 2015**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,392** cumulative cases have been detected in Region 9, including **19** pediatric cases.
- **482** cumulative deaths among persons in Region 9 with HIV infection have occurred, including **5** pediatric deaths.
- **1,243** persons are currently living with HIV infection in Region 9.  
Persons living with HIV: **578**  
Persons living with AIDS: **665**

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>
Men	909	73 %
Women	327	26 %
Transgender Women	7	1%
<b>Total</b>	<b>1,243</b>	<b>100 %</b>

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %
13 - 19	7	1 %
20 - 24	38	3 %
25 - 29	98	8 %
30 - 34	105	8 %
35 - 39	127	10 %
40 - 44	153	12 %
45 - 49	189	15 %
50 - 54	217	17 %
55 - 59	165	13 %
60+	139	11 %
<b>Total</b>	<b>1,243</b>	<b>100 %</b>

**Race/Ethnicity by Sex at Birth**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	428	196	624	50 %
White, Non-Hispanic	456	119	575	46 %
Hispanic	25	10	35	3 %
Asian/Pacific Islander	3	2	5	<1 %
American Indian	1	0	1	<1 %
Multi-race	3	0	3	<1 %
<b>Total</b>	<b>916</b>	<b>327</b>	<b>1,243</b>	<b>100 %</b>

**Exposure Category by Sex at Birth**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	481	0	481	57 %
Injection drug use	55	51	106	12 %
Men who have sex with men and inject drugs	58	0	58	7 %
Heterosexual contact	68	116	184	22 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	10	5	15	2 %
<b>Total</b>	<b>677</b>	<b>172</b>	<b>849</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>239</i>	<i>155</i>	<i>394</i>	

**Persons Newly Diagnosed with HIV and AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2014**

- 72 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	56	78 %	Black, Non-Hispanic	45	62 %
Women	16	22 %	White, Non-Hispanic	22	31 %
<b>Total</b>	72	100 %	Hispanic	5	7 %
			<b>Total</b>	72	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	15	21 %	Men who have sex with men	26	74 %
25 - 34	24	33 %	Injection drug use	4	11 %
35 - 44	18	25 %	Men who have sex with men and inject drugs	1	3 %
45+	15	21 %	Heterosexual contact	4	11 %
<b>Total</b>	72	100 %	<b>Total</b>	35	100 %
			<i>No Identified Risk</i>	37	

**AIDS CASES DIAGNOSED January - December 2014**

- 46 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	72 %	Black, Non-Hispanic	30	65 %
Women	13	28 %	White, Non-Hispanic	13	28 %
<b>Total</b>	46	100 %	Hispanic	3	7 %
			<b>Total</b>	46	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	4	9 %	Men who have sex with men	17	59 %
25 - 34	10	22 %	Injection drug use	3	10 %
35 - 44	15	33 %	Heterosexual contact	9	31 %
45+	17	37 %	<b>Total</b>	29	100 %
<b>Total</b>	46	100 %	<i>No Identified Risk</i>	17	

**Persons Diagnosed with Early Syphilis****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January – June 2015**

- 3 persons were diagnosed with P&S Syphilis in Region 9 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	3	100 %	American Indian	0	0 %
Women	0	0 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>3</b>	<b>100 %</b>	Black, Non-Hispanic	2	67 %
			Hispanic	0	0 %
			White, Non-Hispanic	1	33 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>3</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	67 %	Men who have sex with men	1	50 %
20 – 29	1	33 %	Injection drug use	0	0 %
30 - 39	0	0 %	Transactional sex	0	0 %
40+	0	0 %	High risk heterosexual contact	1	50 %
<b>Total</b>	<b>3</b>	<b>100 %</b>	Heterosexual contact	0	0 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	0	0 %
			<i>No Reported Risk</i>	<i>1</i>	

**PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January – June 2015**


- 7 persons were diagnosed with Early Latent Syphilis in Region 9 January through June 2015.

<b>Sex at Birth</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	4	57 %	American Indian	0	0 %
Women	3	43 %	Asian/Pacific Islander	0	0 %
<b>Total</b>	<b>7</b>	<b>100 %</b>	Black, Non-Hispanic	2	29 %
			Hispanic	0	0 %
			White, Non-Hispanic	5	71 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			<b>Total</b>	<b>7</b>	<b>100 %</b>


  

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk (Can have &gt;1 risk):</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	14 %	Men who have sex with men	1	17 %
20 – 29	3	43 %	Injection drug use	0	0 %
30 - 39	2	29 %	Transactional sex	1	17 %
40+	1	14 %	High risk heterosexual contact	1	17 %
<b>Total</b>	<b>7</b>	<b>100 %</b>	Heterosexual contact	4	67 %
			Incarceration	1	17 %
			Illegal drug use (non-injection)	2	33 %
			<i>No Reported Risk</i>	<i>1</i>	

### 10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2005-2014)




\*The number of new HIV diagnoses in 2014 is subject to change as the data are not finalized.




\* The number of new AIDS diagnoses in 2014 is subject to change as the data are not finalized.


### 10-Year Trends in Primary & Secondary Syphilis Diagnoses Louisiana, (2005-2014)



### 5-Year Trends in Early Latent Syphilis Diagnoses Louisiana, (2010-2014)




**10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS  
Louisiana (2004-2014)**



**\*The number of persons living with HIV/AIDS in 2014 is an overestimate because the 2014 death registry match has not occurred as of June 30, 2015.**

## Surveillance Breakout 2014 Louisiana HIV Continuum of Care



### Definitions:

Persons living with HIV: Number of persons living with HIV (PLWH) as of 12/31/2014 who were diagnosed by 12/31/2013, whose current address is in Louisiana. This number does not include anyone who was newly diagnosed in 2014.

Engaged in HIV care: Number of PLWH who had at least 1 CD4 or VL test conducted in 2014

Retained in HIV care: Number of PLWH who had 2 or more CD4 or VL tests conducted in 2014 at least 90 days apart

Virally suppressed: Number of PLWH whose most recent VL test in 2014 was <=200 copies/mL

### Interpretation of the Continuum of Care:

At the end of 2014, there were 18,533 people living with HIV in Louisiana who had been diagnosed prior to January 1, 2014. Of these 18,533 PLWH, 71% had at least one CD4 count or VL test conducted in 2014. These people are considered to be engaged in care.

Of the 18,533 PLWH, 56% had two or more CD4 counts or VL tests in 2014 that were at least 90 days apart. These people are considered to be retained in care.

Of the 18,533 PLWH in Louisiana, 50% had a viral load less than or equal to 200 copies/ml at their most recent VL test in 2014. These people are considered to be virally suppressed.

Finally, of the 13,230 people that were engaged in care, 70% were virally suppressed at their most recent VL test in 2014.