


Third Quarter 2014

Vol. 12, No. 3



LOUISIANA HIV/AIDS Surveillance
Quarterly Report
September 30, 2014

Louisiana Department of Health and Hospitals
Office of Public Health
STD/HIV Program (SHP)
1450 Poydras Street, Suite 2136
New Orleans, Louisiana 70112
504.568.7474
haprequest@la.gov
<http://dhh.louisiana.gov/hiv>
www.hiv411.org

Louisiana Department of Health and Hospitals
Office of Public Health
STD/HIV Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Program Manager

Editor/Production:
Demerial Banks, MPH

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, Surveillance Epidemiologist

Tania Bechtel, Data Manager

Carmen Washington, Data Manager

Antoine Brantley, MPH, Data Analyst

George Stephens, Information Systems Administrator

Josette Russell, Data Entry Specialist

Lakeesha Brumfield, Data Entry Specialist

William T. Robinson, Ph.D., Biostatistician

Elliot Brannon, MPH, Perinatal Surveillance Coordinator

Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard
Monica Pendelton

Region 1
Regions 1, 3

Cheryl Edney, BS MT(ASCP)
Gayle Norris, MA
Gale Terry, LPN

Regions 4, 5, 6
Regions 7, 8
Regions 2, 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
Surveillance Quarterly Highlight: 2012 National CDC HIV /AIDS Rankings	40
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2004-2013)	41
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2004-2013)	42
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2014¹.

- In 2012, Louisiana ranked 4th in the nation for estimated HIV case rates (27.1 per 100,000 population) and 11th in the estimated number of HIV infection cases. The Baton Rouge MSA ranked 4th in the nation and the New Orleans MSA ranked 5th in the for estimated HIV case rates (38.1 and 37.3 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 24) was released on November 5, 2014 and provided the 2012 rankings.
- According to the same report, Louisiana ranked 3rd highest in estimated state AIDS case rates (18.4 per 100,000) and 11th in the number of estimated AIDS cases in 2012. The Baton Rouge metropolitan area ranked 2nd in estimated AIDS case rates (27.5 per 100,000) and the New Orleans metropolitan area ranked 4th in estimated AIDS case rates (25.1 per 100,000) in 2012 among the large metropolitan areas in the nation.
- A total of **19,750** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,531** persons (53%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2013, of the persons who reported a risk factor, 71% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of September 30, 2014, 53% of all people living with HIV infection in Louisiana were MSM.
- In 2013, **1,328** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=450) occurred in Region 1 (New Orleans) and **20%** (n=269) occurred in Region 2 (Baton Rouge).
- In 2013, **738** new AIDS cases were diagnosed in Louisiana. Of these cases, **31%** (n=232) occurred in Region 1 (New Orleans) and **25%** (n=187) occurred in Region 2 (Baton Rouge).
- In Louisiana, **24%** of new HIV cases and **27%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2013, **69%** of newly diagnosed HIV cases and **75%** of newly diagnosed AIDS cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2013, **24%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **29%** occurred among persons 25-34 years old.
- As of September 30, 2014, a cumulative total of **35,387** HIV/AIDS cases have been reported in Louisiana since the beginning of the epidemic, including **350** pediatric cases. The cumulative total includes persons that are deceased.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the STD/HIV Program through September 30, 2014, is **15,351** including **120** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS
Louisiana
as of September 30, 2014

- **35,387** cumulative cases have been detected in Louisiana, including **350** pediatric cases.
- **15,351** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **120** pediatric deaths.
- **19,750** persons are currently living with HIV/AIDS in Louisiana.
 Persons living with HIV: **9,219**
 Persons living with AIDS: **10,531**

Gender

	Cases	Percent
Women	5,805	29 %
Men	13,945	71 %
Total	19,750	100 %

Age Category

Current Age	Cases	Percent
0 - 12	61	<1 %
13 - 19	161	1 %
20 - 24	958	5 %
25 - 29	1,713	9 %
30 - 34	2,126	11 %
35 - 39	2,381	12 %
40 - 44	2,379	12 %
45 - 49	2,776	14 %
50 - 54	3,030	15 %
55 - 59	2,150	11 %
60+	2,015	10 %
Total	19,750	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,710	4,776	13,486	68 %
White, Non-Hispanic	4,403	811	5,214	26 %
Hispanic	641	158	799	4 %
Asian/Pacific Islander	65	15	80	<1 %
American Indian	26	8	34	<1 %
Unknown	12	4	16	<1 %
Multi-race	88	33	121	1 %
Total	13,945	5,805	19,750	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	7,025	0	7,025	53 %
Injection drug use	1,045	635	1,680	13 %
Men who have sex with men and inject drugs	829	0	829	6 %
Heterosexual contact	1,095	2,335	3,430	26 %
Transfusion/Hemophilia	41	32	73	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	94	109	203	2 %
Total	10,129	3,112	13,241	100 %
<i>No Identified Risk</i>	<i>3,816</i>	<i>2,693</i>	<i>6,509</i>	

Persons Living with AIDS
Louisiana
as of September 30, 2014

- **23,655** cumulative AIDS cases have been diagnosed in Louisiana, including **259** pediatric cases.
- **10,531** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,963	28 %
Men	7,568	72 %
Total	10,531	100 %

Age Category

Current Age	Cases	Percent
0 - 12	35	<1 %
13 - 19	51	<1 %
20 - 24	233	2 %
25 - 29	515	5 %
30 - 34	911	9 %
35 - 39	1,169	11 %
40 - 44	1,349	13 %
45 - 49	1,713	16 %
50 - 54	1,909	18 %
55 - 59	1,367	13 %
60+	1,279	12 %
Total	10,531	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,763	2,482	7,245	69 %
White, Non-Hispanic	2,389	368	2,757	26 %
Hispanic	328	90	418	4 %
Asian/Pacific	29	5	34	<1 %
American Indian	9	2	11	<1 %
Unknown	0	1	1	<1 %
Multi-race	50	15	65	1 %
Total	7,568	2,963	10,531	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,639	0	3,639	50 %
Injection drug use	704	353	1,057	14 %
Men who have sex with men and inject drugs	544	0	544	7 %
Heterosexual contact	673	1,226	1,899	26 %
Transfusion/Hemophilia	30	23	53	1 %
Perinatal	63	70	133	2 %
Total	5,653	1,672	7,325	100 %

<i>No Identified Risk</i>	<i>1,915</i>	<i>1,291</i>	<i>3,206</i>	
---------------------------	--------------	--------------	--------------	--

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2013

• **1,328** persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	1,015	76 %	Black, Non-Hispanic	919	69 %
Women	313	24 %	White, Non-Hispanic	326	25 %
Total	1,328	100 %	Hispanic	63	5 %
			Asian/Pacific Islander	9	1 %
			American Indian	6	<1 %
			Multi-race	5	<1 %
			Total	1,328	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	577	71 %
13 - 24	319	24 %	Injection drug use	52	6 %
25 - 34	380	29 %	Men who have sex with men and inject drugs	21	3 %
35 - 44	290	22 %	Heterosexual contact	159	20 %
45+	338	25 %	Perinatal	1	<1 %
Total	1,328	100 %	Total	810	100 %
			<i>No Identified Risk</i>	<i>518</i>	

AIDS CASES DIAGNOSED January - December 2013

• **738** persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	539	73 %	Black, Non-Hispanic	551	75 %
Women	199	27 %	White, Non-Hispanic	152	21 %
Total	738	100 %	Hispanic	30	4 %
			Asian/Pacific Islander	3	<1 %
			Multi-race	2	<1 %
			Total	738	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	259	58 %
13 - 24	75	10 %	Injection drug use	48	11 %
25 - 34	201	27 %	Men who have sex with men and inject drugs	13	3 %
35 - 44	212	29 %	Heterosexual contact	116	26 %
45+	248	34 %	Transfusion/Hemophilia	2	<1 %
Total	738	100 %	Perinatal	4	1 %
			Total	442	100 %
			<i>No Identified Risk</i>	<i>296</i>	

**Persons Living with HIV/AIDS by Parish
as of September 30, 2014**

Third Quarter 2014

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	109	Sabine	22
Allen	261	St. Bernard	169
Ascension	228	St. Charles	104
Assumption	26	St. Helena	17
Avoyelles	176	St. James	77
Beauregard	46	St. John the Baptist	159
Bienville	31	St. Landry	255
Bossier	192	St. Martin	112
Caddo	1,029	St. Mary	80
Calcasieu	641	St. Tammany	414
Caldwell	16	Tangipahoa	367
Cameron	2	Tensas	33
Catahoula	29	Terrebonne	204
Claiborne	56	Union	29
Concordia	46	Vermilion	95
De Soto	53	Vernon	63
East Baton Rouge	3,836	Washington	184
East Carroll	29	Webster	75
East Feliciana	154	West Baton Rouge	93
Evangeline	75	West Carroll	10
Franklin	45	West Feliciana	172
Grant	42	Winn	43
Iberia	114		
Iberville	385		
Jackson	27		
Jefferson	1,818		
Jefferson Davis	58		
La Salle	35		
Lafayette	733		
Lafourche	141		
Lincoln	98		
Livingston	202		
Madison	30		
Morehouse	65		
Natchitoches	115		
Orleans	4,834		
Ouachita	590		
Plaquemines	41		
Pointe Coupee	52		
Rapides	456		
Red River	13		
Richland	44		
		Total	19,750

**Persons Living with AIDS by Parish
as of September 30, 2014**

Third Quarter 2014

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	67	Sabine	15
Allen	138	St. Bernard	110
Ascension	111	St. Charles	52
Assumption	12	St. Helena	9
Avoyelles	95	St. James	39
Beauregard	26	St. John the Baptist	92
Bienville	16	St. Landry	147
Bossier	93	St. Martin	67
Caddo	504	St. Mary	48
Calcasieu	358	St. Tammany	224
Caldwell	4	Tangipahoa	200
Cameron	1	Tensas	15
Catahoula	15	Terrebonne	118
Claiborne	29	Union	22
Concordia	24	Vermilion	51
De Soto	26	Vernon	31
East Baton Rouge	2,083	Washington	97
East Carroll	16	Webster	29
East Feliciana	82	West Baton Rouge	49
Evangeline	36	West Carroll	6
Franklin	17	West Feliciana	98
Grant	19	Winn	23
Iberia	65		
Iberville	232		
Jackson	17		
Jefferson	966		
Jefferson Davis	32		
La Salle	14		
Lafayette	355		
Lafourche	83		
Lincoln	53		
Livingston	111		
Madison	15		
Morehouse	41		
Natchitoches	57		
Orleans	2,575		
Ouachita	298		
Plaquemines	28		
Pointe Coupee	33		
Rapides	211		
Red River	9		
Richland	26		
		Total	10,531

**Persons Living with HIV/AIDS
Metro New Orleans
as of September 30, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **16,233** cumulative cases have been detected in the New Orleans MSA, including **168** pediatric cases.
- **7,062** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **59** pediatric deaths
- **7,616** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,531**
Persons living with AIDS: **4,085**

Gender

	Cases	Percent
Women	1,953	26 %
Men	5,663	74 %
Total	7,616	100 %

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	49	1 %
20 - 24	347	5 %
25 - 29	652	9 %
30 - 34	779	10 %
35 - 39	876	12 %
40 - 44	873	11 %
45 - 49	1,077	14 %
50 - 54	1,189	16 %
55 - 59	873	11 %
60+	879	12 %
Total	7,616	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	3,113	1,596	4,709	62 %
White, Non-Hispanic	2,113	236	2,349	31 %
Hispanic	350	104	454	6 %
Asian/Pacific Islander	38	7	45	1 %
American Indian	7	0	7	<1 %
Unknown	7	3	10	<1 %
Multi-race	35	7	42	1 %
Total	5,663	1,953	7,616	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,191	0	3,191	60 %
Injection drug use	321	207	528	10 %
Men who have sex with men and inject drugs	310	0	310	6 %
Heterosexual contact	356	784	1,140	22 %
Transfusion/Hemophilia	18	15	33	1 %
Perinatal	32	45	77	1 %
Total	4,228	1,051	5,279	100 %
<i>No Identified Risk</i>	<i>1435</i>	<i>902</i>	<i>2,337</i>	

**Persons Living with AIDS
Metro New Orleans
as of September 30, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **10,998** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **85** pediatric cases.
- **4,085** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	1,058	26 %
Men	3,027	74 %
Total	4,085	100 %

Age Category

Current Age	Cases	Percent
0 - 12	11	<1 %
13 - 19	17	<1 %
20 - 24	80	2 %
25 - 29	182	4 %
30 - 34	334	8 %
35 - 39	420	10 %
40 - 44	498	12 %
45 - 49	654	16 %
50 - 54	763	19 %
55 - 59	569	14 %
60+	557	14 %
Total	4,085	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,674	872	2,546	62 %
White, Non-Hispanic	1,126	109	1,235	30 %
Hispanic	186	70	256	6 %
Asian/Pacific Islander	16	4	20	<1 %
American Indian	2	0	2	<1 %
Multi-race	23	3	26	1 %
Total	3,027	1,058	4,085	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,655	0	1,655	57 %
Injection drug use	203	115	318	11 %
Men who have sex with men and inject	198	0	198	7 %
Heterosexual contact	226	440	666	23 %
Transfusion/Hemophilia	14	11	25	1 %
Perinatal	16	33	49	2 %
Total	2,312	599	2,911	100 %
<i>No Identified Risk</i>	<i>715</i>	<i>459</i>	<i>1,174</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2013

- 505 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	403	80 %	Black, Non-Hispanic	330	65 %
Women	102	20 %	White, Non-Hispanic	138	27 %
Total	505	100 %	Hispanic	29	6 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	505	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	119	24 %	Men who have sex with men	259	74 %
25 - 34	161	32 %	Injection drug use	17	5 %
35 - 44	106	21 %	Men who have sex with men and inject drugs	9	3 %
45+	119	24 %	Heterosexual contact	67	19 %
Total	505	100 %	Total	352	100 %
			<i>No Identified Risk</i>	<i>153</i>	

AIDS CASES DIAGNOSED January - December 2013

- 266 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	197	74 %	Black, Non-Hispanic	178	67 %
Women	69	26 %	White, Non-Hispanic	64	24 %
Total	266	100 %	Hispanic	21	8 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	266	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	29	11 %	Men who have sex with men	112	64 %
25 - 34	69	26 %	Injection drug use	16	9 %
35 - 44	74	28 %	Heterosexual contact	47	27 %
45+	94	35 %	Transfusion/Hemophilia	1	1 %
Total	266	100 %	Total	176	100 %
			<i>No Identified Risk</i>	<i>90</i>	

Persons Living with HIV/AIDS**Metro Baton Rouge****as of September 30, 2014***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **8,132** cumulative cases have been detected in the Baton Rouge MSA, including **79** pediatric cases.
- **3,518** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **20** pediatric deaths
- **5,139** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,333**
Persons living with AIDS: **2,806**

Gender

	Cases	Percent
Women	1,825	36 %
Men	3,314	64 %
Total	5,139	100 %

Age Category

Current Age	Cases	Percent
0 - 12	21	<1 %
13 - 19	45	1 %
20 - 24	259	5 %
25 - 29	431	8 %
30 - 34	624	12 %
35 - 39	661	13 %
40 - 44	671	13 %
45 - 49	684	13 %
50 - 54	760	15 %
55 - 59	503	10 %
60+	480	9 %
Total	5,139	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,582	1,629	4,211	82 %
White, Non-Hispanic	649	164	813	16 %
Hispanic	54	16	70	1 %
Asian/Pacific Islander	9	5	14	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	16	10	26	1 %
Total	3,314	1,825	5,139	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,338	0	1,338	42 %
Injection drug use	382	212	594	19 %
Men who have sex with men and inject drugs	198	0	198	6 %
Heterosexual contact	326	661	987	31 %
Transfusion/Hemophilia	6	8	14	<1 %
Perinatal	29	28	57	2 %
Total	2,279	909	3,188	100 %
<i>No Identified Risk</i>	<i>1,035</i>	<i>916</i>	<i>1,951</i>	

Persons Living with AIDS
Metro Baton Rouge
as of September 30, 2014

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,479** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **37** pediatric cases.
- **2,806** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	930	33 %
Men	1,876	67 %
Total	2,806	100 %

Age Category

Current Age	Cases	Percent
0 - 12	15	1 %
13 - 19	15	1 %
20 - 24	69	2 %
25 - 29	149	5 %
30 - 34	273	10 %
35 - 39	330	12 %
40 - 44	394	14 %
45 - 49	440	16 %
50 - 54	491	17 %
55 - 59	322	11 %
60+	308	11 %
Total	2,806	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,495	848	2,343	83 %
White, Non-Hispanic	337	71	408	15 %
Hispanic	30	8	38	1 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	2	0	2	<1 %
Multi-race	8	3	11	<1 %
Total	1,876	930	2,806	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	681	0	681	37 %
Injection drug use	285	129	414	23 %
Men who have sex with men and inject drugs	131	0	131	7 %
Heterosexual contact	209	343	552	30 %
Transfusion/Hemophilia	4	6	10	1 %
Perinatal	24	15	39	2 %
Total	1,334	493	1,827	100 %
<i>No Identified Risk</i>	<i>542</i>	<i>437</i>	<i>979</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 284 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	203	71 %	Black, Non-Hispanic	237	83 %
Women	81	29 %	White, Non-Hispanic	41	14 %
Total	284	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	284	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	104	67 %
13 - 24	78	27 %	Injection drug use	12	8 %
25 - 34	76	27 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	62	22 %	Heterosexual contact	34	22 %
45+	67	24 %	Perinatal	1	1 %
Total	284	100 %	Total	155	100 %
			<i>No Identified Risk</i>	<i>129</i>	

AIDS CASES DIAGNOSED January - December 2013

- 197 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	141	72 %	Black, Non-Hispanic	175	89 %
Women	56	28 %	White, Non-Hispanic	20	10 %
Total	197	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	197	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	51	45 %
13 - 24	17	9 %	Injection drug use	19	17 %
25 - 34	57	29 %	Men who have sex with men and inject drugs	5	4 %
35 - 44	57	29 %	Heterosexual contact	35	31 %
45+	64	32 %	Perinatal	3	3 %
Total	197	100 %	Total	113	100 %
			<i>No Identified Risk</i>	<i>84</i>	

Persons Living with HIV/AIDS**Region 1: New Orleans Region****as of September 30, 2014***Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **15,176** cumulative cases have been detected in Region 1, including **150** pediatric cases.
- **6,620** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **54** pediatric deaths.
- **6,862** persons are currently living with HIV/AIDS in Region 1.
Persons living with HIV: **3,184**
Persons living with AIDS: **3,678**

Gender

	Cases	Percent
Women	1,750	26 %
Men	5,112	74 %
Total	6,862	100 %

Age Category

Current Age	Cases	Percent
0 - 12	16	<1 %
13 - 19	42	1 %
20 - 24	303	4 %
25 - 29	588	9 %
30 - 34	716	10 %
35 - 39	786	11 %
40 - 44	785	11 %
45 - 49	970	14 %
50 - 54	1,062	15 %
55 - 59	791	12 %
60+	803	12 %
Total	6,862	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,876	1,461	4,337	63 %
White, Non-Hispanic	1,826	177	2,003	29 %
Hispanic	331	97	428	6 %
Asian/Pacific Islander	36	5	41	1 %
American Indian	6	0	6	<1 %
Unknown	6	3	9	<1 %
Multi-race	31	7	38	1 %
Total	5,112	1,750	6,862	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,869	0	2,869	60 %
Injection drug use	296	186	482	10 %
Men who have sex with men and inject drugs	285	0	285	6 %
Heterosexual contact	328	713	1,041	22 %
Transfusion/Hemophilia	15	15	30	1 %
Perinatal	24	37	61	1 %
Total	3,817	951	4,768	100 %
<i>No Identified Risk</i>	<i>1,295</i>	<i>799</i>	<i>2,094</i>	

Persons Living with AIDS
Region 1: New Orleans Region
as of September 30, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **10,274** cumulative AIDS cases have been diagnosed in Region 1, including **75** pediatric cases.

• **3,678** persons are currently living with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	955	26 %
Men	2,723	74 %
Total	3,678	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	9	<1 %	Black, Non-Hispanic	1,541	803	2,344	64 %
13 - 19	14	<1 %	White, Non-Hispanic	971	80	1,051	29 %
20 - 24	69	2 %	Hispanic	174	67	241	7 %
25 - 29	160	4 %	Asian/Pacific Islander	15	2	17	<1 %
30 - 34	313	9 %	American Indian	1	0	1	<1 %
35 - 39	368	10 %	Multi-race	21	3	24	1 %
40 - 44	449	12 %	Total	2,723	955	3,678	100 %
45 - 49	591	16 %					
50 - 54	684	19 %					
55 - 59	519	14 %					
60+	502	14 %					
Total	3,678	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,483	0	1,483	56 %
Injection drug use	189	104	293	11 %
Men who have sex with men and inject drug	185	0	185	7 %
Heterosexual contact	206	404	610	23 %
Transfusion/Hemophilia	11	11	22	1 %
Perinatal	10	29	39	1 %
Total	2,084	548	2,632	100 %
<i>No Identified Risk</i>	<i>639</i>	<i>407</i>	<i>1,046</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2013**

- 450 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	361	80 %	Black, Non-Hispanic	293	65 %
Women	89	20 %	White, Non-Hispanic	120	27 %
Total	450	100 %	Hispanic	29	6 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	450	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	106	24 %	Men who have sex with men	230	72 %
25 - 34	147	33 %	Injection drug use	16	5 %
35 - 44	95	21 %	Men who have sex with men and inject drugs	8	3 %
45+	102	23 %	Heterosexual contact	64	20 %
Total	450	100 %	Total	318	100 %
			<i>No Identified Risk</i>	<i>132</i>	

AIDS CASES DIAGNOSED January - December 2013

- 232 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	172	74 %	Black, Non-Hispanic	156	67 %
Women	60	26 %	White, Non-Hispanic	55	24 %
Total	232	100 %	Hispanic	19	8 %
			Asian/Pacific Islander	2	1 %
			Total	232	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	26	11 %	Men who have sex with men	94	61 %
25 - 34	62	27 %	Injection drug use	14	9 %
35 - 44	63	27 %	Heterosexual contact	44	29 %
45+	81	35 %	Transfusion/Hemophilia	1	1 %
Total	232	100 %	Total	153	100 %
			<i>No Identified Risk</i>	<i>79</i>	

**Persons Living with HIV/AIDS
Region 2: Baton Rouge Region
as of September 30, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,843** cumulative cases have been detected in Region 2, including **74** pediatric cases.
- **3,393** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **17** pediatric deaths.
- **4,920** persons are currently living with HIV/AIDS in Region 2.
Persons living with HIV: **2,234**
Persons living with AIDS: **2,686**

Gender

	Cases	Percent
Women	1,758	36 %
Men	3,162	64 %
Total	4,920	100 %

Age Category

Current Age	Cases	Percent
0 - 12	20	<1 %
13 - 19	43	1 %
20 - 24	252	5 %
25 - 29	419	9 %
30 - 34	611	12 %
35 - 39	626	13 %
40 - 44	640	13 %
45 - 49	647	13 %
50 - 54	721	15 %
55 - 59	482	10 %
60+	459	9 %
Total	4,920	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,526	1,606	4,132	84 %
White, Non-Hispanic	556	123	679	14 %
Hispanic	51	14	65	1 %
Asian/Pacific Islander	9	4	13	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	16	10	26	1 %
Total	3,162	1,758	4,920	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,265	0	1,265	42 %
Injection drug use	366	200	566	19 %
Men who have sex with men and inject drugs	188	0	188	6 %
Heterosexual contact	312	636	948	31 %
Transfusion/Hemophilia	4	8	12	<1 %
Perinatal	28	26	54	2 %
Total	2,163	870	3,033	100 %

<i>No Identified Risk</i>	999	888	1,887	
---------------------------	-----	-----	-------	--

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of September 30, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,289** cumulative AIDS cases have been diagnosed in Region 2, including **35** pediatric cases.
- **2,686** persons are currently living with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	896	33 %
Men	1,790	67 %
Total	2,686	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	15	1 %	Black, Non-Hispanic	1,460	831	2,291	85 %
13 - 19	14	1 %	White, Non-Hispanic	288	56	344	13 %
20 - 24	65	2 %	Hispanic	28	6	34	1 %
25 - 29	145	5 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	267	10 %	American Indian	2	0	2	<1 %
35 - 39	312	12 %	Multi-race	8	3	11	<1 %
40 - 44	376	14 %	Total	1,790	896	2,686	100 %
45 - 49	417	16 %					
50 - 54	470	17 %					
55 - 59	308	11 %					
60+	297	11 %					
Total	2,686	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	639	0	639	37 %
Injection drug use	272	124	396	23 %
Men who have sex with men and inject drug	125	0	125	7 %
Heterosexual contact	200	331	531	31 %
Tranfusion/Hemophilia	3	6	9	1 %
Perinatal	23	14	37	2 %
Total	1,262	475	1,737	100 %
<i>No Identified Risk</i>	<i>528</i>	<i>421</i>	<i>949</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 269 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	191	71 %	Black, Non-Hispanic	230	86 %
Women	78	29 %	White, Non-Hispanic	33	12 %
Total	269	100 %	Hispanic	4	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	269	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	95	66 %
13 - 24	77	29 %	Injection drug use	11	8 %
25 - 34	75	28 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	53	20 %	Heterosexual contact	33	23 %
45+	63	23 %	Perinatal	1	1 %
Total	269	100 %	Total	144	100 %

No Identified Risk 125

AIDS CASES DIAGNOSED January - December 2013

- 187 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	132	71 %	Black, Non-Hispanic	170	91 %
Women	55	29 %	White, Non-Hispanic	15	8 %
Total	187	100 %	Hispanic	1	1 %
			Multi-race	1	1 %
			Total	187	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	45	43 %
13 - 24	16	9 %	Injection drug use	18	17 %
25 - 34	56	30 %	Men who have sex with men and inject drugs	4	4 %
35 - 44	52	28 %	Heterosexual contact	34	33 %
45+	61	33 %	Perinatal	3	3 %
Total	187	100 %	Total	104	100 %

No Identified Risk 83

Persons Living with AIDS**Region 3: Houma Region****as of September 30, 2014***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **884** cumulative AIDS cases have been diagnosed in Region 3, including **12** pediatric cases.
- **444** persons are currently living with AIDS in Region 3.

Gender	Cases	Percent
Women	136	31 %
Men	308	69 %
Total	444	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	2	<1 %	Black, Non-Hispanic	166	108	274	62 %
13 - 19	5	1 %	White, Non-Hispanic	124	23	147	33 %
20 - 24	10	2 %	Hispanic	15	2	17	4 %
25 - 29	34	8 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	36	8 %	American Indian	1	1	2	<1 %
35 - 39	54	12 %	Multi-race	1	1	2	<1 %
40 - 44	51	11 %	Total	308	136	444	100 %
45 - 49	66	15 %					
50 - 54	76	17 %					
55 - 59	56	13 %					
60+	54	12 %					
Total	444	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	170	0	170	56 %
Injection drug use	27	9	36	12 %
Men who have sex with men and inject drug	8	0	8	3 %
Heterosexual contact	21	57	78	26 %
Perinatal	7	6	13	4 %
Total	233	72	305	100 %
<i>No Identified Risk</i>	<i>75</i>	<i>64</i>	<i>139</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2013**

- 61 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	72 %	Black, Non-Hispanic	38	62 %
Women	17	28 %	White, Non-Hispanic	22	36 %
Total	61	100 %	Hispanic	1	2 %
			Total	61	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	21 %	Men who have sex with men	31	74 %
25 - 34	17	28 %	Injection drug use	1	2 %
35 - 44	10	16 %	Heterosexual contact	10	24 %
45+	21	34 %	Total	42	100 %
Total	61	100 %	<i>No Identified Risk</i>	<i>19</i>	

AIDS CASES DIAGNOSED January - December 2013

- 41 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	32	78 %	Black, Non-Hispanic	29	71 %
Women	9	22 %	White, Non-Hispanic	10	24 %
Total	41	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	41	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	12 %	Men who have sex with men	21	72 %
25 - 34	7	17 %	Heterosexual contact	8	28 %
35 - 44	14	34 %	Total	29	100 %
45+	15	37 %	<i>No Identified Risk</i>	<i>12</i>	
Total	41	100 %			

**Persons Living with HIV/AIDS
Region 4: Lafayette Region
as of September 30, 2014**

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- **2,290** cumulative cases have been detected in Region 4, including **18** pediatric cases.
- **1,065** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,493** persons are currently living with HIV/AIDS in Region 4.
Persons living with HIV: **705**
Persons living with AIDS: **788**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	374	25 %
Men	1,119	75 %
Total	1,493	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	587	259	846	57 %
13 - 19	8	1 %	White, Non-Hispanic	458	102	560	38 %
20 - 24	68	5 %	Hispanic	57	6	63	4 %
25 - 29	128	9 %	Asian/Pacific Islander	2	2	4	<1 %
30 - 34	136	9 %	American Indian	2	2	4	<1 %
35 - 39	149	10 %	Multi-race	13	3	16	1 %
40 - 44	164	11 %	Total	1,119	374	1,493	100 %
45 - 49	247	17 %					
50 - 54	265	18 %					
55 - 59	170	11 %					
60+	156	10 %					
Total	1,493	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	555	0	555	57 %
Injection drug use	69	52	121	12 %
Men who have sex with men and inject drugs	60	0	60	6 %
Heterosexual contact	69	160	229	23 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	4	5	9	1 %
Total	762	219	981	100 %
<i>No Identified Risk</i>	<i>357</i>	<i>155</i>	<i>512</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of September 30, 2014***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,507** cumulative AIDS cases have been diagnosed in Region 4, including **14** pediatric cases.
- **788** persons are currently living with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	180	23 %
Men	608	77 %
Total	788	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	309	130	439	56 %
13 - 19	2	<1 %	White, Non-Hispanic	263	45	308	39 %
20 - 24	15	2 %	Hispanic	27	1	28	4 %
25 - 29	35	4 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	67	9 %	American Indian	0	1	1	<1 %
35 - 39	75	10 %	Multi-race	8	2	10	1 %
40 - 44	89	11 %	Total	608	180	788	100 %
45 - 49	142	18 %					
50 - 54	157	20 %					
55 - 59	103	13 %					
60+	101	13 %					
Total	788	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	308	0	308	55 %
Injection drug use	50	26	76	14 %
Men who have sex with men and inject drug	42	0	42	8 %
Heterosexual contact	33	85	118	21 %
Tranfusion/Hemophilia	3	1	4	1 %
Perinatal	3	4	7	1 %
Total	439	116	555	100 %
<i>No Identified Risk</i>	<i>169</i>	<i>64</i>	<i>233</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2013**

- 104 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	81	78 %	Black, Non-Hispanic	67	64 %
Women	23	22 %	White, Non-Hispanic	32	31 %
Total	104	100 %	Hispanic	5	5 %
			Total	104	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	24	23 %	Men who have sex with men	37	73 %
25 - 34	26	25 %	Injection drug use	3	6 %
35 - 44	18	17 %	Men who have sex with men and inject drugs	1	2 %
45+	36	35 %	Heterosexual contact	10	20 %
Total	104	100 %	Total	51	100 %

No Identified Risk 53

AIDS CASES DIAGNOSED January - December 2013

- 65 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	51	78 %	Black, Non-Hispanic	46	71 %
Women	14	22 %	White, Non-Hispanic	15	23 %
Total	65	100 %	Hispanic	4	6 %
			Total	65	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	11 %	Men who have sex with men	26	67 %
25 - 34	19	29 %	Injection drug use	3	8 %
35 - 44	14	22 %	Men who have sex with men and inject drugs	1	3 %
45+	25	38 %	Heterosexual contact	8	21 %
Total	65	100 %	Perinatal	1	3 %
			Total	39	100 %

No Identified Risk 26

**Persons Living with AIDS
Region 5: Lake Charles Region
as of September 30, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **954** cumulative AIDS cases have been diagnosed in Region 5, including **6** pediatric cases.
- **555** persons are currently living with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	114	21 %
Men	441	79 %
Total	555	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	3	1 %	Black, Non-Hispanic	238	75	313	56 %
13 - 19	1	<1 %	White, Non-Hispanic	158	35	193	35 %
20 - 24	9	2 %	Hispanic	38	2	40	7 %
25 - 29	26	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	43	8 %	Multi-race	5	2	7	1 %
35 - 39	66	12 %	Total	441	114	555	100 %
40 - 44	77	14 %					
45 - 49	113	20 %					
50 - 54	100	18 %					
55 - 59	65	12 %					
60+	52	9 %					
Total	555	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	197	0	197	47 %
Injection drug use	57	17	74	18 %
Men who have sex with men and inject drug	48	0	48	11 %
Heterosexual contact	47	44	91	22 %
Tranfusion/Hemophilia	1	0	1	<1 %
Perinatal	4	3	7	2 %
Total	354	64	418	100 %
<i>No Identified Risk</i>	<i>87</i>	<i>50</i>	<i>137</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2013**

- 48 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	34	71 %	Black, Non-Hispanic	26	54 %
Women	14	29 %	White, Non-Hispanic	20	42 %
Total	48	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	48	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	17 %	Men who have sex with men	15	48 %
25 - 34	9	19 %	Injection drug use	6	19 %
35 - 44	11	23 %	Men who have sex with men and inject drugs	2	6 %
45+	20	42 %	Heterosexual contact	8	26 %
Total	48	100 %	Total	31	100 %
			<i>No Identified Risk</i>	<i>17</i>	

AIDS CASES DIAGNOSED January - December 2013

- 28 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	22	79 %	Black, Non-Hispanic	17	61 %
Women	6	21 %	White, Non-Hispanic	11	39 %
Total	28	100 %	Total	28	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	11 %	Men who have sex with men	9	45 %
25 - 34	8	29 %	Injection drug use	4	20 %
35 - 44	8	29 %	Men who have sex with men and inject drugs	1	5 %
45+	9	32 %	Heterosexual contact	6	30 %
Total	28	100 %	Total	20	100 %
			<i>No Identified Risk</i>	<i>8</i>	

**Persons Living with AIDS
Region 6: Alexandria Region
as of September 30, 2014**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **922** cumulative AIDS cases have been diagnosed in Region 6, including **6** pediatric cases.
- **432** persons are currently living with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	125	29 %
Men	307	71 %
Total	432	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	203	101	304	70 %
13 - 19	1	<1 %	White, Non-Hispanic	86	23	109	25 %
20 - 24	10	2 %	Hispanic	16	0	16	4 %
25 - 29	18	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	30	7 %	Multi-race	1	1	2	<1 %
35 - 39	49	11 %	Total	307	125	432	100 %
40 - 44	52	12 %					
45 - 49	75	17 %					
50 - 54	81	19 %					
55 - 59	60	14 %					
60+	55	13 %					
Total	432	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	123	0	123	41 %
Injection drug use	29	11	40	13 %
Men who have sex with men and inject drug	29	0	29	10 %
Heterosexual contact	32	65	97	33 %
Transfusion/Hemophilia	4	1	5	2 %
Perinatal	2	2	4	1 %
Total	219	79	298	100 %
<i>No Identified Risk</i>	88	46	134	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2013**

- 87 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	70	80 %	Black, Non-Hispanic	44	51 %
Women	17	20 %	White, Non-Hispanic	25	29 %
Total	87	100 %	Hispanic	18	21 %
			Total	87	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	12	14 %	Men who have sex with men	27	69 %
25 - 34	25	29 %	Injection drug use	2	5 %
35 - 44	30	34 %	Men who have sex with men and inject drugs	1	3 %
45+	20	23 %	Heterosexual contact	9	23 %
Total	87	100 %	Total	39	100 %
			<i>No Identified Risk</i>	<i>48</i>	

AIDS CASES DIAGNOSED January - December 2013

- 29 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	19	66 %	Black, Non-Hispanic	17	59 %
Women	10	34 %	White, Non-Hispanic	10	34 %
Total	29	100 %	Hispanic	2	7 %
			Total	29	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	2	7 %	Men who have sex with men	4	44 %
25 - 34	9	31 %	Injection drug use	1	11 %
35 - 44	11	38 %	Men who have sex with men and inject drugs	1	11 %
45+	7	24 %	Heterosexual contact	2	22 %
Total	29	100 %	Transfusion/Hemophilia	1	11 %
			Total	9	100 %
			<i>No Identified Risk</i>	<i>20</i>	

Persons Living with HIV/AIDS**Region 7: Shreveport Region****as of September 30, 2014***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,491** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **1,110** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **12** pediatric deaths.
- **1,586** persons are currently living with HIV/AIDS in Region 7.
Persons living with HIV: **808**
Persons living with AIDS: **778**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	475	30 %
Men	1,111	70 %
Total	1,586	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	763	389	1,152	73 %
13 - 19	18	1 %	White, Non-Hispanic	306	76	382	24 %
20 - 24	121	8 %	Hispanic	23	8	31	2 %
25 - 29	186	12 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	195	12 %	American Indian	8	1	9	1 %
35 - 39	201	13 %	Unknown	1	0	1	<1 %
40 - 44	166	10 %	Multi-race	7	1	8	1 %
45 - 49	207	13 %	Total	1,111	475	1,586	100 %
50 - 54	206	13 %					
55 - 59	143	9 %					
60+	142	9 %					
Total	1,586	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	624	0	624	58 %
Injection drug use	45	40	85	8 %
Men who have sex with men and inject drugs	77	0	77	7 %
Heterosexual contact	72	209	281	26 %
Transfusion/Hemophilia	2	3	5	<1 %
Perinatal	6	6	12	1 %
Total	826	258	1,084	100 %
<i>No Identified Risk</i>	<i>285</i>	<i>217</i>	<i>502</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of September 30, 2014**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **1,588** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **778** persons are currently living with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	236	30 %
Men	542	70 %
Total	778	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	365	195	560	72 %
13 - 19	5	1 %	White, Non-Hispanic	159	35	194	25 %
20 - 24	25	3 %	Hispanic	11	5	16	2 %
25 - 29	58	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	71	9 %	American Indian	3	0	3	<1 %
35 - 39	96	12 %	Multi-race	2	1	3	<1 %
40 - 44	87	11 %	Total	542	236	778	100 %
45 - 49	122	16 %					
50 - 54	140	18 %					
55 - 59	88	11 %					
60+	85	11 %					
Total	778	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	279	0	279	52 %
Injection drug use	27	16	43	8 %
Men who have sex with men and inject drug	49	0	49	9 %
Heterosexual contact	49	109	158	29 %
Tranfusion/Hemophilia	1	3	4	1 %
Perinatal	4	4	8	1 %
Total	409	132	541	100 %
<i>No Identified Risk</i>	<i>133</i>	<i>104</i>	<i>237</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2013**

- 148 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	112	76 %	Black, Non-Hispanic	114	77 %
Women	36	24 %	White, Non-Hispanic	25	17 %
Total	148	100 %	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	3	2 %
			Multi-race	1	1 %
			Total	148	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	44	30 %	Men who have sex with men	60	75 %
25 - 34	42	28 %	Injection drug use	5	6 %
35 - 44	26	18 %	Men who have sex with men and inject drugs	2	2 %
45+	36	24 %	Heterosexual contact	13	16 %
Total	148	100 %	Total	80	100 %
			<i>No Identified Risk</i>	68	

AIDS CASES DIAGNOSED January - December 2013

- 67 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	44	66 %	Black, Non-Hispanic	55	82 %
Women	23	34 %	White, Non-Hispanic	10	15 %
Total	67	100 %	Hispanic	1	1 %
			Asian/Pacific Islander	1	1 %
			Total	67	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	12 %	Men who have sex with men	16	62 %
25 - 34	19	28 %	Injection drug use	2	8 %
35 - 44	17	25 %	Men who have sex with men and inject drugs	2	8 %
45+	23	34 %	Heterosexual contact	6	23 %
Total	67	100 %	Total	26	100 %
			<i>No Identified Risk</i>	41	

Persons Living with HIV/AIDS**Region 8: Monroe Region****as of September 30, 2014***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,803** cumulative cases have been detected in Region 8, including **18** pediatric cases.
- **766** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,016** persons are currently living with HIV/AIDS in Region 8.
Persons living with HIV: **487**
Persons living with AIDS: **529**

Gender	Cases	Percent
Women	359	35 %
Men	657	65 %
Total	1,016	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	470	302	772	76 %
13 - 19	21	2 %	White, Non-Hispanic	164	44	208	20 %
20 - 24	52	5 %	Hispanic	11	6	17	2 %
25 - 29	77	8 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	111	11 %	American Indian	3	2	5	<1 %
35 - 39	134	13 %	Unknown	1	1	2	<1 %
40 - 44	141	14 %	Multi-race	5	3	8	1 %
45 - 49	118	12 %	Total	657	359	1,016	100 %
50 - 54	150	15 %					
55 - 59	111	11 %					
60+	95	9 %					
Total	1,016	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	356	0	356	51 %
Injection drug use	34	32	66	10 %
Men who have sex with men and inject drugs	39	0	39	6 %
Heterosexual contact	63	151	214	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	11	14	2 %
Total	497	197	694	100 %

<i>No Identified Risk</i>	<i>160</i>	<i>162</i>	<i>322</i>	
---------------------------	------------	------------	------------	--

Persons Living with AIDS**Region 8: Monroe Region****as of September 30, 2014***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,148** cumulative AIDS cases have been diagnosed in Region 8, including **9** pediatric cases.
- **529** persons are currently living with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	175	33 %
Men	354	67 %
Total	529	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	251	148	399	75 %
13 - 19	6	1 %	White, Non-Hispanic	91	22	113	21 %
20 - 24	16	3 %	Hispanic	7	2	9	2 %
25 - 29	14	3 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	44	8 %	American Indian	1	0	1	<1 %
35 - 39	78	15 %	Unknown	0	1	1	<1 %
40 - 44	88	17 %	Multi-race	2	2	4	1 %
45 - 49	70	13 %	Total	354	175	529	100 %
50 - 54	78	15 %					
55 - 59	72	14 %					
60+	61	12 %					
Total	529	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	183	0	183	49 %
Injection drug use	15	22	37	10 %
Men who have sex with men and inject drug	26	0	26	7 %
Heterosexual contact	42	74	116	31 %
Tranfusion/Hemophilia	2	1	3	1 %
Perinatal	2	7	9	2 %
Total	270	104	374	100 %
<i>No Identified Risk</i>	<i>84</i>	<i>71</i>	<i>155</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2013**

- 89 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	66	74 %	Black, Non-Hispanic	61	69 %
Women	23	26 %	White, Non-Hispanic	23	26 %
Total	89	100 %	Hispanic	1	1 %
			American Indian	2	2 %
			Multi-race	2	2 %
			Total	89	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	25	28 %	Men who have sex with men	45	76 %
25 - 34	23	26 %	Injection drug use	4	7 %
35 - 44	25	28 %	Men who have sex with men and inject drugs	2	3 %
45+	16	18 %	Heterosexual contact	8	14 %
Total	89	100 %	Total	59	100 %
			<i>No Identified Risk</i>	<i>30</i>	

AIDS CASES DIAGNOSED January - December 2013

- 46 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	72 %	Black, Non-Hispanic	36	78 %
Women	13	28 %	White, Non-Hispanic	10	22 %
Total	46	100 %	Total	46	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	11 %	Men who have sex with men	21	72 %
25 - 34	10	22 %	Injection drug use	2	7 %
35 - 44	19	41 %	Men who have sex with men and inject drugs	2	7 %
45+	12	26 %	Heterosexual contact	4	14 %
Total	46	100 %	Total	29	100 %
			<i>No Identified Risk</i>	<i>17</i>	

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of September 30, 2014**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,611** cumulative cases have been detected in Region 9, including **19** pediatric cases.
- **690** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,184** persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: **543**
Persons living with AIDS: **641**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	311	26 %
Men	873	74 %
Total	1,184	100 %

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	4	<1 %
13 - 19	9	1 %
20 - 24	44	4 %
25 - 29	82	7 %
30 - 34	90	8 %
35 - 39	138	12 %
40 - 44	148	12 %
45 - 49	196	17 %
50 - 54	205	17 %
55 - 59	155	13 %
60+	113	10 %
Total	1,184	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	400	192	592	50 %
White, Non-Hispanic	445	109	554	47 %
Hispanic	21	8	29	2 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	1	0	1	<1 %
Unknown	1	0	1	<1 %
Multi-race	3	0	3	<1 %
Total	873	311	1,184	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	457	0	457	56 %
Injection drug use	54	48	102	12 %
Men who have sex with men and inject drugs	59	0	59	7 %
Heterosexual contact	66	111	177	22 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	5	15	2 %
Total	652	164	816	100 %
<i>No Identified Risk</i>	<i>221</i>	<i>147</i>	<i>368</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of September 30, 2014

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,089** cumulative AIDS cases have been diagnosed in Region 9, including **10** pediatric cases.
- **641** persons are currently living with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	146	23 %
Men	495	77 %
Total	641	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
13 - 19	3	<1 %	Black, Non-Hispanic	230	91	321	50 %
20 - 24	14	2 %	White, Non-Hispanic	249	49	298	46 %
25 - 29	25	4 %	Hispanic	12	5	17	3 %
30 - 34	40	6 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	71	11 %	American Indian	1	0	1	<1 %
40 - 44	80	12 %	Multi-race	2	0	2	<1 %
45 - 49	117	18 %	Total	495	146	641	100 %
50 - 54	123	19 %					
55 - 59	96	15 %					
60+	72	11 %					
Total	641	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	257	0	257	55 %
Injection drug use	38	24	62	13 %
Men who have sex with men and inject drug	32	0	32	7 %
Heterosexual contact	43	57	100	22 %
Tranfusion/Hemophilia	5	0	5	1 %
Perinatal	8	1	9	2 %
Total	383	82	465	100 %
<i>No Identified Risk</i>	<i>112</i>	<i>64</i>	<i>176</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2013**

- 72 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	56	78 %	Black, Non-Hispanic	46	64 %
Women	16	22 %	White, Non-Hispanic	26	36 %
Total	72	100 %	Total	72	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	14 %	Men who have sex with men	37	80 %
25 - 34	16	22 %	Injection drug use	4	9 %
35 - 44	22	31 %	Men who have sex with men and inject drugs	1	2 %
45+	24	33 %	Heterosexual contact	4	9 %
Total	72	100 %	Total	46	100 %

No Identified Risk 26

AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	79 %	Black, Non-Hispanic	25	58 %
Women	9	21 %	White, Non-Hispanic	16	37 %
Total	43	100 %	Hispanic	2	5 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	7 %	Men who have sex with men	23	70 %
25 - 34	11	26 %	Injection drug use	4	12 %
35 - 44	14	33 %	Men who have sex with men and inject drugs	2	6 %
45+	15	35 %	Heterosexual contact	4	12 %
Total	43	100 %	Total	33	100 %

No Identified Risk 10

2012 National CDC HIV /AIDS Rankings

On November 5, 2014, the CDC released their annual *HIV Surveillance Report, 2012*; Vol 24.

This report presents 2012 data for diagnoses of HIV infection and Stage 3 (AIDS) as of December 31, 2012 and reported to the CDC as of June 2013. All death and prevalence data are available through 2011 only. The CDC has begun a new staging criteria for HIV and AIDS cases. AIDS cases are now referred to as Stage 3 (AIDS).

The state of **Louisiana ranked 3rd** in estimated Stage 3 (AIDS) case rates in 2012 (18.4 per 100,000). This ranking is for persons of all ages. In 2011, Louisiana ranked 4th for estimated Stage 3 (AIDS) case rates (18.4 per 100,000). Louisiana's Stage 3 (AIDS) case rate remained unchanged from 2011 to 2012 but the ranking increased by one. In 2012, Louisiana ranked **11th** in the estimated number of Stage 3 (AIDS) cases reported by the CDC.

STATE	Estimated Stage 3 (AIDS) Case Rate, 2012 (per 100,000)	Estimated Number of Stage 3 (AIDS) Cases, 2012
District of Columbia	67.4	426
Georgia	26.6	2,642
Louisiana	18.4	845
Maryland	17.0	998
Florida	14.9	2,886
New York	13.3	2,602
Delaware	11.8	108
South Carolina	11.5	543
Texas	11.3	2,955
Mississippi	10.3	306
United States	8.9	27,928

The New Orleans Metropolitan Statistical Area (Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. John the Baptist, and St. Tammany parishes) and the Baton Rouge Metropolitan Statistical Area (Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana) are both analyzed in the CDC Surveillance report. These are the only Louisiana MSAs in the report because they have populations >500,000.

The **Baton Rouge MSA ranked 2nd** in estimated Stage 3 (AIDS) case rates (27.5 per 100,000) and the **New Orleans MSA ranked 4th** in estimated Stage 3 (AIDS) case rates (25.1 per 100,000) in 2012 among the large metropolitan areas in the nation. This ranking is for persons of all ages. In 2011, the Baton Rouge MSA ranked 1st (29.4 per 100,000) and the New Orleans MSA ranked 4th (25.3 per 100,000) in estimated Stage 3 (AIDS) case rates. Both MSAs had a decrease in their estimated Stage 3 (AIDS) case rate between 2011 and 2012. In 2012, **New Orleans ranked 17th** and **Baton Rouge ranked 24th** in the estimated number of Stage 3 (AIDS) cases reported by the CDC.

MSA	Estimated Stage 3 (AIDS) Case Rate, 2012 (per 100,000)	Estimated Number of Stage 3 (AIDS) Cases, 2012
Atlanta, GA	33.3	1,816
Baton Rouge, LA	27.5	224
Augusta, GA	25.3	146
New Orleans, LA	25.1	308
Miami, FL	22.1	1,273
Baltimore, MD	20.2	556
Memphis, TN	19.0	255
Jackson, MS	17.5	101
Jacksonville, FL	16.9	233
Columbia, SC	19.9	154

New HIV Infection Rankings, 2012

Louisiana ranked 4th in estimated HIV Infection case rates in 2012 (27.1 per 100,000). This ranking is for persons of all ages. In 2011, Louisiana ranked 3rd and had an estimated HIV Infection case rate of 30.2 per 100,000. From 2011 to 2012, Louisiana's rate decreased slightly, leading to a drop in ranking as well. In 2012, Louisiana ranked **11th** in the estimated number of HIV infection cases reported by the CDC.


STATE	Estimated HIV Case Rate, 2012 (per 100,000)	Estimated Number of HIV Cases, 2012
District of Columbia	140.2	887
Georgia	40.8	4,047
Maryland	30.8	1,810
Louisiana	27.1	1,247
Florida	26.4	5,100
New York	21.3	4,175
New Jersey	20.6	1,824
Texas	18.0	4,690
Illinois	17.0	2,186
Mississippi	16.5	493
United States	15.3	47,989

The **Baton Rouge MSA ranked 4th** (38.1 per 100,000) and the **New Orleans MSA ranked 5th** (37.3 per 100,000) in HIV Infection case rates in 2012. This ranking is for persons of all ages. In 2011, the Baton Rouge MSA ranked 3rd (41.6 per 100,000) and the New Orleans MSA ranked 2nd (43.0 per 100,000) in HIV Infection case rates. The HIV Infection case rates for both MSAs decreased from 2011 to 2012, leading to a drop in ranking as well. In 2011, **New Orleans ranked 22nd** and **Baton Rouge ranked 31st** in the estimated number of HIV Infection cases reported by the CDC.


MSA	Estimated HIV Case Rate, 2012 (per 100,000)	Estimated Number of HIV Cases, 2012
Atlanta, GA	47.3	2,580
Miami, FL	41.8	2,408
Augusta, GA	38.6	222
Baton Rouge, LA	38.1	311
New Orleans, LA	37.3	457
Memphis, TN	35.2	472
Baltimore, MD	33.3	917
Jackson, MS	33.3	192
Washington, DC	33.2	1,947
Jacksonville, FL	29.2	402

A copy of the full report can be found at: <http://www.cdc.gov/hiv/topics/surveillance/resources/reports/>

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2004-2013)



*The number of new HIV diagnoses in 2013 is subject to change as the data are not finalized.



* The number of new AIDS diagnoses in 2013 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2004-2013)

