


Fourth Quarter 2010

Vol. 8, No. 4



HIV/AIDS Surveillance Program

**DeAnn Gruber, PhD, LCSW**  
*Administrative Director*

**Amy Zapata, MPH**  
*HIV/AIDS Surveillance Program Manager*

Editor/Production:  
**Jessica Fridge**  
**William T. Robinson**

Data Management and Analysis:

**Debbie Wendell, MPH, Ph.D.,** *Coordinator*

**Jessica Fridge, MSPH,** *Surveillance Data Supervisor*

**Tania Bechtel,** *Data Manager*

**Joseph Foxhood,** *Information Systems Developer*

**George Stephens,** *Computer Technician*

**Josette Russell,** *Data Manager*

**Demerial Banks,** *Surveillance Epidemiologist*

Special Projects:

**William T. Robinson, Ph.D.,** *Biostatistician*

**Jessica Cole, MPH,** *Perinatal Surveillance Coordinator*

Field Epidemiologists:

**Betsy Shepard, PAC, MPH,** *Epidemiologist Supervisor*

**James Hubbard**  
**Connie Gordon**

**Region 1**  
**Regions 1, 3**

**Cheryl Edney, BS MT(ASCP)**  
**Gayle Norris, MA**  
**Gale Terry, LPN**

**Regions 4, 5, 6**  
**Regions 7, 8**  
**Regions 2, 9**

---

**TABLE OF CONTENTS**

<b>Contents</b>	<b>Page</b>
2B10B7B6B9B5B8B4B3B1B0BSurveillance Summary	
1	
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39

## Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of December 31, 2010<sup>1</sup>.

- As of December 31, 2010, a cumulative total of **30,876** HIV/AIDS cases have been reported in Louisiana, including **316** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through December 31, 2010, is **12,755** including **103** deaths among pediatric cases.
- A total of **18,308** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,035** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2009, of the persons who reported a risk factor, 54% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of December 31, 2010, 49% of all people living with HIV infection in Louisiana were MSM.
- Nationally, Louisiana ranked **4<sup>th</sup>** highest in AIDS case rates and **11<sup>th</sup>** in the number of AIDS cases diagnosed in 2008, according to the *CDC 2008 HIV Surveillance Report (Vol. 20)*.
- The Baton Rouge metropolitan area ranked **2<sup>nd</sup>** for AIDS case rates among the largest metropolitan areas in the U.S. in 2008; the New Orleans metropolitan area ranked **3<sup>rd</sup>**.
- In 2009, **1,219** new HIV cases were diagnosed in Louisiana. Of these cases, **32%** (n=388) occurred in Region 1 (New Orleans) and **25%** (n=310) occurred in Region 2 (Baton Rouge).
- In 2009, **794** new AIDS cases were diagnosed in Louisiana. Of these cases, **30%** (n=238) occurred in Region 1 (New Orleans) and **26%** (n=203) occurred in Region 2 (Baton Rouge).
- In Louisiana, **33%** of new HIV cases and **31%** of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2009, **76%** of newly diagnosed HIV cases and **76%** of newly diagnosed AIDS cases were among African Americans.

<sup>1</sup>Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system and information on persons living with HIV/AIDS (PLWH/A) may not be accurate due to population changes resulting from Hurricane Katrina. In March 2006, the Louisiana Office of Public Health HIV/AIDS Program (OPH-HAP) published the Louisiana HIV/AIDS Surveillance First Quarter 2006 report. In addition to the HIV/AIDS surveillance information, as presented here, this report contained a description of two methodologies used to estimate the impact of Hurricane Katrina on the number of PLWH/A in the New Orleans metropolitan area (see <http://www.dhh.louisiana.gov/offices/publications/pubs-264/1st%20Quarter%202006.pdf> for the full report). Updated estimates were provided in the 2006 Third Quarter Report at: <http://www.dhh.louisiana.gov/offices/publications/pubs-264/Third%20Quarter%202006.pdf>. Additional updated population estimates were presented at the February 2007 Statewide HIV/AIDS Meeting. This presentation can be found at: <http://www.dhh.louisiana.gov/offices/page.asp?ID=264&Detail=7584>. Updated estimates were also presented in the 2005-2006 Annual Report located at <http://www.dhh.louisiana.gov/offices/reports.asp?ID=264&Detail=261>.

More recent estimates indicate that as much as 84% of the pre-Katrina PLWH/A may now be living within the metropolitan area.

**Persons Living with HIV/AIDS**  
**Louisiana**  
**as of December 31, 2010**

- **30,876** cumulative cases have been detected in Louisiana, including **316** pediatric cases.
- **12,755** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **103** pediatric deaths.
- **18,308** persons are currently living with HIV/AIDS in Louisiana.  
 Persons living with HIV: **8,273**  
 Persons living with AIDS: **10,035**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	76	<1 %
13 - 19	174	1 %
20 - 24	847	5 %
25 - 29	1,514	8 %
30 - 34	2,043	11 %
35 - 39	2,182	12 %
40 - 44	2,694	15 %
45 - 49	3,262	18 %
50 - 54	2,554	14 %
55 - 59	1,583	9 %
60+	1,379	8 %
<b>Total</b>	<b>18,308</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	7,797	4,481	12,278	67 %
White, Non-Hispanic	4,395	773	5,168	28 %
Hispanic	541	121	662	4 %
Asian/Pacific Islander	48	12	60	<1 %
American Indian	24	5	29	<1 %
Unknown	14	5	19	<1 %
Multi-race	65	27	92	1 %
<b>Total</b>	<b>12,884</b>	<b>5,424</b>	<b>18,308</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	5,819	0	5,819	49 %
Injection drug use	1,206	709	1,915	16 %
Men who have sex with men and inject drugs	901	0	901	8 %
Heterosexual contact	978	2,039	3,017	25 %
Transfusion/Hemophilia	63	37	100	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	92	94	186	2 %
<b>Total</b>	<b>9,059</b>	<b>2,880</b>	<b>11,939</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>3,825</i>	<i>2,544</i>	<i>6,369</i>	

**Persons Living with AIDS**  
**Louisiana**  
**as of December 31, 2010**

- **20,923** cumulative AIDS cases have been diagnosed in Louisiana, including **160** pediatric cases.
- **10,035** persons are currently living with AIDS in Louisiana.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	10	<1 %	Black, Non-Hispanic	4,387	2,271	6,658	66 %
13 - 19	53	1 %	White, Non-Hispanic	2,553	366	2,919	29 %
20 - 24	216	2 %	Hispanic	292	74	366	4 %
25 - 29	549	5 %	Asian/Pacific	19	5	24	<1 %
30 - 34	878	9 %	American Indian	12	2	14	<1 %
35 - 39	1,171	12 %	Unknown	2	0	2	<1 %
40 - 44	1,593	16 %	Multi-race	39	13	52	1 %
45 - 49	2,025	20 %	<b>Total</b>	<b>7,304</b>	<b>2,731</b>	<b>10,035</b>	<b>100 %</b>
50 - 54	1,613	16 %					
55 - 59	1,036	10 %					
60+	891	9 %					
<b>Total</b>	<b>10,035</b>	<b>100 %</b>					

<u>Exposure Category</u>				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,307	0	3,307	47 %
Injection drug use	812	413	1,225	18 %
Men who have sex with men and inject drugs	617	0	617	9 %
Heterosexual contact	577	1,102	1,679	24 %
Transfusion/Hemophilia	44	24	68	1 %
Perinatal	35	37	72	1 %
<b>Total</b>	<b>5,392</b>	<b>1,576</b>	<b>6,968</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,912</i>	<i>1,155</i>	<i>3,067</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Louisiana**

**HIV CASES DIAGNOSED January - December 2009**

• **1,219** persons were newly diagnosed with HIV in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	822	67 %	Black, Non-Hispanic	921	76 %
Women	397	33 %	White, Non-Hispanic	220	18 %
<b>Total</b>	<b>1,219</b>	<b>100 %</b>	Hispanic	60	5 %
			Asian/Pacific Islander	6	<1 %
			American Indian	5	<1 %
			Unknown	3	<1 %
			Multi-race	4	<1 %
			<b>Total</b>	<b>1,219</b>	<b>100 %</b>

<b>Age at Detection</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	5	<1 %	Men who have sex with men	364	54 %
13 - 24	279	23 %	Injection drug use	78	12 %
25 - 34	371	30 %	Men who have sex with men and inject drugs	17	3 %
35 - 44	248	20 %	Heterosexual contact	209	31 %
45+	316	26 %	Perinatal	5	1 %
<b>Total</b>	<b>1,219</b>	<b>100 %</b>	<b>Total</b>	<b>673</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>546</i>	

**AIDS CASES DIAGNOSED January - December 2009**

• **794** persons were newly diagnosed with AIDS in Louisiana.

<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Race/Ethnicity</b>	<b>Cases</b>	<b>Percent</b>
Men	549	69 %	Black, Non-Hispanic	602	76 %
Women	245	31 %	White, Non-Hispanic	138	17 %
<b>Total</b>	<b>794</b>	<b>100 %</b>	Hispanic	38	5 %
			Asian/Pacific Islander	1	<1 %
			American Indian	4	1 %
			Unknown	1	<1 %
			Multi-race	10	1 %
			<b>Total</b>	<b>794</b>	<b>100 %</b>

<b>Age at Diagnosis</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases with a reported risk:</b>	<b>Cases</b>	<b>Percent</b>
13 - 24	74	9 %	Men who have sex with men	233	49 %
25 - 34	225	28 %	Injection drug use	80	17 %
35 - 44	206	26 %	Men who have sex with men and inject drugs	23	5 %
45+	289	36 %	Heterosexual contact	141	29 %
<b>Total</b>	<b>794</b>	<b>100 %</b>	Transfusion/Hemophilia	2	<1 %
			Perinatal	1	<1 %
			<b>Total</b>	<b>480</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>314</i>	

**Persons Living with HIV/AIDS by Parish  
as of December 31, 2010**

**Fourth Quarter 2010**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	99	Sabine	23
Allen	229	St. Bernard	125
Ascension	189	St. Charles	88
Assumption	22	St. Helena	17
Avoyelles	135	St. James	56
Beauregard	41	St. John the Baptist	110
Bienville	33	St. Landry	259
Bossier	164	St. Martin	103
Caddo	923	St. Mary	78
Calcasieu	661	St. Tammany	339
Caldwell	16	Tangipahoa	323
Cameron	4	Tensas	36
Catahoula	25	Terrebonne	189
Claiborne	60	Union	42
Concordia	42	Vermilion	84
De Soto	52	Vernon	53
East Baton Rouge	3,486	Washington	168
East Carroll	35	Webster	53
East Feliciana	156	West Baton Rouge	112
Evangeline	58	West Carroll	11
Franklin	27	West Feliciana	152
Grant	31	Winn	61
Iberia	111		
Iberville	414		
Jackson	37		
Jefferson	1,696		
Jefferson Davis	61		
La Salle	28		
Lafayette	659		
Lafourche	103		
Lincoln	65		
Livingston	150		
Madison	53		
Morehouse	65		
Natchitoches	110		
Orleans	4,715		
Ouachita	531		
Plaquemines	32		
Pointe Coupee	49		
Rapides	406		
Red River	7		
Richland	43		
		<b>Total</b>	<b>18,308</b>

**Persons Living with AIDS by Parish  
as of December 31, 2010**

**Fourth Quarter 2010**

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	55	Sabine	17
Allen	113	St. Bernard	77
Ascension	103	St. Charles	50
Assumption	16	St. Helena	10
Avoyelles	71	St. James	30
Beauregard	27	St. John the Baptist	62
Bienville	15	St. Landry	150
Bossier	90	St. Martin	61
Caddo	489	St. Mary	52
Calcasieu	384	St. Tammany	190
Caldwell	10	Tangipahoa	174
Cameron	2	Tensas	17
Catahoula	16	Terrebonne	112
Claiborne	30	Union	27
Concordia	22	Vermilion	53
De Soto	31	Vernon	25
East Baton Rouge	1,876	Washington	93
East Carroll	21	Webster	24
East Feliciana	85	West Baton Rouge	67
Evangeline	32	West Carroll	6
Franklin	12	West Feliciana	99
Grant	15	Winn	31
Iberia	61		
Iberville	239		
Jackson	23		
Jefferson	939		
Jefferson Davis	33		
La Salle	17		
Lafayette	353		
Lafourche	66		
Lincoln	32		
Livingston	83		
Madison	27		
Morehouse	31		
Natchitoches	60		
Orleans	2,558		
Ouachita	285		
Plaquemines	21		
Pointe Coupee	32		
Rapides	199		
Red River	6		
Richland	27		
		<b>Total</b>	<b>10,035</b>

**Persons Living with HIV/AIDS  
Metro New Orleans  
as of December 31, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

- **14,584** cumulative cases have been detected in the New Orleans MSA, including **153** pediatric cases.
- **6,113** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **51** pediatric deaths
- **7,161** persons are currently living with HIV/AIDS in the New Orleans MSA.  
Persons living with HIV: **3,234**  
Persons living with AIDS: **3,927**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	26	<1 %
13 - 19	56	1 %
20 - 24	292	4 %
25 - 29	512	7 %
30 - 34	704	10 %
35 - 39	804	11 %
40 - 44	1,053	15 %
45 - 49	1,327	19 %
50 - 54	1,030	14 %
55 - 59	701	10 %
60+	656	9 %
<b>Total</b>	<b>7,161</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,744	1,529	4,273	60 %
White, Non-Hispanic	2,211	232	2,443	34 %
Hispanic	276	84	360	5 %
Asian/Pacific Islander	30	7	37	1 %
American Indian	8	0	8	<1 %
Unknown	6	1	7	<1 %
Multi-race	25	8	33	<1 %
<b>Total</b>	<b>5,300</b>	<b>1,861</b>	<b>7,161</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	2,694	0	2,694	57 %
Injection drug use	370	240	610	13 %
Men who have sex with men and inject drugs	357	0	357	8 %
Heterosexual contact	293	665	958	20 %
Transfusion/Hemophilia	26	19	45	1 %
Perinatal	27	39	66	1 %
<b>Total</b>	<b>3,767</b>	<b>963</b>	<b>4,730</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,533</i>	<i>898</i>	<i>2,431</i>	

**Persons Living with AIDS  
Metro New Orleans  
as of December 31, 2010**

*Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes*

• **10,018** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **78** pediatric cases.

• **3,927** persons are currently living with AIDS in the New Orleans MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	1,497	793	2,290	58 %
13 - 19	18	<1 %	White, Non-Hispanic	1,274	97	1,371	35 %
20 - 24	71	2 %	Hispanic	167	58	225	6 %
25 - 29	172	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	283	7 %	American Indian	4	0	4	<1 %
35 - 39	422	11 %	Unknown	2	0	2	<1 %
40 - 44	606	15 %	Multi-race	16	5	21	1 %
45 - 49	826	21 %	<b>Total</b>	2,971	956	3,927	100 %
50 - 54	650	17 %					
55 - 59	450	11 %					
60+	424	11 %					
<b>Total</b>	3,927	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	581	0	581	34 %
Injection drug use	311	146	457	27 %
Men who have sex with men and inject drugs	147	0	147	9 %
Heterosexual contact	157	328	485	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	11	4	15	1 %
<b>Total</b>	1,212	485	1,697	100 %
<i>No Identified Risk</i>	742	414	1,156	

**Persons Newly Diagnosed with HIV/AIDS****Metro New Orleans***Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes***HIV CASES DIAGNOSED January - December 2009**

- 431 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	314	73 %	Black, Non-Hispanic	298	69 %
Women	117	27 %	White, Non-Hispanic	89	21 %
<b>Total</b>	<b>431</b>	<b>100 %</b>	Hispanic	35	8 %
			Asian/Pacific Islander	4	1 %
			American Indian	2	<1 %
			Unknown	1	<1 %
			Multi-race	2	<1 %
			<b>Total</b>	<b>431</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	3	1 %	Men who have sex with men	146	60 %
13 - 24	101	23 %	Injection drug use	22	9 %
25 - 34	138	32 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	90	21 %	Heterosexual contact	68	28 %
45+	99	23 %	Perinatal	3	1 %
<b>Total</b>	<b>431</b>	<b>100 %</b>	<b>Total</b>	<b>244</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>187</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 264 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	195	74 %	Black, Non-Hispanic	177	67 %
Women	69	26 %	White, Non-Hispanic	51	19 %
<b>Total</b>	<b>264</b>	<b>100 %</b>	Hispanic	25	9 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	2 %
			<b>Total</b>	<b>264</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	9 %	Men who have sex with men	87	54 %
25 - 34	69	26 %	Injection drug use	26	16 %
35 - 44	78	30 %	Men who have sex with men and inject drugs	11	7 %
45+	94	36 %	Heterosexual contact	38	23 %
<b>Total</b>	<b>264</b>	<b>100 %</b>	<b>Total</b>	<b>162</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>102</i>	

**Persons Living with HIV/AIDS  
Metro Baton Rouge  
as of December 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

- **7,025** cumulative cases have been detected in the Baton Rouge MSA, including **71** pediatric cases.
- **2,875** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **17** pediatric deaths
- **4,725** persons are currently living with HIV/AIDS in the Baton Rouge MSA.  
Persons living with HIV: **2,131**  
Persons living with AIDS: **2,594**

**Age Category**

<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>
0 - 12	27	1 %
13 - 19	46	1 %
20 - 24	246	5 %
25 - 29	463	10 %
30 - 34	570	12 %
35 - 39	616	13 %
40 - 44	672	14 %
45 - 49	771	16%
50 - 54	617	13 %
55 - 59	376	8 %
60+	321	7 %
<b>Total</b>	<b>4,725</b>	<b>100 %</b>

**Race/Ethnicity**

	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Black, Non-Hispanic	2,298	1,548	3,846	81 %
White, Non-Hispanic	628	162	790	17 %
Hispanic	44	11	55	1 %
Asian/Pacific Islander	5	2	7	<1 %
American Indian	2	0	2	<1 %
Unknown	2	2	4	<1 %
Multi-race	15	6	21	<1 %
<b>Total</b>	<b>2,994</b>	<b>1,731</b>	<b>4,725</b>	<b>100 %</b>

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,044	0	1,044	36 %
Injection drug use	430	253	683	24 %
Men who have sex with men and inject drugs	204	0	204	7 %
Heterosexual contact	285	594	879	30 %
Transfusion/Hemophilia	8	9	17	1 %
Perinatal	32	24	56	2 %
<b>Total</b>	<b>2,003</b>	<b>880</b>	<b>2,883</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>991</i>	<i>851</i>	<i>1,842</i>	

**Persons Living with AIDS  
Metro Baton Rouge  
as of December 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

• **4,720** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **27** pediatric cases.

• **2,594** persons are currently living with AIDS in the Baton Rouge MSA.

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	16	1 %	Black, Non-Hispanic	1,321	797	2,118	82 %
20 - 24	71	3 %	White, Non-Hispanic	358	74	432	17 %
25 - 29	183	7 %	Hispanic	23	6	29	1 %
30 - 34	248	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	339	13 %	American Indian	2	0	2	<1 %
40 - 44	403	16 %	Multi-race	10	1	11	<1 %
45 - 49	481	19 %	<b>Total</b>	<b>1,716</b>	<b>878</b>	<b>2,594</b>	<b>100 %</b>
50 - 54	392	15 %					
55 - 59	256	10 %					
60+	205	8 %					
<b>Total</b>	<b>2,594</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	581	0	581	34 %
Injection drug use	311	146	457	27 %
Men who have sex with men and inject drugs	147	0	147	9 %
Heterosexual contact	157	328	485	29 %
Transfusion/Hemophilia	5	7	12	1 %
Perinatal	11	4	15	1 %
<b>Total</b>	<b>1,212</b>	<b>485</b>	<b>1,697</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>504</i>	<i>393</i>	<i>897</i>	

**Persons Newly Diagnosed with HIV/AIDS  
Metro Baton Rouge**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes*

**HIV CASES DIAGNOSED January - December 2009**

• 331 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	207	63 %	Black, Non-Hispanic	284	86 %
Women	124	37 %	White, Non-Hispanic	40	12 %
<b>Total</b>	<b>331</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>331</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	81	44 %
13 - 24	88	27 %	Injection drug use	30	16 %
25 - 34	94	28 %	Men who have sex with men and inject drugs	3	2 %
35 - 44	63	19 %	Heterosexual contact	69	38 %
45+	85	26 %	Perinatal	1	1 %
<b>Total</b>	<b>331</b>	<b>100 %</b>	<b>Total</b>	<b>184</b>	<b>100 %</b>

*No Identified Risk* 147

**AIDS CASES DIAGNOSED January - December 2009**

• 216 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	134	62 %	Black, Non-Hispanic	186	86 %
Women	82	38 %	White, Non-Hispanic	28	13 %
<b>Total</b>	<b>216</b>	<b>100%</b>	Hispanic	2	1 %
			<b>Total</b>	<b>216</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	24	11 %	Men who have sex with men	47	38 %
25 - 34	66	31 %	Injection drug use	29	24 %
35 - 44	48	22 %	Men who have sex with men and inject drugs	6	5 %
45+	78	36 %	Heterosexual contact	40	33 %
<b>Total</b>	<b>216</b>	<b>100 %</b>	Perinatal	1	1 %
			<b>Total</b>	<b>123</b>	<b>100 %</b>

*No Identified Risk* 93

## Persons Living with HIV/AIDS

### Region 1: New Orleans Region

as of December 31, 2010

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

- **13,721** cumulative cases have been detected in Region 1, including **137** pediatric cases.
- **5,756** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **46** pediatric deaths.
- **6,568** persons are currently living with HIV/AIDS in Region 1.  
Persons living with HIV: **2,973**  
Persons living with AIDS: **3,595**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	21	<1 %	Black, Non-Hispanic	2,564	1,423	3,987	61 %
13 - 19	45	1 %	White, Non-Hispanic	1,969	187	2,156	33 %
20 - 24	266	4 %	Hispanic	265	79	344	5 %
25 - 29	469	7 %	Asian/Pacific Islander	29	7	36	1 %
30 - 34	651	10 %	American Indian	8	0	8	<1 %
35 - 39	735	11 %	Unknown	6	1	7	<1 %
40 - 44	953	15 %	Multi-race	22	8	30	<1 %
45 - 49	1,215	18 %	<b>Total</b>	<b>4,863</b>	<b>1,705</b>	<b>6,568</b>	<b>100 %</b>
50 - 54	949	14 %					
55 - 59	658	10 %					
60+	606	9 %					
<b>Total</b>	<b>6,568</b>	<b>100 %</b>					

### Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	2,452	0	2,452	57 %
Injection drug use	345	222	567	13 %
Men who have sex with men and inject drugs	337	0	337	8 %
Heterosexual contact	269	607	876	20 %
Transfusion/Hemophilia	23	18	41	1 %
Perinatal	22	33	55	1 %
<b>Total</b>	<b>3,448</b>	<b>880</b>	<b>4,328</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>1,415</i>	<i>825</i>	<i>2,240</i>	

**Persons Living with AIDS**  
**Region 1: New Orleans Region**  
**as of December 31, 2010**

*Jefferson, Orleans, Plaquemines, St. Bernard Parishes*

• **9,401** cumulative AIDS cases have been diagnosed in Region 1, including **69** pediatric cases.

• **3,595** persons are currently living with AIDS in Region 1.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	5	<1 %	Black, Non-Hispanic	1,390	740	2,130	59 %
13 - 19	15	<1 %	White, Non-Hispanic	1,134	77	1,211	34 %
20 - 24	67	2 %	Hispanic	160	54	214	6 %
25 - 29	161	4 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	255	7 %	American Indian	4	0	4	<1 %
35 - 39	388	11 %	Unknown	2	0	2	<1 %
40 - 44	545	15 %	Multi-race	15	5	20	1 %
45 - 49	752	21 %	<b>Total</b>	2,716	879	3,595	100 %
50 - 54	599	17 %					
55 - 59	422	12 %					
60+	386	11 %					
<b>Total</b>	3,595	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	1,402	0	1,402	55 %
Injection drug use	224	126	350	14 %
Men who have sex with men and inject drugs	224	0	224	9 %
Heterosexual contact	167	347	514	20 %
Transfusion/Hemophilia	14	10	24	1 %
Perinatal	8	16	24	1 %
<b>Total</b>	2,039	499	2,538	100 %
<i>No Identified Risk</i>	677	380	1,057	

**Persons Newly Diagnosed with HIV/AIDS****Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2009**

- 388 persons were newly diagnosed with HIV in Region 1.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	283	73 %	Black, Non-Hispanic	268	69 %
Women	105	27 %	White, Non-Hispanic	76	20 %
<b>Total</b>	<b>388</b>	<b>100 %</b>	Hispanic	35	9 %
			Asian/Pacific Islander	4	1 %
			American Indian	2	1 %
			Unknown	1	<1 %
			Multi-race	2	1 %
			<b>Total</b>	<b>388</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	2	1 %	Men who have sex with men	130	59 %
13 - 24	89	23 %	Injection drug use	19	9 %
25 - 34	128	33 %	Men who have sex with men and inject drugs	5	2 %
35 - 44	82	21 %	Heterosexual contact	64	29 %
45+	87	22 %	Perinatal	2	1 %
<b>Total</b>	<b>388</b>	<b>100%</b>	<b>Total</b>	<b>220</b>	<b>100 %</b>

*No Identified Risk*

168

**AIDS CASES DIAGNOSED January - December 2009**

- 238 persons were newly diagnosed with AIDS in Region 1.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	177	74 %	Black, Non-Hispanic	160	67 %
Women	61	26 %	White, Non-Hispanic	42	18 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	Hispanic	25	11 %
			Asian/Pacific Islander	1	<1 %
			American Indian	3	1 %
			Unknown	1	<1 %
			Multi-race	6	3 %
			<b>Total</b>	<b>238</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	20	8 %	Men who have sex with men	77	53 %
25 - 34	66	28 %	Injection drug use	21	14 %
35 - 44	69	29 %	Men who have sex with men and inject drugs	11	8 %
45+	83	35 %	Heterosexual contact	36	25 %
<b>Total</b>	<b>238</b>	<b>100 %</b>	<b>Total</b>	<b>145</b>	<b>100 %</b>

*No Identified Risk*

93

**Persons Living with HIV/AIDS  
Region 2: Baton Rouge Region  
as of December 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **6,794** cumulative cases have been detected in Region 2, including **67** pediatric cases.
- **2,780** cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including **16** pediatric deaths.
- **4,558** persons are currently living with HIV/AIDS in Region 2.  
Persons living with HIV: **2,057**  
Persons living with AIDS: **2,501**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	25	1 %	Black, Non-Hispanic	2,261	1,528	3,789	83 %
13 - 19	46	1 %	White, Non-Hispanic	556	128	684	15 %
20 - 24	240	5 %	Hispanic	41	11	52	1 %
25 - 29	453	10 %	Asian/Pacific Islander	5	1	6	<1 %
30 - 34	552	12 %	American Indian	2	0	2	<1 %
35 - 39	594	13 %	Unknown	2	2	4	<1 %
40 - 44	647	14 %	Multi-race	15	6	21	<1 %
45 - 49	739	16 %	<b>Total</b>	<b>2,882</b>	<b>1,676</b>	<b>4,558</b>	<b>100 %</b>
50 - 54	594	13 %					
55 - 59	361	8 %					
60+	307	7 %					
<b>Total</b>	<b>4,558</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	996	0	996	36 %
Injection drug use	415	240	655	24 %
Men who have sex with men and inject drugs	195	0	195	7 %
Heterosexual contact	274	574	848	31 %
Transfusion/Hemophilia	7	9	16	1 %
Perinatal	30	22	52	2 %
<b>Total</b>	<b>1,917</b>	<b>845</b>	<b>2,762</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>965</i>	<i>831</i>	<i>1,796</i>	

**Persons Living with AIDS  
Region 2: Baton Rouge Region  
as of December 31, 2010**

*Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes*

- **4,568** cumulative AIDS cases have been diagnosed in Region 2, including **25** pediatric cases.
- **2,501** persons are currently living with AIDS in Region 2.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
13 - 19	16	1 %	Black, Non-Hispanic	1,298	788	2,086	83 %
20 - 24	70	3 %	White, Non-Hispanic	314	58	372	15 %
25 - 29	178	7 %	Hispanic	22	6	28	1 %
30 - 34	241	10 %	Asian/Pacific Islander	2	0	2	<1 %
35 - 39	328	13 %	American Indian	2	0	2	<1 %
40 - 44	388	16 %	Multi-race	10	1	11	<1 %
45 - 49	461	18 %	<b>Total</b>	<b>1,648</b>	<b>853</b>	<b>2,501</b>	<b>100 %</b>
50 - 54	375	15 %					
55 - 59	247	10 %					
60+	197	8 %					
<b>Total</b>	<b>2,501</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	553	0	553	34 %
Injection drug use	297	140	437	27 %
Men who have sex with men and inject drugs	142	0	142	9 %
Heterosexual contact	151	319	470	29 %
Transfusion/Hemophilia	4	7	11	1 %
Perinatal	10	3	13	1 %
<b>Total</b>	<b>1,157</b>	<b>469</b>	<b>1,626</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>491</i>	<i>384</i>	<i>875</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2009**

- 310 persons were newly diagnosed with HIV in Region 2.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	195	63 %	Black, Non-Hispanic	275	89 %
Women	115	37 %	White, Non-Hispanic	28	9 %
<b>Total</b>	<b>310</b>	<b>100 %</b>	Hispanic	4	1 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			<b>Total</b>	<b>310</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	<1 %	Men who have sex with men	75	45 %
13 - 24	86	28 %	Injection drug use	30	18 %
25 - 34	88	28 %	Men who have sex with men and inject drugs	2	1 %
35 - 44	57	18%	Heterosexual contact	60	36 %
45+	78	25%	Perinatal	1	1 %
<b>Total</b>	<b>310</b>	<b>100%</b>	<b>Total</b>	<b>168</b>	<b>100 %</b>

*No Identified Risk* 142

**AIDS CASES DIAGNOSED January - December 2009**

- 203 persons were newly diagnosed with AIDS in Region 2.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	126	62 %	Black, Non-Hispanic	181	89 %
Women	77	38 %	White, Non-Hispanic	20	10 %
<b>Total</b>	<b>203</b>	<b>100 %</b>	Hispanic	2	1 %
			<b>Total</b>	<b>203</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	24	12 %	Men who have sex with men	44	38 %
25 - 34	63	31 %	Injection drug use	29	25 %
35 - 44	44	22 %	Men who have sex with men and inject drugs	5	4 %
45+	72	35 %	Heterosexual contact	36	31 %
<b>Total</b>	<b>203</b>	<b>100 %</b>	Perinatal	1	1 %
			<b>Total</b>	<b>115</b>	<b>100 %</b>

*No Identified Risk* 88

**Persons Living with HIV/AIDS****Region 3: Houma Region****as of December 31, 2010***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **992** cumulative cases have been detected in Region 3, including **16** pediatric cases.
- **443** cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including **8** pediatric deaths.
- **646** persons are currently living with HIV/AIDS in Region 3.  
Persons living with HIV: **258**  
Persons living with AIDS: **388**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	2	<1 %	Black, Non-Hispanic	226	146	372	58 %
13 - 19	14	2 %	White, Non-Hispanic	199	45	244	38 %
20 - 24	36	6 %	Hispanic	13	5	18	3 %
25 - 29	63	10 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	73	11 %	American Indian	0	2	2	<1 %
35 - 39	77	12 %	Unknown	1	1	2	<1 %
40 - 44	99	15 %	Multi-race	4	2	6	1 %
45 - 49	103	16 %	<b>Total</b>	<b>444</b>	<b>202</b>	<b>646</b>	<b>100 %</b>
50 - 54	82	13 %					
55 - 59	55	9 %					
60+	42	7 %					
<b>Total</b>	<b>646</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	240	0	240	55 %
Injection drug use	39	20	59	13 %
Men who have sex with men and inject drugs	16	0	16	4 %
Heterosexual contact	25	90	115	26 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	5	4	9	2 %
<b>Total</b>	<b>325</b>	<b>115</b>	<b>440</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>119</i>	<i>87</i>	<i>206</i>	

**Persons Living with AIDS  
Region 3: Houma Region  
as of December 31, 2010**

*Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes*

- **745** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.
- **388** persons are currently living with AIDS in Region 3.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
13 - 19	4	1 %	Black, Non-Hispanic	145	81	226	58 %
20 - 24	10	3 %	White, Non-Hispanic	116	27	143	37 %
25 - 29	27	7 %	Hispanic	9	3	12	3 %
30 - 34	40	10 %	Asian/Pacific Islander	0	1	1	<1 %
35 - 39	37	10 %	American Indian	0	2	2	1 %
40 - 44	66	17 %	Multi-race	2	2	4	1 %
45 - 49	70	18 %	<b>Total</b>	<b>272</b>	<b>116</b>	<b>388</b>	<b>100 %</b>
50 - 54	62	16 %					
55 - 59	39	10 %					
60+	33	9 %					
<b>Total</b>	<b>388</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	141	0	141	52 %
Injection drug use	28	14	42	16 %
Men who have sex with men and inject drugs	11	0	11	4 %
Heterosexual contact	17	51	68	25 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	3	3	6	2 %
<b>Total</b>	<b>200</b>	<b>69</b>	<b>269</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>72</i>	<i>47</i>	<i>119</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***HIV CASES DIAGNOSED January - December 2009**

- 40 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	29	72 %	Black, Non-Hispanic	30	75 %
Women	11	28 %	White, Non-Hispanic	7	18 %
<b>Total</b>	<b>40</b>	<b>100 %</b>	Hispanic	1	2 %
			American Indian	1	2 %
			Unknown	1	2 %
			<b>Total</b>	<b>40</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	25 %	Men who have sex with men	11	61 %
25 - 34	10	25 %	Injection drug use	3	17 %
35 - 44	9	22 %	Heterosexual contact	4	22 %
45+	11	28 %	<b>Total</b>	<b>18</b>	<b>100 %</b>
<b>Total</b>	<b>40</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>22</b>	

**AIDS CASES DIAGNOSED January - December 2009**

- 33 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	24	73 %	Black, Non-Hispanic	23	70 %
Women	9	27 %	White, Non-Hispanic	9	27 %
<b>Total</b>	<b>33</b>	<b>100 %</b>	Hispanic	1	3 %
			<b>Total</b>	<b>33</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	6	18 %	Men who have sex with men	11	55 %
25 - 34	8	24 %	Injection drug use	4	20 %
35 - 44	10	30 %	Heterosexual contact	5	25 %
45+	9	27 %	<b>Total</b>	<b>20</b>	<b>100 %</b>
<b>Total</b>	<b>33</b>	<b>100 %</b>	<i>No Identified Risk</i>	<b>13</b>	

**Persons Living with HIV/AIDS****Region 4: Lafayette Region****as of December 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

- **1,945** cumulative cases have been detected in Region 4, including **16** pediatric cases.
- **848** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **9** pediatric deaths.
- **1,373** persons are currently living with HIV/AIDS in Region 4.  
Persons living with HIV: **608**  
Persons living with AIDS: **765**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	533	254	787	57 %
13 - 19	16	1 %	White, Non-Hispanic	426	91	517	38 %
20 - 24	55	4 %	Hispanic	48	2	50	4 %
25 - 29	101	7 %	Asian/Pacific Islander	0	2	2	<1 %
30 - 34	131	10 %	American Indian	2	1	3	<1 %
35 - 39	149	11 %	Unknown	2	0	2	<1 %
40 - 44	205	15 %	Multi-race	8	4	12	1 %
45 - 49	285	21 %	<b>Total</b>	<b>1,019</b>	<b>354</b>	<b>1,373</b>	<b>100 %</b>
50 - 54	218	16 %					
55 - 59	125	9 %					
60+	84	6 %					
<b>Total</b>	<b>1,373</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	459	0	459	53 %
Injection drug use	76	39	115	13 %
Men who have sex with men and inject drugs	52	0	52	6 %
Heterosexual contact	60	156	216	25 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	7	13	2 %
<b>Total</b>	<b>658</b>	<b>204</b>	<b>862</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>361</i>	<i>150</i>	<i>511</i>	

**Persons Living with AIDS****Region 4: Lafayette Region****as of December 31, 2010***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes*

• **1,300** cumulative AIDS cases have been diagnosed in Region 4, including **11** pediatric cases.

• **765** persons are currently living with AIDS in Region 4.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	299	135	434	57 %
13 - 19	4	1 %	White, Non-Hispanic	260	41	301	39 %
20 - 24	12	2 %	Hispanic	23	0	23	3 %
25 - 29	40	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	65	8 %	Multi-race	4	2	6	1 %
35 - 39	82	11 %	<b>Total</b>	586	179	765	100 %
40 - 44	121	16 %					
45 - 49	178	23 %					
50 - 54	131	17 %					
55 - 59	79	10 %					
60+	52	7 %					
<b>Total</b>	765	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	280	0	280	55 %
Injection drug use	54	20	74	14 %
Men who have sex with men and inject drugs	36	0	36	7 %
Heterosexual contact	32	82	114	22 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	4	5	1 %
<b>Total</b>	406	107	513	100 %
<i>No Identified Risk</i>	180	72	252	

**Persons Newly Diagnosed with HIV/AIDS****Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes***HIV CASES DIAGNOSED January - December 2009**

- 87 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	58	67 %	Black, Non-Hispanic	56	64 %
Women	29	33 %	White, Non-Hispanic	27	31 %
<b>Total</b>	<b>87</b>	<b>100 %</b>	Hispanic	4	5 %
			<b>Total</b>	<b>87</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	21	24 %	Men who have sex with men	37	66 %
25 - 34	22	25 %	Injection drug use	4	7 %
35 - 44	19	22 %	Men who have sex with men and inject drugs	1	2 %
45+	25	29%	Heterosexual contact	14	25 %
<b>Total</b>	<b>87</b>	<b>100 %</b>	<b>Total</b>	<b>56</b>	<b>100 %</b>

*No Identified Risk* 31

**AIDS CASES DIAGNOSED January - December 2009**

- 51 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	35	69 %	Black, Non-Hispanic	34	67 %
Women	16	31 %	White, Non-Hispanic	15	29 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	1	2 %
			<b>Total</b>	<b>51</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	8 %	Men who have sex with men	21	62 %
25 - 34	16	31 %	Injection drug use	3	9 %
35 - 44	13	25 %	Men who have sex with men and inject drugs	2	6 %
45+	18	35 %	Heterosexual contact	8	24 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	<b>Total</b>	<b>34</b>	<b>100 %</b>

*No Identified Risk* 17

**Persons Living with HIV/AIDS****Region 5: Lake Charles Region****as of December 31, 2010***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

**1,234** cumulative cases have been detected in Region 5,  
including **9** pediatric cases.

- **456** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred,  
including **2** pediatric deaths.

- **996** persons are currently living with HIV/AIDS in Region 5.

Persons living with HIV: **437**

Persons living with AIDS: **559**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	2	<1 %	Black, Non-Hispanic	430	152	582	58 %
13 - 19	11	1 %	White, Non-Hispanic	251	62	313	31 %
20 - 24	44	4 %	Hispanic	81	6	87	9 %
25 - 29	62	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	127	13 %	American Indian	3	1	4	<1 %
35 - 39	127	13 %	Unknown	1	0	1	<1 %
40 - 44	168	17 %	Multi-race	3	2	5	1 %
45 - 49	191	19 %	<b>Total</b>	<b>773</b>	<b>223</b>	<b>996</b>	<b>100 %</b>
50 - 54	144	14 %					
55 - 59	68	7 %					
60+	52	5 %					
<b>Total</b>	<b>996</b>	<b>100 %</b>					

Exposure Category

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	298	0	298	42 %
Injection drug use	105	31	136	19 %
Men who have sex with men and inject drugs	84	0	84	12 %
Heterosexual contact	82	91	173	25 %
Transfusion/Hemophilia	6	1	7	1 %
Perinatal	2	5	7	1 %
<b>Total</b>	<b>577</b>	<b>128</b>	<b>705</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>196</i>	<i>95</i>	<i>291</i>	

**Persons Living with AIDS**  
**Region 5: Lake Charles Region**  
**as of December 31, 2010**

*Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes*

- **849** cumulative AIDS cases have been diagnosed in Region 5, including **5** pediatric cases.

- **559** persons are currently living with AIDS in Region 5.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	254	73	327	58 %
13 - 19	3	1 %	White, Non-Hispanic	154	36	190	34 %
20 - 24	10	2 %	Hispanic	35	2	37	7 %
25 - 29	27	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	58	10 %	Multi-race	2	1	3	1 %
35 - 39	75	13 %	<b>Total</b>	447	112	559	100 %
40 - 44	107	19 %					
45 - 49	119	21 %					
50 - 54	87	16 %					
55 - 59	40	7 %					
60+	32	6 %					
<b>Total</b>	559	100 %					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	184	0	184	43 %
Injection drug use	67	24	91	21 %
Men who have sex with men and inject drugs	58	0	58	14 %
Heterosexual contact	42	44	86	20 %
Transfusion/Hemophilia	5	1	6	1 %
Perinatal	1	2	3	1 %
<b>Total</b>	357	71	428	100 %
<i>No Identified Risk</i>	90	41	131	

**Persons Newly Diagnosed with HIV/AIDS****Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***HIV CASES DIAGNOSED January - December 2009**

- 51 persons were newly diagnosed with HIV in Region 5.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	39	76 %	Black, Non-Hispanic	31	61 %
Women	12	24 %	White, Non-Hispanic	16	31 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	Hispanic	3	6 %
			Unknown	1	2 %
			<b>Total</b>	<b>51</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	2 %	Men who have sex with men	16	57 %
13 - 24	9	18 %	Injection drug use	5	18 %
25 - 34	15	29 %	Men who have sex with men and inject drugs	1	4 %
35 - 44	15	29%	Heterosexual contact	5	18 %
45+	11	22 %	Perinatal	1	4 %
<b>Total</b>	<b>51</b>	<b>100 %</b>	<b>Total</b>	<b>28</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>23</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 42 persons were newly diagnosed with AIDS in Region 5.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	29	69 %	Black, Non-Hispanic	27	64 %
Women	13	31 %	White, Non-Hispanic	12	29 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Hispanic	1	2 %
			Multi-race	2	5 %
			<b>Total</b>	<b>42</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	2	5 %	Men who have sex with men	12	41 %
25 - 34	11	26 %	Injection drug use	8	28 %
35 - 44	12	29 %	Men who have sex with men and inject drugs	2	7 %
45+	17	40 %	Heterosexual contact	6	21 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Transfusion/Hemophilia	1	3 %
			<b>Total</b>	<b>29</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>13</i>	

**Persons Living with HIV/AIDS****Region 6: Alexandria Region****as of December 31, 2010***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,291** cumulative cases have been detected in Region 6, including **13** pediatric cases.
- **451** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **781** persons are currently living with HIV/AIDS in Region 6.  
Persons living with HIV: **385**  
Persons living with AIDS: **396**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	349	187	536	69 %
13 - 19	5	1 %	White, Non-Hispanic	145	47	192	25 %
20 - 24	38	5 %	Hispanic	43	3	46	6 %
25 - 29	54	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	115	15 %	American Indian	0	1	1	<1 %
35 - 39	96	12 %	Multi-race	3	1	4	1 %
40 - 44	114	15 %	<b>Total</b>	542	239	781	100 %
45 - 49	141	18 %					
50 - 54	107	14 %					
55 - 59	63	8 %					
60+	46	6 %					
<b>Total</b>	781	100 %					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	199	0	199	39 %
Injection drug use	57	27	84	16 %
Men who have sex with men and inject drugs	38	0	38	7 %
Heterosexual contact	67	108	175	34 %
Transfusion/Hemophilia	9	1	10	2 %
Perinatal	4	2	6	1 %
<b>Total</b>	374	138	512	100 %
<i>No Identified Risk</i>	<i>168</i>	<i>101</i>	<i>269</i>	

**Persons Living with AIDS**

**Region 6: Alexandria Region  
as of December 31, 2010**

*Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

• **805** cumulative AIDS cases have been diagnosed in Region 6, including **5** pediatric cases.

• **396** persons are currently living with AIDS in Region 6.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>					
20 - 24	8	2 %	Black, Non-Hispanic	187	82	269	68 %
25 - 29	18	5 %	White, Non-Hispanic	83	27	110	28 %
30 - 34	46	12 %	Hispanic	15	0	15	4 %
35 - 39	43	11 %	Asian/Pacific Islander	1	0	1	<1 %
40 - 44	68	17 %	Multi-race	1	0	1	<1 %
45 - 49	83	21 %	<b>Total</b>	287	109	396	100 %
50 - 54	60	15 %					
55 - 59	41	10 %					
60+	29	7 %					
<b>Total</b>	396	100 %					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	97	0	97	37 %
Injection drug use	29	16	45	17 %
Men who have sex with men and inject drugs	30	0	30	11 %
Heterosexual contact	33	50	83	31 %
Transfusion/Hemophilia	7	0	7	3 %
Perinatal	1	2	3	1 %
<b>Total</b>	197	68	265	100 %
<i>No Identified Risk</i>	90	41	131	

**Persons Newly Diagnosed with HIV/AIDS****Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2009**

- 63 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	54 %	Black, Non-Hispanic	49	78 %
Women	29	46 %	White, Non-Hispanic	6	10 %
<b>Total</b>	<b>63</b>	<b>100 %</b>	Hispanic	8	13 %
			<b>Total</b>	<b>63</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	8 %	Men who have sex with men	9	39 %
25 - 34	21	33 %	Injection drug use	5	22 %
35 - 44	14	22 %	Men who have sex with men and inject drugs	2	9 %
45+	23	37%	Heterosexual contact	7	30 %
<b>Total</b>	<b>63</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>40</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 42 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	32	76 %	Black, Non-Hispanic	34	81 %
Women	10	24 %	White, Non-Hispanic	6	14 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	Hispanic	2	5 %
			<b>Total</b>	<b>42</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	1	2 %	Men who have sex with men	13	57 %
25 - 34	11	26 %	Injection drug use	3	13 %
35 - 44	12	29 %	Heterosexual contact	6	26 %
45+	18	43 %	Transfusion/Hemophilia	1	4 %
<b>Total</b>	<b>42</b>	<b>100 %</b>	<b>Total</b>	<b>23</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>19</i>	

**Persons Living with HIV/AIDS****Region 7: Shreveport Region****as of December 31, 2010***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **2,051** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **896** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,425** persons are currently living with HIV/AIDS in Region 7.  
Persons living with HIV: **663**  
Persons living with AIDS: **762**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	5	<1 %	Black, Non-Hispanic	671	329	1,000	70 %
13 - 19	22	2 %	White, Non-Hispanic	306	78	384	27 %
20 - 24	96	7 %	Hispanic	19	6	25	2 %
25 - 29	140	10 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	179	13 %	American Indian	7	0	7	<1 %
35 - 39	168	12 %	Unknown	1	1	2	<1 %
40 - 44	209	15 %	Multi-race	3	1	4	<1 %
45 - 49	238	17 %	<b>Total</b>	1,010	415	1,425	100 %
50 - 54	176	12 %					
55 - 59	102	7 %					
60+	90	6 %					
<b>Total</b>	1,425	100 %					

Exposure Category

<b>Cases with a reported risk:</b>	Men	Women	Total	Percent
Men who have sex with men	505	0	505	52 %
Injection drug use	60	45	105	11 %
Men who have sex with men and inject drugs	94	0	94	10 %
Heterosexual contact	81	171	252	26 %
Transfusion/Hemophilia	4	3	7	1 %
Perinatal	9	7	16	2 %
<b>Total</b>	753	226	979	100 %
<i>No Identified Risk</i>	257	189	446	

**Persons Living with AIDS  
Region 7: Shreveport Region  
as of December 31, 2010**

*Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes*

- **1,358** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.
- **762** persons are currently living with AIDS in Region 7.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	2	<1 %	Black, Non-Hispanic	381	157	538	71 %
13 - 19	9	1 %	White, Non-Hispanic	165	35	200	26 %
20 - 24	23	3 %	Hispanic	13	3	16	2 %
25 - 29	45	6 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	73	10 %	American Indian	5	0	5	1 %
35 - 39	87	11 %	Multi-race	1	1	2	<1 %
40 - 44	119	16 %	<b>Total</b>	<b>566</b>	<b>196</b>	<b>762</b>	<b>100 %</b>
45 - 49	154	20 %					
50 - 54	118	15 %					
55 - 59	76	10 %					
60+	56	7 %					
<b>Total</b>	<b>762</b>	<b>100 %</b>					

**Exposure Category**

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	274	0	274	49 %
Injection drug use	40	22	62	11 %
Men who have sex with men and inject drugs	58	0	58	10 %
Heterosexual contact	60	89	149	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	5	9	2 %
<b>Total</b>	<b>439</b>	<b>119</b>	<b>558</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>127</i>	<i>77</i>	<i>204</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2009**

- 116 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	80	69 %	Black, Non-Hispanic	101	87 %
Women	36	31 %	White, Non-Hispanic	11	9 %
<b>Total</b>	<b>116</b>	<b>100 %</b>	Hispanic	2	2 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>116</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	31	27 %	Men who have sex with men	38	62 %
25 - 34	38	33 %	Injection drug use	1	2 %
35 - 44	23	20 %	Men who have sex with men and inject drugs	2	3 %
45+	24	21 %	Heterosexual contact	20	33 %
<b>Total</b>	<b>116</b>	<b>100 %</b>	<b>Total</b>	<b>61</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>55</i>	

**AIDS CASES DIAGNOSED January - December 2009**

- 78 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	54	69 %	Black, Non-Hispanic	65	83 %
Women	24	31 %	White, Non-Hispanic	6	8 %
<b>Total</b>	<b>78</b>	<b>100 %</b>	Hispanic	5	6 %
			American Indian	1	1 %
			Multi-race	1	1 %
			<b>Total</b>	<b>78</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	12	15 %	Men who have sex with men	21	48 %
25 - 34	21	27 %	Injection drug use	1	2 %
35 - 44	20	26 %	Men who have sex with men and inject drugs	1	2 %
45+	25	32 %	Heterosexual contact	21	48 %
<b>Total</b>	<b>78</b>	<b>100 %</b>	<b>Total</b>	<b>44</b>	<b>100 %</b>
			<i>No Identified Risk</i>	<i>34</i>	

**Persons Living with HIV/AIDS**  
**Region 8: Monroe Region**  
**as of December 31, 2010**

*Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

- **1,496** cumulative cases have been detected in Region 8, including **16** pediatric cases.
- **595** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **961** persons are currently living with HIV/AIDS in Region 8.  
 Persons living with HIV: **443**  
 Persons living with AIDS: **518**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<b>Current Age</b>	<b>Cases</b>	<b>Percent</b>		<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
0 - 12	7	1 %	Black, Non-Hispanic	441	290	731	76 %
13 - 19	11	1 %	White, Non-Hispanic	159	48	207	22 %
20 - 24	37	4 %	Hispanic	10	4	14	1 %
25 - 29	97	10 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	131	14 %	American Indian	1	0	1	<1 %
35 - 39	113	12 %	Multi-race	2	3	5	1 %
40 - 44	128	13 %	<b>Total</b>	<b>616</b>	<b>345</b>	<b>961</b>	<b>100 %</b>
45 - 49	160	17 %					
50 - 54	127	13 %					
55 - 59	79	8 %					
60+	71	7 %					
<b>Total</b>	<b>961</b>	<b>100 %</b>					

**Exposure Category**

<b>Cases with a reported risk:</b>	<b>Men</b>	<b>Women</b>	<b>Total</b>	<b>Percent</b>
Men who have sex with men	296	0	296	46 %
Injection drug use	46	33	79	12 %
Men who have sex with men and inject drugs	38	0	38	6 %
Heterosexual contact	64	152	216	33 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	4	7	11	2 %
<b>Total</b>	<b>451</b>	<b>195</b>	<b>646</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>165</i>	<i>150</i>	<i>315</i>	

**Persons Living with AIDS****Region 8: Monroe Region****as of December 31, 2010***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes*

• **977** cumulative AIDS cases have been diagnosed in Region 8, including **8** pediatric cases.

• **518** persons are currently living with AIDS in Region 8.

<u>Age Category</u>			<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>					
0 - 12	1	<1 %	Black, Non-Hispanic	254	133	387	75 %
13 - 19	2	<1 %	White, Non-Hispanic	95	24	119	23 %
20 - 24	11	2 %	Hispanic	6	2	8	2 %
25 - 29	27	5 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	65	13 %	Multi-race	1	1	2	<1 %
35 - 39	72	14 %	<b>Total</b>	<b>358</b>	<b>160</b>	<b>518</b>	<b>100 %</b>
40 - 44	78	15 %					
45 - 49	86	17 %					
50 - 54	80	15 %					
55 - 59	46	9 %					
60+	50	10 %					
<b>Total</b>	<b>518</b>	<b>100 %</b>					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	160	0	160	44 %
Injection drug use	28	22	50	14 %
Men who have sex with men and inject drugs	29	0	29	8 %
Heterosexual contact	45	76	121	33 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	0	3	1 %
<b>Total</b>	<b>267</b>	<b>99</b>	<b>366</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>91</i>	<i>61</i>	<i>152</i>	

**Persons Newly Diagnosed with HIV/AIDS****Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2009**

- 73 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	49	67 %	Black, Non-Hispanic	55	75 %
Women	24	33 %	White, Non-Hispanic	15	21 %
<b>Total</b>	<b>73</b>	<b>100 %</b>	Hispanic	2	3 %
			American Indian	1	1 %
			<b>Total</b>	<b>73</b>	<b>100 %</b>

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	17	23 %	Men who have sex with men	20	50 %
25 - 34	22	30 %	Injection drug use	4	10 %
35 - 44	11	15 %	Men who have sex with men and inject drugs	2	5 %
45+	23	32%	Heterosexual contact	14	35 %
<b>Total</b>	<b>73</b>	<b>100 %</b>	<b>Total</b>	<b>40</b>	<b>100 %</b>

*No Identified Risk* 33

**AIDS CASES DIAGNOSED January - December 2009**

- 55 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	39	71 %	Black, Non-Hispanic	46	84 %
Women	16	29 %	White, Non-Hispanic	8	15 %
<b>Total</b>	<b>55</b>	<b>100 %</b>	Hispanic	1	2 %
			<b>Total</b>	<b>55</b>	<b>100 %</b>

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	4	7 %	Men who have sex with men	17	49 %
25 - 34	18	33 %	Injection drug use	5	14 %
35 - 44	10	18 %	Men who have sex with men and inject drugs	1	3 %
45+	23	42 %	Heterosexual contact	12	34 %
<b>Total</b>	<b>55</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>

*No Identified Risk* 20

**Persons Living with HIV/AIDS  
Region 9: Hammond/Slidell Region  
as of December 31, 2010**

*Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes*

- **1,345** cumulative cases have been detected in Region 9, including **15** pediatric cases.
- **530** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **997** persons are currently living with HIV/AIDS in Region 9.  
Persons living with HIV: **447**  
Persons living with AIDS: **550**

<u>Age Category</u>			<u>Race/Ethnicity</u>				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	8	1 %	Black, Non-Hispanic	320	172	492	49 %
13 - 19	4	<1 %	White, Non-Hispanic	384	87	471	47 %
20 - 24	35	4 %	Hispanic	20	5	25	3 %
25 - 29	74	7 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	84	8 %	American Indian	1	0	1	<1 %
35 - 39	123	12 %	Unknown	1	0	1	<1 %
40 - 44	171	17 %	Multi-race	5	0	5	1 %
45 - 49	188	19 %	<b>Total</b>	<b>732</b>	<b>265</b>	<b>997</b>	<b>100 %</b>
50 - 54	157	16 %					
55 - 59	72	7 %					
60+	81	8 %					
<b>Total</b>	<b>997</b>	<b>100 %</b>					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	373	0	373	53 %
Injection drug use	62	52	114	16 %
Men who have sex with men and inject drugs	47	0	47	7 %
Heterosexual contact	56	90	146	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	7	17	2 %
<b>Total</b>	<b>554</b>	<b>149</b>	<b>703</b>	<b>100 %</b>
<i>No Identified Risk</i>	<i>178</i>	<i>116</i>	<i>294</i>	



**Persons Newly Diagnosed with HIV/AIDS****Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2009**

• 90 persons were newly diagnosed with HIV in Region 9.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	54	60 %	Black, Non-Hispanic	56	62 %
Women	36	40 %	White, Non-Hispanic	34	38 %
<b>Total</b>	<b>90</b>	<b>100 %</b>	<b>Total</b>	<b>90</b>	<b>100 %</b>

<b><u>Age at Detection</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
0 - 12	1	1 %	Men who have sex with men	27	47 %
13 - 24	11	12 %	Injection drug use	7	12 %
25 - 34	26	29 %	Men who have sex with men and inject drugs	2	3 %
35 - 44	18	20 %	Heterosexual contact	21	36 %
45+	34	38 %	Perinatal	1	2 %
<b>Total</b>	<b>90</b>	<b>100 %</b>	<b>Total</b>	<b>58</b>	<b>100 %</b>

*No Identified Risk* 32

**AIDS CASES DIAGNOSED January - December 2009**

• 52 persons were newly diagnosed with AIDS in Region 9.

<b><u>Gender</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Race/Ethnicity</u></b>	<b>Cases</b>	<b>Percent</b>
Men	33	63 %	Black, Non-Hispanic	32	62 %
Women	19	37 %	White, Non-Hispanic	20	38 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>52</b>	<b>100 %</b>

<b><u>Age at Diagnosis</u></b>	<b>Cases</b>	<b>Percent</b>	<b><u>Cases with a reported risk:</u></b>	<b>Cases</b>	<b>Percent</b>
13 - 24	1	2 %	Men who have sex with men	17	49 %
25 - 34	11	21 %	Injection drug use	6	17 %
35 - 44	16	31 %	Men who have sex with men and inject drugs	1	3 %
45+	24	46 %	Heterosexual contact	11	31 %
<b>Total</b>	<b>52</b>	<b>100 %</b>	<b>Total</b>	<b>35</b>	<b>100 %</b>

*No Identified Risk* 17