


Fourth Quarter 2014

Vol. 12, No. 4



Louisiana HIV and Early Syphilis Surveillance Quarterly Report
December 31, 2014

**Louisiana Department of Health and Hospitals
Office of Public Health**

STD/HIV Program (SHP)

1450 Poydras Street, Suite 2136

New Orleans, Louisiana 70112

504.568.7474

haprequest@la.gov

<http://dhh.louisiana.gov/hiv>

www.hiv411.org

Louisiana Department of Health and Hospitals
Office of Public Health
 STD/HIV Program

DeAnn Gruber, PhD, LCSW
Administrative Director

Jeffrey Hitt, M.Ed
Associate Director

Debbie Wendell, PhD, MPH
Data Management/Analysis Manager

Jessica Fridge, MSPH
Surveillance Program Manager

Stephanie Taylor, MD
STD Medical Director

Joy Ewell
Statewide Regional Surveillance Manager

Amy Busby
Field Operations Manager

Editor/Production:

Demerial Banks, MPH
Catherine Desmarais, MPH

Data Management/Analysis and Surveillance:

Rashad Arcement, MSPH, Incidence & Resistance Coordinator
Demerial Banks, MPH, HIV Surveillance Epidemiologist
Tania Bechtel, HIV Data Manager
Elliot Brannon, MPH, Perinatal Surveillance Coordinator
Antoine Brantley, MPH, Data Analyst
Lakeesha Brumfield, HIV Data Entry Specialist
Javone Davis, MPH Field Operations Supervisor
Catherine Desmarais, MPH, STD Surveillance Epidemiologist and Data Manager
Reynaldo Grant, I.T. Special Projects Coordinator
Terri Gray, MPA, Regional Surveillance Special Projects Coordinator
Mohammad Rahman, MBBS, MPH, PhD, Epidemiologist Supervisor
William T. Robinson, Ph.D., Biostatistician
Denise Robertson, ICCR Coordinator
Josette Russell, HIV Data Entry Specialist
Carmen Washington, HIV Data Manager

HIV Field Epidemiologists:

James Hubbard	Region 1	Betsy Shepard, PAC, MPH, Epidemiologist Supervisor	
Monica Pendelton	Regions 1, 3	Cheryl Edney, BS MT(ASCP)	Regions 4, 5, 6
		Gayle Norris, MA	Regions 7, 8
		Gale Terry, LPN	Regions 2, 9

Regional STD Supervisors:

Michael Carter	Region 1	Patrick Williams	Region 5
Megan King	Region 2	Amy Busby	Region 6
Javone Davis	Regions 3, 8	Charles Jones	Region 7
Ken May	Region 4	John Lyons	Region 9

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	3
Persons Living with AIDS	4
Persons newly diagnosed with HIV/AIDS	5
Persons diagnosed with Early Syphilis	6
Parish: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons diagnosed with Early Syphilis	9
Metro New Orleans: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Persons diagnosed with Early Syphilis	13
Metro Baton Rouge: Persons Living with HIV/AIDS	14
Persons Living with AIDS	15
Persons newly diagnosed with HIV/AIDS	16
Persons diagnosed with Early Syphilis	17
Region 1: Persons Living with HIV/AIDS	18
Persons Living with AIDS	19
Persons newly diagnosed with HIV/AIDS	20
Persons diagnosed with Early Syphilis	21
Region 2: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Persons diagnosed with Early Syphilis	25
Region 3: Persons Living with HIV/AIDS	26
Persons Living with AIDS	27
Persons newly diagnosed with HIV/AIDS	28
Persons diagnosed with Early Syphilis	29
Region 4: Persons Living with HIV/AIDS	30
Persons Living with AIDS	31
Persons newly diagnosed with HIV/AIDS	32
Persons diagnosed with Early Syphilis	33
Region 5: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Persons diagnosed with Early Syphilis	37
Region 6: Persons Living with HIV/AIDS	38
Persons Living with AIDS	39
Persons newly diagnosed with HIV/AIDS	40
Persons diagnosed with Early Syphilis	41
Region 7: Persons Living with HIV/AIDS	42
Persons Living with AIDS	43
Persons newly diagnosed with HIV/AIDS	44
Persons diagnosed with Early Syphilis	45
Region 8: Persons Living with HIV/AIDS	46
Persons Living with AIDS	47
Persons newly diagnosed with HIV/AIDS	48
Persons diagnosed with Early Syphilis	49

Region 9: Persons Living with HIV/AIDS	50
Persons Living with AIDS	51
Persons newly diagnosed with HIV/AIDS	52
Persons diagnosed with Early Syphilis	53
List of Figures	
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2004-2013)	54
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Trends P&S Syphilis Diagnoses (2004-2013)	55
Louisiana: 5-Year Trends Early Latent Syphilis Diagnoses (2009-2013)	55
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2004-2013)	56
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes persons diagnosed with HIV, AIDS, or Early Syphilis

- In 2013, Louisiana ranked **3rd** in the nation for estimated HIV case rates (30.3 per 100,000 population) and 11th in the estimated number of HIV infection cases. The New Orleans MSA ranked **2nd** and the Baton Rouge MSA ranked **4th** for estimated HIV case rates (43.4 and 36.2 per 100,000, respectively), among the large metropolitan areas in the nation. The most recent *CDC HIV Surveillance Report* (Vol. 25) was released on February 23, 2015 and provided the 2013 rankings.
- According to the same report, Louisiana ranked **3rd** highest in estimated state AIDS case rates (16.9 per 100,000) and 11th in the number of estimated AIDS cases in 2013. The Baton Rouge metropolitan area ranked **3rd** in estimated AIDS case rates (25.4 per 100,000) and the New Orleans metropolitan area ranked **5th** in estimated AIDS case rates (23.0 per 100,000) in 2013 among the large metropolitan areas in the nation.
- In 2013, Louisiana ranked **3rd** in the nation for primary and secondary (P&S) syphilis case rates (9.1 per 100,000 population) and 11th in the number of new primary and secondary syphilis cases according to the *2013 CDC STD Surveillance Report*.
- A total of **20,013** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,642** persons (53%) have an AIDS diagnosis.
- A total of **866** persons were diagnosed with early syphilis in Louisiana; **534** (62%) were diagnosed with P&S syphilis, and **332** (38%) were diagnosed with early latent syphilis.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2013, of the persons who reported a risk factor, 72% reported being MSM, and an additional 3% reported being MSM and an injection drug user (IDU). As of December 31, 2014, 54% of all people living with HIV infection in Louisiana were MSM.
- The primary risk factor for early syphilis diagnoses in Louisiana is men who have sex with men (MSM). In 2013, of the persons who reported a risk factor, 37% reported being MSM, and 35% reported engaging in high-risk heterosexual contact. Persons diagnosed with syphilis may report more than one risk.
- In 2013, **1,295** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=438) occurred in Region 1 (New Orleans) and **20%** (n=263) occurred in Region 2 (Baton Rouge).
- In 2013, **866** early syphilis cases were diagnosed in Louisiana. Of these cases, **34%** (n=292) occurred in Region 1 (New Orleans) and **21%** (n=186) occurred in Region 7 (Shreveport).
- In Louisiana, **24%** of new HIV cases, **27%** of new AIDS cases, and **29%** of the early syphilis diagnoses were among women.
- HIV and STDs continue to disproportionately affect African Americans in Louisiana. In 2013, **70%** of newly diagnosed HIV cases and **75%** of newly diagnosed AIDS cases were among African Americans. In 2013, **77%** of early syphilis cases were among African Americans. African Americans make up only 32% of Louisiana's overall population.
- A large percentage of new HIV diagnoses occurred among adolescents and young adults. In 2013, **25%** of all new HIV diagnoses occurred among persons 13-24 years old and an additional **28%** occurred among persons 25-34 years old.
- A large percentage of new early syphilis diagnoses occurred among adolescents and young adults as well. In 2013, **14%** of all early syphilis diagnoses occurred among persons 13-19 years old and an additional **47%** occurred among persons 20-29 years old. Age groups for new HIV and syphilis diagnoses are presented on different age ranges in this report to better represent each epidemic.

New Louisiana HIV and Early Syphilis Quarterly Report Format:

For this quarterly report, we have now included P&S syphilis and early latent syphilis diagnoses for Louisiana, the New Orleans and Baton Rouge MSAs, and all nine of the public health regions. It is important to note that the time periods for the HIV and syphilis data are not equivalent. Please pay special attention to the titles above each table. There are different reporting delays and methods for HIV and syphilis which impact the timeliness of those data in this report. Also, the data collected for HIV and syphilis are different therefore risk and age groups are presented differently.

Time Periods for this Quarterly Report (Fourth Quarter 2014 Report):

Persons Living with HIV infection – As of December 31, 2014

Persons Living with AIDS – As of December 31, 2014

New HIV Diagnoses – Calendar Year 2013

New AIDS Diagnoses – Calendar Year 2013

New P&S Syphilis Diagnoses – Calendar Year 2014

New Early Latent Syphilis Diagnoses – Calendar Year 2014

The Future of the Quarterly Report:

Beginning with the *First Quarter 2015 Report*, to be released in May 2015, we will report calendar year 2014 HIV data, but we will report quarterly 2015 syphilis data. We will also be removing the breakout pages for Persons Living with AIDS.

First Quarter 2015 Report: Release in May 2015

HIV and AIDS diagnoses, Calendar Year 2014

P&S Syphilis and Early Latent Syphilis diagnoses, First Quarter 2015 (January-March 2015)

Persons Living with HIV infection, As of March 31, 2015

Second Quarter 2015 Report: Release in August 2015

HIV and AIDS diagnoses, Calendar Year 2014 (Updated)

P&S Syphilis and Early Latent Syphilis diagnoses, First and Second Quarter 2015 (January-June 2015)

Persons Living with HIV infection, As of June 30, 2015

Third Quarter 2015 Report: Release in November 2015

HIV and AIDS diagnoses, Calendar Year 2014 (Updated)

P&S Syphilis and Early Latent Syphilis diagnoses, First-Third Quarter 2015 (January-September 2015)

Persons Living with HIV infection, As of September 30, 2015

Fourth Quarter 2015 Report: Release in February 2016

HIV and AIDS diagnoses, Calendar Year 2014 (Updated)

P&S Syphilis and Early Latent Syphilis diagnoses, Calendar Year 2015

Persons Living with HIV infection, As of December 31, 2015

Please note: This report reflects only information reported to Louisiana's HIV/AIDS and STD surveillance systems.

To Request Data: Please email Jessica Fridge, SHP Surveillance Manager, at Jessica.Fridge@La.gov.

Persons Living with HIV/AIDS
Louisiana
as of December 31, 2014

- **35,713** cumulative cases have been detected in Louisiana, including **351** pediatric cases.
- **15,429** cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including **120** pediatric deaths.
- **20,013** persons are currently living with HIV/AIDS in Louisiana.
 Persons living with HIV: **9,371**
 Persons living with AIDS: **10,642**

Gender

	Cases	Percent
Women	5,860	29 %
Men	14,153	71 %
Total	20,013	100 %

Age Category

Current Age	Cases	Percent
0 - 12	62	<1 %
13 - 19	182	1 %
20 - 24	1,013	5 %
25 - 29	1,787	9 %
30 - 34	2,156	11 %
35 - 39	2,407	12 %
40 - 44	2,404	12 %
45 - 49	2,783	14 %
50 - 54	3,045	15 %
55 - 59	2,163	11 %
60+	2,011	10 %
Total	20,013	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	8,843	4,829	13,672	68 %
White, Non-Hispanic	4,470	816	5,286	26 %
Hispanic	647	155	802	4 %
Asian/Pacific Islander	69	16	85	<1 %
American Indian	27	9	36	<1 %
Unknown	8	1	9	<1 %
Multi-race	89	34	123	1 %
Total	14,153	5,860	20,013	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	7,209	0	7,209	54 %
Injection drug use	1,054	637	1,691	13 %
Men who have sex with men and inject drugs	829	0	829	6 %
Heterosexual contact	1,097	2,351	3,448	26 %
Transfusion/Hemophilia	41	31	72	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	96	109	205	2 %
Total	10,326	3,129	13,455	100 %
<i>No Identified Risk</i>	<i>3,827</i>	<i>2,731</i>	<i>6,558</i>	

**Persons Living with AIDS
Louisiana
as of December 31, 2014**

- **23,821** cumulative AIDS cases have been diagnosed in Louisiana, including **259** pediatric cases.
- **10,642** persons are currently living with AIDS in Louisiana.

Gender

	Cases	Percent
Women	2,991	28 %
Men	7,651	72 %
Total	10,642	100 %

Age Category

Current Age	Cases	Percent
0 - 12	35	<1 %
13 - 19	53	<1 %
20 - 24	238	2 %
25 - 29	549	5 %
30 - 34	929	9 %
35 - 39	1,190	11 %
40 - 44	1,365	13 %
45 - 49	1,723	16 %
50 - 54	1,918	18 %
55 - 59	1,368	13 %
60+	1,274	12 %
Total	10,642	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	4,832	2,508	7,340	69 %
White, Non-Hispanic	2,403	372	2,775	26 %
Hispanic	326	88	414	4 %
Asian/Pacific	30	5	35	<1 %
American Indian	9	3	12	<1 %
Unknown	1	0	1	<1 %
Multi-race	50	15	65	1 %
Total	7,651	2,991	10,642	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,691	0	3,691	50 %
Injection drug use	707	355	1,062	14 %
Men who have sex with men and inject drugs	544	0	544	7 %
Heterosexual contact	682	1,229	1,911	26 %
Transfusion/Hemophilia	30	22	52	1 %
Perinatal	63	69	132	2 %
Total	5,717	1,675	7,392	100 %

*No Identified Risk**1,934**1,316**3,250*

**Persons Newly Diagnosed with HIV/AIDS
Louisiana**

HIV CASES DIAGNOSED January - December 2013

• 1,295 persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	988	76 %	Black, Non-Hispanic	903	70 %
Women	307	24 %	White, Non-Hispanic	313	24 %
Total	1,295	100 %	Hispanic	60	5 %
			Asian/Pacific Islander	8	1 %
			American Indian	6	<1 %
			Multi-race	5	<1 %
			Total	1,295	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	599	72 %
13 - 24	318	25 %	Injection drug use	56	7 %
25 - 34	367	28 %	Men who have sex with men and inject drugs	24	3 %
35 - 44	283	22 %	Heterosexual contact	156	19 %
45+	326	25 %	Perinatal	1	<1 %
Total	1,295	100 %	Total	836	100 %
			<i>No Identified Risk</i>	<i>459</i>	

AIDS CASES DIAGNOSED January - December 2013

• 731 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	532	73 %	Black, Non-Hispanic	549	75 %
Women	199	27 %	White, Non-Hispanic	149	20 %
Total	731	100 %	Hispanic	28	4 %
			Asian/Pacific Islander	3	<1 %
			Multi-race	2	<1 %
			Total	731	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	264	59 %
13 - 24	75	10 %	Injection drug use	51	11 %
25 - 34	198	27 %	Men who have sex with men and inject drugs	13	3 %
35 - 44	211	29 %	Heterosexual contact	115	26 %
45+	245	34 %	Transfusion/Hemophilia	2	<1 %
Total	731	100 %	Perinatal	4	1 %
			Total	449	100 %
			<i>No Identified Risk</i>	<i>282</i>	

**Persons Diagnosed with Early Syphilis
Louisiana**

PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014*

• 534 persons were diagnosed with P&S Syphilis in Louisiana in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	124	23 %	American Indian	3	<1 %
Male	410	77 %	Asian/Pacific Islander	1	<1 %
Total	534	100 %	Black, Non-Hispanic	404	76 %
			Hispanic	9	2 %
			White, Non-Hispanic	113	21 %
			Other/Multi-race	2	<1 %
			Unknown	2	<1 %
			Total	534	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	2	<1 %
13 - 19	67	13 %	Men who have sex with men	236	27 %
20 - 29	247	46 %	Injection drug use	4	<1 %
30 - 39	115	22 %	Transactional sex	27	3 %
40+	105	20 %	High risk heterosexual contact	274	32 %
Total	534	100 %	Heterosexual contact	119	14 %
			Incarceration	52	6 %
			Illegal drug use (non-injection)	147	17 %
			<i>No Reported Risk</i>	<i>90</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

• 332 persons were diagnosed with Early Latent Syphilis in Louisiana in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	125	38 %	American Indian	1	<1 %
Male	207	62 %	Asian/Pacific Islander	3	<1 %
Total	332	100 %	Black, Non-Hispanic	262	79 %
			Hispanic	4	1 %
			White, Non-Hispanic	59	18 %
			Other/Multi-race	0	0 %
			Unknown	3	<1 %
			Total	332	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	51	15 %	Men who have sex with men	99	24 %
20 - 29	158	48 %	Injection drug use	3	1 %
30 - 39	64	19 %	Transactional sex	8	2 %
40+	58	17 %	High risk heterosexual contact	109	26 %
Total	332	100 %	Heterosexual contact	99	24 %
			Incarceration	31	7 %
			Illegal drug use (non-injection)	67	16 %
			<i>No Reported Risk</i>	<i>96</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with HIV/AIDS by Parish
as of December 31, 2014**

Fourth Quarter 2014

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	104	Sabine	22
Allen	261	St. Bernard	173
Ascension	226	St. Charles	103
Assumption	27	St. Helena	17
Avoyelles	192	St. James	78
Beauregard	46	St. John the Baptist	166
Bienville	32	St. Landry	271
Bossier	200	St. Martin	109
Caddo	1,060	St. Mary	79
Calcasieu	648	St. Tammany	425
Caldwell	16	Tangipahoa	365
Cameron	2	Tensas	35
Catahoula	26	Terrebonne	208
Claiborne	54	Union	33
Concordia	44	Vermilion	93
De Soto	55	Vernon	67
East Baton Rouge	3,871	Washington	183
East Carroll	27	Webster	80
East Feliciana	157	West Baton Rouge	98
Evangeline	72	West Carroll	10
Franklin	49	West Feliciana	172
Grant	43	Winn	45
Iberia	117		
Iberville	373		
Jackson	25		
Jefferson	1,854		
Jefferson Davis	57		
La Salle	35		
Lafayette	740		
Lafourche	139		
Lincoln	101		
Livingston	202		
Madison	31		
Morehouse	65		
Natchitoches	110		
Orleans	4,901		
Ouachita	611		
Plaquemines	41		
Pointe Coupee	53		
Rapides	455		
Red River	14		
Richland	45		
		Total	20,013

**Persons Living with AIDS by Parish
as of December 31, 2014**

Fourth Quarter 2014

<u>Parish</u>	<u>Living Cases</u>	<u>Parish</u>	<u>Living Cases</u>
Acadia	59	Sabine	15
Allen	135	St. Bernard	111
Ascension	112	St. Charles	53
Assumption	12	St. Helena	8
Avoyelles	103	St. James	39
Beauregard	26	St. John the Baptist	96
Bienville	18	St. Landry	157
Bossier	95	St. Martin	64
Caddo	516	St. Mary	49
Calcasieu	358	St. Tammany	232
Caldwell	6	Tangipahoa	197
Cameron	1	Tensas	17
Catahoula	12	Terrebonne	118
Claiborne	28	Union	26
Concordia	23	Vermilion	49
De Soto	29	Vernon	32
East Baton Rouge	2,099	Washington	97
East Carroll	16	Webster	30
East Feliciana	83	West Baton Rouge	49
Evangeline	35	West Carroll	6
Franklin	18	West Feliciana	99
Grant	20	Winn	24
Iberia	64		
Iberville	215		
Jackson	15		
Jefferson	999		
Jefferson Davis	31		
La Salle	14		
Lafayette	362		
Lafourche	79		
Lincoln	53		
Livingston	110		
Madison	15		
Morehouse	41		
Natchitoches	56		
Orleans	2,596		
Ouachita	314		
Plaquemines	28		
Pointe Coupee	34		
Rapides	211		
Red River	9		
Richland	29		
		Total	10,642

**Persons Diagnosed with Early Syphilis by Parish
2014***

<u>Parish</u>	<u>Diagnoses</u>	<u>Parish</u>	<u>Diagnoses</u>
Acadia	3	Sabine	0
Allen	1	St. Bernard	7
Ascension	3	St. Charles	7
Assumption	3	St. Helena	2
Avoyelles	3	St. James	2
Beauregard	0	St. John the Baptist	7
Bienville	1	St. Landry	8
Bossier	19	St. Martin	3
Caddo	128	St. Mary	9
Calcasieu	14	St. Tammany	9
Caldwell	1	Tangipahoa	13
Cameron	0	Tensas	0
Catahoula	1	Terrebonne	27
Claiborne	1	Union	2
Concordia	0	Vermilion	3
De Soto	6	Vernon	1
East Baton Rouge	83	Washington	0
East Carroll	1	Webster	10
East Feliciana	3	West Baton Rouge	1
Evangeline	5	West Carroll	0
Franklin	2	West Feliciana	2
Grant	0	Winn	2
Iberia	10		
Iberville	5		
Jackson	2		
Jefferson	71		
Jefferson Davis	1		
La Salle	1		
Lafayette	18		
Lafourche	13		
Lincoln	9		
Livingston	7		
Madison	0		
Morehouse	2		
Natchitoches	13		
Orleans	213		
Ouachita	75		
Plaquemines	1		
Pointe Coupee	0		
Rapides	16		
Red River	8		
Richland	8		
		Total	866

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with HIV/AIDS
Metro New Orleans
as of December 31, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **16,353** cumulative cases have been detected in the New Orleans MSA, including **168** pediatric cases.
- **7,085** cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **59** pediatric deaths
- **7,741** persons are currently living with HIV/AIDS in the New Orleans MSA.
Persons living with HIV: **3,589**
Persons living with AIDS: **4,152**

Gender

	Cases	Percent
Women	1,992	26 %
Men	5,749	74 %
Total	7,741	100 %

Age Category

Current Age	Cases	Percent
0 - 12	21	<1 %
13 - 19	56	1 %
20 - 24	368	5 %
25 - 29	683	9 %
30 - 34	786	10 %
35 - 39	889	11 %
40 - 44	889	11 %
45 - 49	1,094	14 %
50 - 54	1,187	15 %
55 - 59	885	11 %
60+	883	11 %
Total	7,741	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	3,167	1,631	4,798	62 %
White, Non-Hispanic	2,144	241	2,385	31 %
Hispanic	354	105	459	6 %
Asian/Pacific Islander	39	7	46	1 %
American Indian	8	0	8	<1 %
Unknown	4	1	5	<1 %
Multi-race	33	7	40	1 %
Total	5,749	1,992	7,741	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,275	0	3,275	61 %
Injection drug use	318	208	526	10 %
Men who have sex with men and inject drugs	311	0	311	6 %
Heterosexual contact	360	796	1,156	22 %
Transfusion/Hemophilia	18	14	32	1 %
Perinatal	31	44	75	1 %
Total	4,313	1,062	5,375	100 %
<i>No Identified Risk</i>	<i>1,436</i>	<i>930</i>	<i>2,366</i>	

**Persons Living with AIDS
Metro New Orleans
as of December 31, 2014**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- **11,053** cumulative AIDS cases have been diagnosed in the New Orleans MSA, including **85** pediatric cases.
- **4,152** persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	1,081	26 %
Men	3,071	74 %
Total	4,152	100 %

Age Category

Current Age	Cases	Percent
0 - 12	11	<1 %
13 - 19	17	<1 %
20 - 24	81	2 %
25 - 29	194	5 %
30 - 34	340	8 %
35 - 39	426	10 %
40 - 44	515	12 %
45 - 49	673	16 %
50 - 54	761	18 %
55 - 59	573	14 %
60+	561	14 %
Total	4,152	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,709	894	2,603	63 %
White, Non-Hispanic	1,138	110	1,248	30 %
Hispanic	184	70	254	6 %
Asian/Pacific Islander	16	4	20	<1 %
American Indian	2	0	2	<1 %
Unknown	1	0	1	<1 %
Multi-race	21	3	24	1 %
Total	3,071	1,081	4,152	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,684	0	1,684	57 %
Injection drug use	202	115	317	11 %
Men who have sex with men and inject	196	0	196	7 %
Heterosexual contact	230	442	672	23 %
Transfusion/Hemophilia	14	10	24	1 %
Perinatal	16	32	48	2 %
Total	2,342	599	2,941	100 %
<i>No Identified Risk</i>	<i>729</i>	<i>482</i>	<i>1,211</i>	

**Persons Newly Diagnosed with HIV/AIDS
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2013

- 493 persons were newly diagnosed with HIV in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	392	80 %	Black, Non-Hispanic	324	66 %
Women	101	20 %	White, Non-Hispanic	132	27 %
Total	493	100 %	Hispanic	29	6 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	493	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	119	24 %	Men who have sex with men	264	74 %
25 - 34	156	32 %	Injection drug use	17	5 %
35 - 44	105	21 %	Men who have sex with men and inject drugs	10	3 %
45+	113	23 %	Heterosexual contact	67	19 %
Total	493	100 %	Total	358	100 %

No Identified Risk

135

AIDS CASES DIAGNOSED January - December 2013

- 262 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	193	74 %	Black, Non-Hispanic	178	68 %
Women	69	26 %	White, Non-Hispanic	61	23 %
Total	262	100 %	Hispanic	20	8 %
			Asian/Pacific Islander	2	1 %
			Multi-race	1	<1 %
			Total	262	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	29	11 %	Men who have sex with men	112	64 %
25 - 34	68	26 %	Injection drug use	15	9 %
35 - 44	73	28 %	Heterosexual contact	47	27 %
45+	92	35 %	Transfusion/Hemophilia	1	1 %
Total	262	100 %	Total	175	100 %

No Identified Risk

87

**Persons Diagnosed with Early Syphilis
Metro New Orleans**

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014*

- 206 persons were diagnosed with P&S Syphilis in the New Orleans MSA in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	16	8 %	American Indian	0	0 %
Male	190	92 %	Asian/Pacific Islander	1	<1 %
Total	206	100 %	Black, Non-Hispanic	137	67 %
			Hispanic	7	3 %
			White, Non-Hispanic	60	29 %
			Other/Multi-race	1	<1 %
			Unknown	0	0 %
			Total	206	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	<1 %
13 - 19	17	8 %	Men who have sex with men	120	37 %
20 - 29	101	49 %	Injection drug use	1	<1 %
30 - 39	38	18 %	Transactional sex	11	3 %
40+	50	24 %	High risk heterosexual contact	109	34 %
Total	206	100 %	Heterosexual contact	15	5 %
			Incarceration	16	5 %
			Illegal drug use (non-injection)	52	16 %
			<i>No Reported Risk</i>	<i>46</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 111 persons were diagnosed with Early Latent Syphilis in the New Orleans MSA in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	26	23 %	American Indian	1	<1 %
Male	85	77 %	Asian/Pacific Islander	3	3 %
Total	111	100 %	Black, Non-Hispanic	80	72 %
			Hispanic	2	2 %
			White, Non-Hispanic	25	23 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	111	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	4 %	Men who have sex with men	50	36 %
20 - 29	41	37 %	Injection drug use	0	0 %
30 - 39	27	24 %	Transactional sex	2	1 %
40+	39	35 %	High risk heterosexual contact	40	28 %
Total	111	100 %	Heterosexual contact	17	12 %
			Incarceration	8	6 %
			Illegal drug use (non-injection)	24	17 %
			<i>No Reported Risk</i>	<i>34</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with HIV/AIDS
Metro Baton Rouge
as of December 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **8,209** cumulative cases have been detected in the Baton Rouge MSA, including **80** pediatric cases.
- **3,545** cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including **20** pediatric deaths.
- **5,169** persons are currently living with HIV/AIDS in the Baton Rouge MSA.
Persons living with HIV: **2,362**
Persons living with AIDS: **2,807**

Gender

	Cases	Percent
Women	1,833	35 %
Men	3,336	65 %
Total	5,169	100 %

Age Category

Current Age	Cases	Percent
0 - 12	22	<1 %
13 - 19	50	1 %
20 - 24	267	5 %
25 - 29	445	9 %
30 - 34	627	12 %
35 - 39	662	13 %
40 - 44	677	13 %
45 - 49	671	13 %
50 - 54	766	15 %
55 - 59	507	10 %
60+	475	9 %
Total	5,169	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,594	1,637	4,231	82 %
White, Non-Hispanic	655	163	818	16 %
Hispanic	54	16	70	1 %
Asian/Pacific Islander	11	6	17	<1 %
American Indian	3	1	4	<1 %
Unknown	1	0	1	<1 %
Multi-race	18	10	28	1 %
Total	3,336	1,833	5,169	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,369	0	1,369	42 %
Injection drug use	386	214	600	19 %
Men who have sex with men and inject drugs	193	0	193	6 %
Heterosexual contact	325	664	989	31 %
Transfusion/Hemophilia	6	8	14	<1 %
Perinatal	31	28	59	2 %
Total	2,310	914	3,224	100 %
<i>No Identified Risk</i>	<i>1,026</i>	<i>919</i>	<i>1,945</i>	

Persons Living with AIDS
Metro Baton Rouge
as of December 31, 2014

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,526** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **37** pediatric cases.
- **2,807** persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	928	33 %
Men	1,879	67 %
Total	2,807	100 %

Age Category

Current Age	Cases	Percent
0 - 12	15	1 %
13 - 19	15	1 %
20 - 24	66	2 %
25 - 29	156	6 %
30 - 34	279	10 %
35 - 39	335	12 %
40 - 44	392	14 %
45 - 49	428	15 %
50 - 54	494	18 %
55 - 59	322	11 %
60+	305	11 %
Total	2,807	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	1,501	845	2,346	84 %
White, Non-Hispanic	334	72	406	14 %
Hispanic	29	8	37	1 %
Asian/Pacific Islander	4	0	4	<1 %
American Indian	2	0	2	<1 %
Multi-race	9	3	12	<1 %
Total	1,879	928	2,807	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	685	0	685	37 %
Injection drug use	286	131	417	23 %
Men who have sex with men and inject drugs	128	0	128	7 %
Heterosexual contact	209	340	549	30 %
Transfusion/Hemophilia	4	6	10	1 %
Perinatal	24	15	39	2 %
Total	1,336	492	1,828	100 %
<i>No Identified Risk</i>	<i>543</i>	<i>436</i>	<i>979</i>	

Persons Newly Diagnosed with HIV/AIDS**Metro Baton Rouge***Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 278 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	198	71 %	Black, Non-Hispanic	233	84 %
Women	80	29 %	White, Non-Hispanic	40	14 %
Total	278	100 %	Hispanic	3	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	278	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	1	<1 %	Men who have sex with men	108	66 %
13 - 24	78	28 %	Injection drug use	15	9 %
25 - 34	74	27 %	Men who have sex with men and inject drugs	4	3 %
35 - 44	61	22 %	Heterosexual contact	34	21 %
45+	64	24 %	Perinatal	1	1 %
Total	278	100 %	Total	163	100 %
			<i>No Identified Risk</i>	<i>115</i>	

AIDS CASES DIAGNOSED January - December 2013

- 196 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	140	71 %	Black, Non-Hispanic	175	89 %
Women	56	29 %	White, Non-Hispanic	20	10 %
Total	196	100 %	Multi-race	1	1 %
			Total	196	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	2	1 %	Men who have sex with men	52	45 %
13 - 24	17	9 %	Injection drug use	21	18 %
25 - 34	57	29 %	Men who have sex with men and inject drugs	5	4 %
35 - 44	57	29 %	Heterosexual contact	35	30 %
45+	63	32 %	Perinatal	3	3 %
Total	196	100 %	Total	116	100 %
			<i>No Identified Risk</i>	<i>80</i>	

**Persons Diagnosed with Early Syphilis
Metro Baton Rouge**

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014*

• 78 persons were diagnosed with P&S Syphilis in the Baton Rouge MSA in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	10	13 %	American Indian	0	0 %
Male	68	87 %	Asian/Pacific Islander	0	0 %
Total	78	100 %	Black, Non-Hispanic	69	89 %
			Hispanic	1	1 %
			White, Non-Hispanic	7	9 %
			Other/Multi-race	0	0 %
			Unknown	1	1 %
			Total	78	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	1 %
13 - 19	4	5 %	Men who have sex with men	38	36 %
20 - 29	34	44 %	Injection drug use	2	2 %
30 - 39	25	32 %	Transactional sex	4	4 %
40+	15	19 %	High risk heterosexual contact	36	34 %
Total	78	100 %	Heterosexual contact	9	8 %
			Incarceration	7	6 %
			Illegal drug use (non-injection)	10	9 %
			<i>No Reported Risk</i>	<i>17</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

• 28 persons were diagnosed with Early Latent Syphilis in the Baton Rouge MSA in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	5	18 %	American Indian	0	0 %
Male	23	82 %	Asian/Pacific Islander	0	0 %
Total	28	100 %	Black, Non-Hispanic	22	79 %
			Hispanic	0	0 %
			White, Non-Hispanic	6	21 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	28	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	7 %	Men who have sex with men	11	34 %
20 - 29	19	68 %	Injection drug use	1	3 %
30 - 39	5	18 %	Transactional sex	1	3 %
40+	2	7 %	High risk heterosexual contact	8	25 %
Total	28	100 %	Heterosexual contact	5	16 %
			Incarceration	3	9 %
			Illegal drug use (non-injection)	3	9 %
			<i>No Reported Risk</i>	<i>11</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS
Region 1: New Orleans Region
as of December 31, 2014

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- **15,286** cumulative cases have been detected in Region 1, including **150** pediatric cases.
- **6,641** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **54** pediatric deaths.
- **6,969** persons are currently living with HIV/AIDS in Region 1.
 Persons living with HIV: **3,236**
 Persons living with AIDS: **3,733**

Gender

	Cases	Percent
Women	1,785	26 %
Men	5,184	74 %
Total	6,969	100 %

Age Category

Current Age	Cases	Percent
0 - 12	15	<1 %
13 - 19	48	1 %
20 - 24	320	5 %
25 - 29	617	9 %
30 - 34	718	10 %
35 - 39	797	11 %
40 - 44	801	11 %
45 - 49	986	14 %
50 - 54	1,058	15 %
55 - 59	803	12 %
60+	806	12 %
Total	6,969	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	2,914	1,492	4,406	63 %
White, Non-Hispanic	1,856	182	2,038	29 %
Hispanic	337	98	435	6 %
Asian/Pacific Islander	37	5	42	1 %
American Indian	7	0	7	<1 %
Unknown	4	1	5	<1 %
Multi-race	29	7	36	1 %
Total	5,184	1,785	6,969	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,941	0	2,941	61 %
Injection drug use	294	187	481	10 %
Men who have sex with men and inject drugs	286	0	286	6 %
Heterosexual contact	332	723	1,055	22 %
Transfusion/Hemophilia	15	14	29	1 %
Perinatal	23	36	59	1 %
Total	3,891	960	4,851	100 %

<i>No Identified Risk</i>	<i>1,293</i>	<i>825</i>	<i>2,118</i>	
---------------------------	--------------	------------	--------------	--

**Persons Living with AIDS
Region 1: New Orleans Region
as of December 31, 2014**

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

• **10,326** cumulative AIDS cases have been diagnosed in Region 1, including **75** pediatric cases.

• **3,733** persons are currently living with AIDS in Region 1.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	974	26 %
Men	2,759	74 %
Total	3,733	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	9	<1 %	Black, Non-Hispanic	1,569	822	2,391	64 %
13 - 19	14	<1 %	White, Non-Hispanic	981	80	1,061	28 %
20 - 24	70	2 %	Hispanic	173	67	240	6 %
25 - 29	171	5 %	Asian/Pacific Islander	15	2	17	<1 %
30 - 34	317	8 %	American Indian	1	0	1	<1 %
35 - 39	373	10 %	Unknown	1	0	1	<1 %
40 - 44	464	12 %	Multi-race	19	3	22	1 %
45 - 49	608	16 %	Total	2,759	974	3,733	100 %
50 - 54	680	18 %					
55 - 59	521	14 %					
60+	506	14 %					
Total	3,733	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,506	0	1,506	57 %
Injection drug use	189	104	293	11 %
Men who have sex with men and inject drugs	183	0	183	7 %
Heterosexual contact	209	406	615	23 %
Transfusion/Hemophilia	11	10	21	1 %
Perinatal	10	28	38	1 %
Total	2,108	548	2,656	100 %
<i>No Identified Risk</i>	<i>651</i>	<i>426</i>	<i>1,077</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***HIV CASES DIAGNOSED January - December 2013**

- 438 persons were newly diagnosed with HIV in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	350	80 %	Black, Non-Hispanic	287	66 %
Women	88	20 %	White, Non-Hispanic	114	26 %
Total	438	100 %	Hispanic	29	7 %
			Asian/Pacific Islander	6	1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	438	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	106	24 %	Men who have sex with men	234	72 %
25 - 34	142	32 %	Injection drug use	16	5 %
35 - 44	94	21 %	Men who have sex with men and inject drugs	9	3 %
45+	96	22 %	Heterosexual contact	64	20 %
Total	438	100 %	Total	323	100 %
			<i>No Identified Risk</i>	<i>115</i>	

AIDS CASES DIAGNOSED January - December 2013

- 228 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	168	74 %	Black, Non-Hispanic	156	68 %
Women	60	26 %	White, Non-Hispanic	52	23 %
Total	228	100 %	Hispanic	18	8 %
			Asian/Pacific Islander	2	1 %
			Total	228	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	26	11 %	Men who have sex with men	94	62 %
25 - 34	61	27 %	Injection drug use	13	9 %
35 - 44	62	27 %	Heterosexual contact	44	29 %
45+	79	35 %	Transfusion/Hemophilia	1	1 %
Total	228	100 %	Total	152	100 %
			<i>No Identified Risk</i>	<i>76</i>	

Persons Diagnosed with Early Syphilis**Region 1: New Orleans Region***Jefferson, Orleans, Plaquemines, St. Bernard Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 188 persons were diagnosed with P&S Syphilis in Region 1 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	14	7 %	American Indian	0	0 %
Male	174	93 %	Asian/Pacific Islander	1	<1 %
Total	188	100 %	Black, Non-Hispanic	124	66 %
			Hispanic	7	4 %
			White, Non-Hispanic	55	29 %
			Other/Multi-race	1	<1 %
			Unknown	0	0 %
			Total	188	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	<1 %
13 - 19	15	8 %	Men who have sex with men	112	38 %
20 - 29	91	48 %	Injection drug use	0	0 %
30 - 39	36	19 %	Transactional sex	9	3 %
40+	46	25 %	High risk heterosexual contact	97	33 %
Total	188	100 %	Heterosexual contact	13	4 %
			Incarceration	13	4 %
			Illegal drug use (non-injection)	50	17 %
			<i>No Reported Risk</i>	<i>43</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 104 persons were diagnosed with Early Latent Syphilis in Region 1 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	24	23 %	American Indian	1	1 %
Male	80	77 %	Asian/Pacific Islander	3	3 %
Total	104	100 %	Black, Non-Hispanic	76	73 %
			Hispanic	1	1 %
			White, Non-Hispanic	23	22 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	104	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	4 %	Men who have sex with men	46	36 %
20 - 29	35	34 %	Injection drug use	0	0 %
30 - 39	26	25 %	Transactional sex	2	2 %
40+	39	37 %	High risk heterosexual contact	34	26 %
Total	104	100 %	Heterosexual contact	16	12 %
			Incarceration	8	6 %
			Illegal drug use (non-injection)	22	18 %
			<i>No Reported Risk</i>	<i>33</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with AIDS
Region 2: Baton Rouge Region
as of December 31, 2014**

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **5,332** cumulative AIDS cases have been diagnosed in Region 2, including **35** pediatric cases.
- **2,689** persons are currently living with AIDS in Region 2.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	894	33 %
Men	1,795	67 %
Total	2,689	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	15	1 %	Black, Non-Hispanic	1,469	829	2,298	85 %
13 - 19	14	1 %	White, Non-Hispanic	284	56	340	13 %
20 - 24	62	2 %	Hispanic	27	6	33	1 %
25 - 29	154	6 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	272	10 %	American Indian	2	0	2	<1 %
35 - 39	318	12 %	Multi-race	9	3	12	<1 %
40 - 44	373	14 %	Total	1,795	894	2,689	100 %
45 - 49	406	15 %					
50 - 54	473	18 %					
55 - 59	308	11 %					
60+	294	11 %					
Total	2,689	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	642	0	642	37 %
Injection drug use	276	125	401	23 %
Men who have sex with men and inject drugs	122	0	122	7 %
Heterosexual contact	200	328	528	30 %
Transfusion/Hemophilia	3	6	9	1 %
Perinatal	23	14	37	2 %
Total	1,266	473	1,739	100 %
<i>No Identified Risk</i>	<i>529</i>	<i>421</i>	<i>950</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***HIV CASES DIAGNOSED January - December 2013**

- 263 persons were newly diagnosed with HIV in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	186	71 %	Black, Non-Hispanic	226	86 %
Women	77	29 %	White, Non-Hispanic	32	12 %
Total	263	100 %	Hispanic	3	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	263	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	99	65 %
13 - 24	77	29 %	Injection drug use	14	9 %
25 - 34	73	28 %	Men who have sex with men and inject drugs	5	3 %
35 - 44	52	20 %	Heterosexual contact	33	22 %
45+	60	23 %	Perinatal	1	1 %
Total	263	100 %	Total	152	100 %

No Identified Risk 111

AIDS CASES DIAGNOSED January - December 2013

- 186 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	131	70 %	Black, Non-Hispanic	170	91 %
Women	55	30 %	White, Non-Hispanic	15	8 %
Total	186	100 %	Multi-race	1	1 %
			Total	186	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
0 - 12	2	1 %	Men who have sex with men	46	43 %
13 - 24	16	9 %	Injection drug use	20	19 %
25 - 34	56	30 %	Men who have sex with men and inject drugs	4	4 %
35 - 44	52	28 %	Heterosexual contact	34	32 %
45+	60	32 %	Perinatal	3	3 %
Total	186	100 %	Total	107	100 %

No Identified Risk 79

Persons Diagnosed with Early Syphilis**Region 2: Baton Rouge Region***Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 73 persons were diagnosed with P&S Syphilis in Region 2 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	10	14 %	American Indian	0	0 %
Male	63	86 %	Asian/Pacific Islander	0	0 %
Total	73	100 %	Black, Non-Hispanic	64	88 %
			Hispanic	1	1 %
			White, Non-Hispanic	7	10 %
			Other/Multi-race	0	0 %
			Unknown	1	1 %
			Total	73	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	1	1 %
13 - 19	3	4 %	Men who have sex with men	35	35 %
20 - 29	32	44 %	Injection drug use	2	2 %
30 - 39	23	31 %	Transactional sex	4	4 %
40+	15	21 %	High risk heterosexual contact	33	33 %
Total	73	100 %	Heterosexual contact	9	9 %
			Incarceration	7	7 %
			Illegal drug use (non-injection)	10	10 %
			<i>No Reported Risk</i>	<i>16</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 24 persons were diagnosed with Early Latent Syphilis in Region 2 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	4	17 %	American Indian	0	0 %
Male	20	83 %	Asian/Pacific Islander	0	0 %
Total	24	100 %	Black, Non-Hispanic	20	83 %
			Hispanic	0	0 %
			White, Non-Hispanic	4	17 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	24	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	2	8 %	Men who have sex with men	8	33 %
20 - 29	16	67 %	Injection drug use	1	4 %
30 - 39	4	17 %	Transactional sex	1	4 %
40+	2	8 %	High risk heterosexual contact	5	21 %
Total	24	100 %	Heterosexual contact	4	17 %
			Incarceration	3	13 %
			Illegal drug use (non-injection)	2	8 %
			<i>No Reported Risk</i>	<i>11</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with AIDS
Region 3: Houma Region
as of December 31, 2014**

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **886** cumulative AIDS cases have been diagnosed in Region 3, including **12** pediatric cases.
- **446** persons are currently living with AIDS in Region 3.

Gender	Cases	Percent
Women	140	31 %
Men	306	69 %
Total	446	100 %

Age Category	Cases	Percent	Race/Ethnicity	Men	Women	Total	Percent
Current Age							
0 - 12	2	<1 %	Black, Non-Hispanic	165	112	277	62 %
13 - 19	5	1 %	White, Non-Hispanic	123	23	146	33 %
20 - 24	10	2 %	Hispanic	15	2	17	4 %
25 - 29	34	8 %	Asian/Pacific Islander	1	1	2	<1 %
30 - 34	36	8 %	American Indian	1	1	2	<1 %
35 - 39	55	12 %	Multi-race	1	1	2	<1 %
40 - 44	54	12 %	Total	306	140	446	100 %
45 - 49	65	15 %					
50 - 54	75	17 %					
55 - 59	58	13 %					
60+	52	12 %					
Total	446	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	173	0	173	56 %
Injection drug use	25	9	34	11 %
Men who have sex with men and inject drugs	10	0	10	3 %
Heterosexual contact	20	59	79	26 %
Perinatal	7	6	13	4 %
Total	235	74	309	100 %
<i>No Identified Risk</i>	<i>71</i>	<i>66</i>	<i>137</i>	

Persons Newly Diagnosed with HIV/AIDS

Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

HIV CASES DIAGNOSED January - December 2013

- 60 persons were newly diagnosed with HIV in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	43	72 %	Black, Non-Hispanic	37	62 %
Women	17	28 %	White, Non-Hispanic	22	37 %
Total	60	100 %	Hispanic	1	2 %
			Total	60	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	13	22 %	Men who have sex with men	31	76 %
25 - 34	16	27 %	Injection drug use	1	2 %
35 - 44	10	17 %	Heterosexual contact	9	22 %
45+	21	35 %	Total	41	100 %
Total	60	100 %	<i>No Identified Risk</i>	<i>19</i>	

AIDS CASES DIAGNOSED January - December 2013

- 40 persons were newly diagnosed with AIDS in Region 3.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	31	78 %	Black, Non-Hispanic	28	70 %
Women	9	22 %	White, Non-Hispanic	10	25 %
Total	40	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	40	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	5	12 %	Men who have sex with men	21	75 %
25 - 34	6	15 %	Heterosexual contact	7	25 %
35 - 44	14	35 %	Total	28	100 %
45+	15	38 %	<i>No Identified Risk</i>	<i>12</i>	
Total	40	100 %			

Persons Diagnosed with Early Syphilis**Region 3: Houma Region***Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 48 persons were diagnosed with P&S Syphilis in Region 3 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	18	38 %	American Indian	1	2 %
Male	30	62 %	Asian/Pacific Islander	0	0 %
Total	48	100 %	Black, Non-Hispanic	32	67 %
			Hispanic	0	0 %
			White, Non-Hispanic	15	31 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	48	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	6	13 %	Men who have sex with men	15	17 %
20 - 29	27	56 %	Injection drug use	2	2 %
30 - 39	10	21 %	Transactional sex	1	1 %
40+	5	10 %	High risk heterosexual contact	28	32 %
Total	48	100 %	Heterosexual contact	18	20 %
			Incarceration	11	12 %
			Illegal drug use (non-injection)	14	16 %
			<i>No Reported Risk</i>	2	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 20 persons were diagnosed with Early Latent Syphilis in Region 3 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	16	80 %	American Indian	0	0 %
Male	4	20 %	Asian/Pacific Islander	0	0 %
Total	20	100 %	Black, Non-Hispanic	16	80 %
			Hispanic	0	0 %
			White, Non-Hispanic	4	20 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	20	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	4	20 %	Men who have sex with men	1	4 %
20 - 29	16	80 %	Injection drug use	0	0 %
30 - 39	0	0 %	Transactional sex	0	0 %
40+	0	0 %	High risk heterosexual contact	4	17 %
Total	20	100 %	Heterosexual contact	12	52 %
			Incarceration	2	9 %
			Illegal drug use (non-injection)	4	17 %
			<i>No Reported Risk</i>	5	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS
Region 4: Lafayette Region
as of December 31, 2014

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes

- **2,311** cumulative cases have been detected in Region 4, including **18** pediatric cases.
- **1,069** cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including **10** pediatric deaths.
- **1,506** persons are currently living with HIV/AIDS in Region 4.
 Persons living with HIV: **716**
 Persons living with AIDS: **790**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	371	25 %
Men	1,135	75 %
Total	1,506	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	598	257	855	57 %
13 - 19	11	1 %	White, Non-Hispanic	460	101	561	37 %
20 - 24	71	5 %	Hispanic	57	6	63	4 %
25 - 29	136	9 %	Asian/Pacific Islander	4	2	6	<1 %
30 - 34	137	9 %	American Indian	2	2	4	<1 %
35 - 39	148	10 %	Multi-race	14	3	17	1 %
40 - 44	163	11 %	Total	1,135	371	1,506	100 %
45 - 49	243	16 %					
50 - 54	272	18 %					
55 - 59	169	11 %					
60+	154	10 %					
Total	1,506	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	573	0	573	58 %
Injection drug use	70	53	123	12 %
Men who have sex with men and inject drugs	59	0	59	6 %
Heterosexual contact	68	154	222	22 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	4	5	9	1 %
Total	779	214	993	100 %
<i>No Identified Risk</i>	<i>356</i>	<i>157</i>	<i>513</i>	

Persons Living with AIDS**Region 4: Lafayette Region****as of December 31, 2014***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes*

- **1,515** cumulative AIDS cases have been diagnosed in Region 4, including **14** pediatric cases.
- **790** persons are currently living with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	179	23 %
Men	611	77 %
Total	790	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	311	129	440	56 %
13 - 19	3	<1 %	White, Non-Hispanic	263	45	308	39 %
20 - 24	14	2 %	Hispanic	27	1	28	4 %
25 - 29	39	5 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	65	8 %	American Indian	0	1	1	<1 %
35 - 39	76	10 %	Multi-race	8	2	10	1 %
40 - 44	88	11 %	Total	611	179	790	100 %
45 - 49	141	18 %					
50 - 54	162	21 %					
55 - 59	101	13 %					
60+	99	13 %					
Total	790	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	313	0	313	56 %
Injection drug use	50	26	76	14 %
Men who have sex with men and inject drugs	41	0	41	7 %
Heterosexual contact	33	84	117	21 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	3	4	7	1 %
Total	443	115	558	100 %
<i>No Identified Risk</i>	<i>168</i>	<i>64</i>	<i>232</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes***HIV CASES DIAGNOSED January - December 2013**

- 100 persons were newly diagnosed with HIV in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	77	77 %	Black, Non-Hispanic	66	66 %
Women	23	23 %	White, Non-Hispanic	30	30 %
Total	100	100 %	Hispanic	4	4 %
			Total	100	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	23	23 %	Men who have sex with men	40	74 %
25 - 34	25	25 %	Injection drug use	3	6 %
35 - 44	17	17 %	Men who have sex with men and inject drugs	1	2 %
45+	35	35 %	Heterosexual contact	10	19 %
Total	100	100 %	Total	54	100 %
			<i>No Identified Risk</i>	<i>46</i>	

AIDS CASES DIAGNOSED January - December 2013

- 65 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	51	78 %	Black, Non-Hispanic	46	71 %
Women	14	22 %	White, Non-Hispanic	15	23 %
Total	65	100 %	Hispanic	4	6 %
			Total	65	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	7	11 %	Men who have sex with men	26	67 %
25 - 34	19	29 %	Injection drug use	3	8 %
35 - 44	14	22 %	Men who have sex with men and inject drugs	1	3 %
45+	25	38 %	Heterosexual contact	8	21 %
Total	65	100 %	Perinatal	1	3 %
			Total	39	100 %
			<i>No Identified Risk</i>	<i>26</i>	

Persons Diagnosed with Early Syphilis**Region 4: Lafayette Region***Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermilion Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 39 persons were diagnosed with P&S Syphilis in Region 4 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	5	13 %	American Indian	0	0 %
Male	34	87 %	Asian/Pacific Islander	0	0 %
Total	39	100 %	Black, Non-Hispanic	21	54 %
			Hispanic	0	0 %
			White, Non-Hispanic	18	46 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	39	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	6	15 %	Men who have sex with men	28	32 %
20 - 29	15	38 %	Injection drug use	0	0 %
30 - 39	10	26 %	Transactional sex	3	3 %
40+	8	21 %	High risk heterosexual contact	30	34 %
Total	39	100 %	Heterosexual contact	5	6 %
			Incarceration	4	5 %
			Illegal drug use (non-injection)	17	20 %
			<i>No Reported Risk</i>	<i>1</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 11 persons were diagnosed with Early Latent Syphilis in Region 4 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	1	9 %	American Indian	0	0 %
Male	10	91 %	Asian/Pacific Islander	0	0 %
Total	11	100 %	Black, Non-Hispanic	7	64 %
			Hispanic	0	0 %
			White, Non-Hispanic	4	36 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	11	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	8	31 %
20 - 29	8	73 %	Injection drug use	1	4 %
30 - 39	2	18 %	Transactional sex	0	0 %
40+	1	9 %	High risk heterosexual contact	9	35 %
Total	11	100 %	Heterosexual contact	1	4 %
			Incarceration	2	8 %
			Illegal drug use (non-injection)	5	19 %
			<i>No Reported Risk</i>	<i>0</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS
Region 5: Lake Charles Region
as of December 31, 2014

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **1,416** cumulative cases have been detected in Region 5, including **10** pediatric cases.
- **581** cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including **2** pediatric deaths.
- **1,014** persons are currently living with HIV/AIDS in Region 5.
 Persons living with HIV: **464**
 Persons living with AIDS: **550**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	242	24 %
Men	772	76 %
Total	1,014	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
0 - 12	4	<1 %	Black, Non-Hispanic	410	162	572	56 %
13 - 19	5	<1 %	White, Non-Hispanic	264	71	335	33 %
20 - 24	39	4 %	Hispanic	82	4	86	8 %
25 - 29	76	7 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	98	10 %	American Indian	2	0	2	<1 %
35 - 39	132	13 %	Unknown	2	0	2	<1 %
40 - 44	130	13 %	Multi-race	8	5	13	1 %
45 - 49	167	16 %	Total	772	242	1,014	100 %
50 - 54	163	16 %					
55 - 59	116	11 %					
60+	84	8 %					
Total	1,014	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	337	0	337	46 %
Injection drug use	89	33	122	17 %
Men who have sex with men and inject drugs	70	0	70	10 %
Heterosexual contact	83	105	188	26 %
Transfusion/Hemophilia	2	0	2	<1 %
Perinatal	5	8	13	2 %
Total	586	146	732	100 %
<i>No Identified Risk</i>	<i>186</i>	<i>96</i>	<i>282</i>	

**Persons Living with AIDS
Region 5: Lake Charles Region
as of December 31, 2014**

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- **961** cumulative AIDS cases have been diagnosed in Region 5, including **6** pediatric cases.
- **550** persons are currently living with AIDS in Region 5.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	111	21 %
Men	439	79 %
Total	550	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	3	1 %	Black, Non-Hispanic	234	75	309	56 %
13 - 19	1	<1 %	White, Non-Hispanic	160	33	193	35 %
20 - 24	11	2 %	Hispanic	38	1	39	7 %
25 - 29	24	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	46	8 %	Multi-race	5	2	7	1 %
35 - 39	67	12 %	Total	439	111	550	100 %
40 - 44	76	14 %					
45 - 49	110	20 %					
50 - 54	98	18 %					
55 - 59	63	11 %					
60+	51	9 %					
Total	550	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	195	0	195	47 %
Injection drug use	57	15	72	17 %
Men who have sex with men and inject drugs	48	0	48	12 %
Heterosexual contact	46	44	90	22 %
Transfusion/Hemophilia	1	0	1	<1 %
Perinatal	4	3	7	2 %
Total	351	62	413	100 %
<i>No Identified Risk</i>	88	49	137	

Persons Newly Diagnosed with HIV/AIDS
Region 5: Lake Charles Region
Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

HIV CASES DIAGNOSED January - December 2013

- 45 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	32	71 %	Black, Non-Hispanic	25	56 %
Women	13	29 %	White, Non-Hispanic	19	42 %
Total	45	100 %	Hispanic	1	2 %
			Total	45	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	8	18 %	Men who have sex with men	16	52 %
25 - 34	8	18 %	Injection drug use	5	16 %
35 - 44	11	24 %	Men who have sex with men and inject drugs	3	10 %
45+	18	40 %	Heterosexual contact	7	23 %
Total	45	100 %	Total	31	100 %

No Identified Risk 14

AIDS CASES DIAGNOSED January - December 2013

- 28 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	22	79 %	Black, Non-Hispanic	17	61 %
Women	6	21 %	White, Non-Hispanic	11	39 %
Total	28	100 %	Total	28	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	3	11 %	Men who have sex with men	10	48 %
25 - 34	8	29 %	Injection drug use	4	19 %
35 - 44	8	29 %	Men who have sex with men and inject drugs	1	5 %
45+	9	32 %	Heterosexual contact	6	29 %
Total	28	100 %	Total	21	100 %

No Identified Risk 7

Persons Diagnosed with Early Syphilis**Region 5: Lake Charles Region***Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 5 persons were diagnosed with P&S Syphilis in Region 5 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	0	0 %	American Indian	0	0 %
Male	5	100 %	Asian/Pacific Islander	0	0 %
Total	5	100 %	Black, Non-Hispanic	2	40 %
			Hispanic	0	0 %
			White, Non-Hispanic	2	40 %
			Other/Multi-race	1	20 %
			Unknown	0	0 %
			Total	5	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	4	50 %
20 - 29	3	60 %	Injection drug use	0	0 %
30 - 39	1	20 %	Transactional sex	0	0 %
40+	1	20 %	High risk heterosexual contact	3	38 %
Total	5	100 %	Heterosexual contact	0	0 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	1	12 %
			<i>No Reported Risk</i>	<i>1</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 11 persons were diagnosed with Early Latent Syphilis in Region 5 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	3	27 %	American Indian	0	0 %
Male	8	73 %	Asian/Pacific Islander	0	0 %
Total	11	100 %	Black, Non-Hispanic	6	55 %
			Hispanic	1	9 %
			White, Non-Hispanic	4	36 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	11	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	7	50 %
20 - 29	8	73 %	Injection drug use	0	0 %
30 - 39	2	18 %	Transactional sex	0	0 %
40+	1	9 %	High risk heterosexual contact	5	36 %
Total	11	100 %	Heterosexual contact	2	14 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	0	0 %
			<i>No Reported Risk</i>	<i>2</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS**Region 6: Alexandria Region****as of December 31, 2014***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes*

- **1,561** cumulative cases have been detected in Region 6, including **15** pediatric cases.
- **576** cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including **6** pediatric deaths.
- **907** persons are currently living with HIV/AIDS in Region 6.
Persons living with HIV: **468**
Persons living with AIDS: **439**

Gender

	Cases	Percent
Women	269	30 %
Men	638	70 %
Total	907	100 %

Age Category

Current Age	Cases	Percent
0 - 12	3	<1 %
13 - 19	7	1 %
20 - 24	39	4 %
25 - 29	73	8 %
30 - 34	93	10 %
35 - 39	130	14 %
40 - 44	110	12 %
45 - 49	120	13 %
50 - 54	145	16 %
55 - 59	106	12 %
60+	81	9 %
Total	907	100 %

Race/Ethnicity

	Men	Women	Total	Percent
Black, Non-Hispanic	410	210	620	68 %
White, Non-Hispanic	178	49	227	25 %
Hispanic	43	7	50	6 %
Asian/Pacific Islander	3	0	3	<1 %
American Indian	0	1	1	<1 %
Multi-race	4	2	6	1 %
Total	638	269	907	100 %

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	272	0	272	45 %
Injection drug use	56	23	79	13 %
Men who have sex with men and inject drugs	39	0	39	6 %
Heterosexual contact	67	132	199	33 %
Transfusion/Hemophilia	5	2	7	1 %
Perinatal	5	4	9	1 %
Total	444	161	605	100 %
<i>No Identified Risk</i>	<i>194</i>	<i>108</i>	<i>302</i>	

**Persons Living with AIDS
Region 6: Alexandria Region
as of December 31, 2014**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- **932** cumulative AIDS cases have been diagnosed in Region 6, including **6** pediatric cases.
- **439** persons are currently living with AIDS in Region 6.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	125	29 %
Men	314	71 %
Total	439	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	212	102	314	72 %
13 - 19	1	<1 %	White, Non-Hispanic	84	22	106	24 %
20 - 24	11	3 %	Hispanic	16	0	16	4 %
25 - 29	20	5 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	33	8 %	Multi-race	1	1	2	<1 %
35 - 39	49	11 %	Total	314	125	439	100 %
40 - 44	51	12 %					
45 - 49	77	18 %					
50 - 54	82	19 %					
55 - 59	61	14 %					
60+	53	12 %					
Total	439	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	125	0	125	42 %
Injection drug use	28	11	39	13 %
Men who have sex with men and inject drugs	29	0	29	10 %
Heterosexual contact	35	62	97	32 %
Transfusion/Hemophilia	4	1	5	2 %
Perinatal	2	2	4	1 %
Total	223	76	299	100 %
<i>No Identified Risk</i>	<i>91</i>	<i>49</i>	<i>140</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 6: Alexandria Region***Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes***HIV CASES DIAGNOSED January - December 2013**

- 86 persons were newly diagnosed with HIV in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	69	80 %	Black, Non-Hispanic	44	51 %
Women	17	20 %	White, Non-Hispanic	25	29 %
Total	86	100 %	Hispanic	17	20 %
			Total	86	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	12	14 %	Men who have sex with men	26	68 %
25 - 34	25	29 %	Injection drug use	2	5 %
35 - 44	29	34 %	Men who have sex with men and inject drugs	1	3 %
45+	20	23 %	Heterosexual contact	9	24 %
Total	86	100 %	Total	38	100 %
			<i>No Identified Risk</i>	<i>48</i>	

AIDS CASES DIAGNOSED January - December 2013

- 29 persons were newly diagnosed with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	19	66 %	Black, Non-Hispanic	17	59 %
Women	10	34 %	White, Non-Hispanic	10	34 %
Total	29	100 %	Hispanic	2	7 %
			Total	29	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	2	7 %	Men who have sex with men	4	44 %
25 - 34	9	31 %	Injection drug use	1	11 %
35 - 44	11	38 %	Men who have sex with men and inject drugs	1	11 %
45+	7	24 %	Heterosexual contact	2	22 %
Total	29	100 %	Transfusion/Hemophilia	1	11 %
			Total	9	100 %
			<i>No Identified Risk</i>	<i>20</i>	

Persons Diagnosed with Early Syphilis**Region 6: Alexandria Region**

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014*

- 10 persons were diagnosed with P&S Syphilis in Region 6 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	4	40 %	American Indian	1	10 %
Male	6	60 %	Asian/Pacific Islander	0	0 %
Total	10	100 %	Black, Non-Hispanic	6	60 %
			Hispanic	1	10 %
			White, Non-Hispanic	2	20 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	10	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	4	19 %
20 - 29	4	40 %	Injection drug use	0	0 %
30 - 39	5	50 %	Transactional sex	1	5 %
40+	1	10 %	High risk heterosexual contact	7	33 %
Total	10	100 %	Heterosexual contact	4	19 %
			Incarceration	1	5 %
			Illegal drug use (non-injection)	4	19 %
			<i>No Reported Risk</i>	0	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 14 persons were diagnosed with Early Latent Syphilis in Region 6 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	4	29 %	American Indian	0	0 %
Male	10	71 %	Asian/Pacific Islander	0	0 %
Total	14	100 %	Black, Non-Hispanic	11	79 %
			Hispanic	0	0 %
			White, Non-Hispanic	3	21 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	14	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	3	21 %	Men who have sex with men	5	25 %
20 - 29	8	57 %	Injection drug use	0	0 %
30 - 39	2	14 %	Transactional sex	0	0 %
40+	1	7 %	High risk heterosexual contact	6	30 %
Total	14	100 %	Heterosexual contact	4	20 %
			Incarceration	1	5 %
			Illegal drug use (non-injection)	4	20 %
			<i>No Reported Risk</i>	3	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS

Region 7: Shreveport Region

as of December 31, 2014

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,538** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- **1,119** cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including **12** pediatric deaths.
- **1,627** persons are currently living with HIV/AIDS in Region 7.
 Persons living with HIV: **831**
 Persons living with AIDS: **796**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	482	30 %
Men	1,145	70 %
Total	1,627	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>		<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	1	<1 %	Black, Non-Hispanic	790	393	1,183	73 %
13 - 19	21	1 %	White, Non-Hispanic	315	79	394	24 %
20 - 24	131	8 %	Hispanic	23	7	30	2 %
25 - 29	199	12 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	203	12 %	American Indian	8	1	9	1 %
35 - 39	200	12 %	Multi-race	6	2	8	<1 %
40 - 44	168	10 %	Total	1,145	482	1,627	100 %
45 - 49	212	13 %					
50 - 54	208	13 %					
55 - 59	141	9 %					
60+	143	9 %					
Total	1,627	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	649	0	649	58 %
Injection drug use	50	44	94	8 %
Men who have sex with men and inject drugs	78	0	78	7 %
Heterosexual contact	74	210	284	25 %
Transfusion/Hemophilia	2	3	5	<1 %
Perinatal	6	6	12	1 %
Total	859	263	1,122	100 %
<i>No Identified Risk</i>	<i>286</i>	<i>219</i>	<i>505</i>	

**Persons Living with AIDS
Region 7: Shreveport Region
as of December 31, 2014**

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

• **1,607** cumulative AIDS cases have been diagnosed in Region 7, including **19** pediatric cases.

• **796** persons are currently living with AIDS in Region 7.

<u>Gender</u>	Cases	Percent
Women	236	30 %
Men	560	70 %
Total	796	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>	Men	Women	Total	Percent
Current Age	Cases	Percent					
0 - 12	1	<1 %	Black, Non-Hispanic	378	194	572	72 %
13 - 19	5	1 %	White, Non-Hispanic	163	37	200	25 %
20 - 24	25	3 %	Hispanic	11	4	15	2 %
25 - 29	67	8 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	73	9 %	American Indian	3	0	3	<1 %
35 - 39	99	12 %	Multi-race	3	1	4	1 %
40 - 44	88	11 %	Total	560	236	796	100 %
45 - 49	126	16 %					
50 - 54	140	18 %					
55 - 59	87	11 %					
60+	85	11 %					
Total	796	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	289	0	289	52 %
Injection drug use	29	19	48	9 %
Men who have sex with men and inject drugs	51	0	51	9 %
Heterosexual contact	51	108	159	28 %
Transfusion	1	3	4	1 %
Perinatal	4	4	8	1 %
Total	425	134	559	100 %
<i>No Identified Risk</i>	<i>135</i>	<i>102</i>	<i>237</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***HIV CASES DIAGNOSED January - December 2013**

- 144 persons were newly diagnosed with HIV in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	109	76 %	Black, Non-Hispanic	112	78 %
Women	35	24 %	White, Non-Hispanic	23	16 %
Total	144	100 %	Hispanic	4	3 %
			Asian/Pacific Islander	1	1 %
			American Indian	3	2 %
			Multi-race	1	1 %
			Total	144	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	44	31 %	Men who have sex with men	68	76 %
25 - 34	40	28 %	Injection drug use	8	9 %
35 - 44	24	17 %	Men who have sex with men and inject drugs	2	2 %
45+	36	25 %	Heterosexual contact	12	13 %
Total	144	100 %	Total	90	100 %
			<i>No Identified Risk</i>	<i>54</i>	

AIDS CASES DIAGNOSED January - December 2013

- 66 persons were newly diagnosed with AIDS in Region 7.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	43	65 %	Black, Non-Hispanic	54	82 %
Women	23	35 %	White, Non-Hispanic	10	15 %
Total	66	100 %	Hispanic	1	2 %
			Asian/Pacific Islander	1	2 %
			Total	66	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	8	12 %	Men who have sex with men	19	63 %
25 - 34	18	27 %	Injection drug use	4	13 %
35 - 44	17	26 %	Men who have sex with men and inject drugs	2	7 %
45+	23	35 %	Heterosexual contact	5	17 %
Total	66	100 %	Total	30	100 %
			<i>No Identified Risk</i>	<i>36</i>	

Persons Diagnosed with Early Syphilis**Region 7: Shreveport Region***Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 100 persons were diagnosed with P&S Syphilis in Region 7 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	48	48 %	American Indian	1	1 %
Male	52	52 %	Asian/Pacific Islander	0	0 %
Total	100	100 %	Black, Non-Hispanic	90	90 %
			Hispanic	0	0 %
			White, Non-Hispanic	9	9 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	100	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	21	21 %	Men who have sex with men	19	12 %
20 - 29	43	43 %	Injection drug use	0	0 %
30 - 39	17	17 %	Transactional sex	4	2 %
40+	19	19 %	High risk heterosexual contact	49	30 %
Total	100	100 %	Heterosexual contact	45	27 %
			Incarceration	12	7 %
			Illegal drug use (non-injection)	36	22 %
			<i>No Reported Risk</i>	<i>17</i>	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 86 persons were diagnosed with Early Latent Syphilis in Region 7 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	45	52 %	American Indian	0	0 %
Male	41	48 %	Asian/Pacific Islander	0	0 %
Total	86	100 %	Black, Non-Hispanic	77	90 %
			Hispanic	1	1 %
			White, Non-Hispanic	6	7 %
			Other/Multi-race	0	0 %
			Unknown	2	2 %
			Total	86	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	23	27 %	Men who have sex with men	11	10 %
20 - 29	37	43 %	Injection drug use	1	<1 %
30 - 39	17	20 %	Transactional sex	4	4 %
40+	9	10 %	High risk heterosexual contact	28	25 %
Total	86	100 %	Heterosexual contact	40	35 %
			Incarceration	9	8 %
			Illegal drug use (non-injection)	20	18 %
			<i>No Reported Risk</i>	<i>23</i>	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

Persons Living with HIV/AIDS
Region 8: Monroe Region
as of December 31, 2014

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,830** cumulative cases have been detected in Region 8, including **18** pediatric cases.
- **768** cumulative deaths among persons in Region 8 with HIV/AIDS have occurred, including **4** pediatric deaths.
- **1,048** persons are currently living with HIV/AIDS in Region 8.
 Persons living with HIV: **492**
 Persons living with AIDS: **556**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	368	35 %
Men	680	65 %
Total	1,048	100 %

<u>Age Category</u>			<u>Race/Ethnicity</u>				
<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>	
0 - 12	6	1 %	Black, Non-Hispanic	488	312	800	76 %
13 - 19	21	2 %	White, Non-Hispanic	168	45	213	20 %
20 - 24	58	6 %	Hispanic	12	4	16	2 %
25 - 29	83	8 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	109	10 %	American Indian	3	3	6	1 %
35 - 39	143	14 %	Unknown	1	0	1	<1 %
40 - 44	145	14 %	Multi-race	5	3	8	1 %
45 - 49	121	12 %	Total	680	368	1,048	100 %
50 - 54	151	14 %					
55 - 59	115	11 %					
60+	96	9 %					
Total	1,048	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	361	0	361	51 %
Injection drug use	37	31	68	10 %
Men who have sex with men and inject drugs	41	0	41	6 %
Heterosexual contact	65	156	221	31 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	11	14	2 %
Total	509	201	710	100 %

<i>No Identified Risk</i>	<i>171</i>	<i>167</i>	<i>338</i>	
---------------------------	------------	------------	------------	--

**Persons Living with AIDS
Region 8: Monroe Region
as of December 31, 2014**

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- **1,165** cumulative AIDS cases have been diagnosed in Region 8, including **9** pediatric cases.
- **556** persons are currently living with AIDS in Region 8.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	185	33 %
Men	371	67 %
Total	556	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
0 - 12	2	<1 %	Black, Non-Hispanic	264	156	420	76 %
13 - 19	7	1 %	White, Non-Hispanic	94	24	118	21 %
20 - 24	19	3 %	Hispanic	8	2	10	2 %
25 - 29	16	3 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	44	8 %	American Indian	1	1	2	<1 %
35 - 39	84	15 %	Multi-race	2	2	4	1 %
40 - 44	92	17 %	Total	371	185	556	100 %
45 - 49	74	13 %					
50 - 54	83	15 %					
55 - 59	74	13 %					
60+	61	11 %					
Total	556	100 %					

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	186	0	186	47 %
Injection drug use	18	22	40	10 %
Men who have sex with men and inject drugs	28	0	28	7 %
Heterosexual contact	45	81	126	32 %
Transfusion	2	1	3	1 %
Perinatal	2	7	9	2 %
Total	281	111	392	100 %
<i>No Identified Risk</i>	<i>90</i>	<i>74</i>	<i>164</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 8: Monroe Region***Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes***HIV CASES DIAGNOSED January - December 2013**

- 88 persons were newly diagnosed with HIV in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	66	75 %	Black, Non-Hispanic	60	68 %
Women	22	25 %	White, Non-Hispanic	23	26 %
Total	88	100 %	Hispanic	1	1 %
			American Indian	2	2 %
			Multi-race	2	2 %
			Total	88	100 %

<u>Age at Detection</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	25	28 %	Men who have sex with men	47	77 %
25 - 34	22	25 %	Injection drug use	4	7 %
35 - 44	25	28 %	Men who have sex with men and inject drugs	2	3 %
45+	16	18 %	Heterosexual contact	8	13 %
Total	88	100 %	Total	61	100 %
			<i>No Identified Risk</i>	27	

AIDS CASES DIAGNOSED January - December 2013

- 46 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	<u>Race/Ethnicity</u>	Cases	Percent
Men	33	72 %	Black, Non-Hispanic	36	78 %
Women	13	28 %	White, Non-Hispanic	10	22 %
Total	46	100 %	Total	46	100 %

<u>Age at Diagnosis</u>	Cases	Percent	<u>Cases with a reported risk:</u>	Cases	Percent
13 - 24	5	11 %	Men who have sex with men	21	70 %
25 - 34	10	22 %	Injection drug use	2	7 %
35 - 44	19	41 %	Men who have sex with men and inject drugs	2	7 %
45+	12	26 %	Heterosexual contact	5	17 %
Total	46	100 %	Total	30	100 %
			<i>No Identified Risk</i>	16	

Persons Diagnosed with Early Syphilis**Region 8: Monroe Region**

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014*

- 54 persons were diagnosed with P&S Syphilis in Region 8 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	21	39 %	American Indian	0	0 %
Male	33	61 %	Asian/Pacific Islander	0	0 %
Total	54	100 %	Black, Non-Hispanic	49	91 %
			Hispanic	0	0 %
			White, Non-Hispanic	4	7 %
			Other/Multi-race	0	0 %
			Unknown	1	2 %
			Total	54	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	15	28 %	Men who have sex with men	13	18 %
20 - 29	23	42 %	Injection drug use	0	0 %
30 - 39	9	17 %	Transactional sex	3	4 %
40+	7	13 %	High risk heterosexual contact	19	26 %
Total	54	100 %	Heterosexual contact	21	29 %
			Incarceration	3	4 %
			Illegal drug use (non-injection)	13	18 %
			<i>No Reported Risk</i>	7	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*

- 48 persons were diagnosed with Early Latent Syphilis in Region 8 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	25	52 %	American Indian	0	0 %
Male	23	48 %	Asian/Pacific Islander	0	0 %
Total	48	100 %	Black, Non-Hispanic	41	85 %
			Hispanic	0	0 %
			White, Non-Hispanic	6	13 %
			Other/Multi-race	0	0 %
			Unknown	1	2 %
			Total	48	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	1	2 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	15	31 %	Men who have sex with men	5	11 %
20 - 29	22	46 %	Injection drug use	0	0 %
30 - 39	6	13 %	Transactional sex	1	2 %
40+	4	8 %	High risk heterosexual contact	10	22 %
Total	48	100 %	Heterosexual contact	17	37 %
			Incarceration	6	13 %
			Illegal drug use (non-injection)	7	15 %
			<i>No Reported Risk</i>	18	

* 2014 syphilis diagnoses will be finalized on May 1, 2015

**Persons Living with HIV/AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2014**

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,624** cumulative cases have been detected in Region 9, including **19** pediatric cases.
- **696** cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including **7** pediatric deaths.
- **1,192** persons are currently living with HIV/AIDS in Region 9.
Persons living with HIV: **549**
Persons living with AIDS: **643**

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	310	26 %
Men	882	74 %
Total	1,192	100 %

Age Category

<u>Current Age</u>	<u>Cases</u>	<u>Percent</u>
0 - 12	5	<1 %
13 - 19	9	1 %
20 - 24	49	4 %
25 - 29	84	7 %
30 - 34	98	8 %
35 - 39	135	11 %
40 - 44	146	12 %
45 - 49	193	16 %
50 - 54	207	17 %
55 - 59	150	13 %
60+	116	10 %
Total	1,192	100 %

Race/Ethnicity

	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Black, Non-Hispanic	409	191	600	50 %
White, Non-Hispanic	446	109	555	47 %
Hispanic	21	8	29	2 %
Asian/Pacific Islander	2	2	4	<1 %
American Indian	1	0	1	<1 %
Multi-race	3	0	3	<1 %
Total	882	310	1,192	100 %

Exposure Category

<u>Cases with a reported risk:</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Men who have sex with men	465	0	465	57 %
Injection drug use	52	47	99	12 %
Men who have sex with men and inject drugs	59	0	59	7 %
Heterosexual contact	65	110	175	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	11	5	16	2 %
Total	658	162	820	100 %
<i>No Identified Risk</i>	<i>224</i>	<i>148</i>	<i>372</i>	

Persons Living with AIDS
Region 9: Hammond/Slidell Region
as of December 31, 2014

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- **1,097** cumulative AIDS cases have been diagnosed in Region 9, including **10** pediatric cases.
- **643** persons are currently living with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>
Women	147	23 %
Men	496	77 %
Total	643	100 %

<u>Age Category</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Men</u>	<u>Women</u>	<u>Total</u>	<u>Percent</u>
Current Age							
13 - 19	3	<1 %	Black, Non-Hispanic	230	89	319	50 %
20 - 24	16	2 %	White, Non-Hispanic	251	52	303	47 %
25 - 29	24	4 %	Hispanic	11	5	16	2 %
30 - 34	43	7 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	69	11 %	American Indian	1	0	1	<1 %
40 - 44	79	12 %	Multi-race	2	0	2	<1 %
45 - 49	116	18 %	Total	496	147	643	100 %
50 - 54	125	19 %					
55 - 59	95	15 %					
60+	73	11 %					
Total	643	100 %					

Exposure Category

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	262	0	262	56 %
Injection drug use	35	24	59	13 %
Men who have sex with men and inject drugs	32	0	32	7 %
Heterosexual contact	43	57	100	21 %
Transfusion/Hemophilia	5	0	5	1 %
Perinatal	8	1	9	2 %
Total	385	82	467	100 %
<i>No Identified Risk</i>	<i>111</i>	<i>65</i>	<i>176</i>	

Persons Newly Diagnosed with HIV/AIDS**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***HIV CASES DIAGNOSED January - December 2013**

- 71 persons were newly diagnosed with HIV in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	56	79 %	Black, Non-Hispanic	46	65 %
Women	15	21 %	White, Non-Hispanic	25	35 %
Total	71	100 %	Total	71	100 %

<u>Age at Detection</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	10	14 %	Men who have sex with men	38	83 %
25 - 34	16	23 %	Injection drug use	3	7 %
35 - 44	21	30 %	Men who have sex with men and inject drugs	1	2 %
45+	24	34 %	Heterosexual contact	4	9 %
Total	71	100 %	Total	46	100 %

No Identified Risk 25

AIDS CASES DIAGNOSED January - December 2013

- 43 persons were newly diagnosed with AIDS in Region 9.

<u>Gender</u>	<u>Cases</u>	<u>Percent</u>	<u>Race/Ethnicity</u>	<u>Cases</u>	<u>Percent</u>
Men	34	79 %	Black, Non-Hispanic	25	58 %
Women	9	21 %	White, Non-Hispanic	16	37 %
Total	43	100 %	Hispanic	2	5 %
			Total	43	100 %

<u>Age at Diagnosis</u>	<u>Cases</u>	<u>Percent</u>	<u>Cases with a reported risk:</u>	<u>Cases</u>	<u>Percent</u>
13 - 24	3	7 %	Men who have sex with men	23	70 %
25 - 34	11	26 %	Injection drug use	4	12 %
35 - 44	14	33 %	Men who have sex with men and inject drugs	2	6 %
45+	15	35 %	Heterosexual contact	4	12 %
Total	43	100 %	Total	33	100 %

No Identified Risk 10

Persons Diagnosed with Early Syphilis**Region 9: Hammond/Slidell Region***Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes***PERSONS DIAGNOSED WITH P&S SYPHILIS January - December 2014***

- 17 persons were diagnosed with P&S Syphilis in Region 9 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	4	24 %	American Indian	0	0 %
Male	13	76 %	Asian/Pacific Islander	0	0 %
Total	17	100 %	Black, Non-Hispanic	16	94 %
			Hispanic	0	0 %
			White, Non-Hispanic	1	6 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	17	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	1	6 %	Men who have sex with men	6	26 %
20 - 29	9	53 %	Injection drug use	0	0 %
30 - 39	4	23 %	Transactional sex	2	9 %
40+	3	18 %	High risk heterosexual contact	8	35 %
Total	17	100 %	Heterosexual contact	4	17 %
			Incarceration	1	4 %
			Illegal drug use (non-injection)	2	9 %
			<i>No Reported Risk</i>	3	

PERSONS DIAGNOSED WITH EARLY LATENT SYPHILIS January - December 2014*



- 14 persons were diagnosed with Early Latent Syphilis in Region 9 in 2014.

Sex at Birth	Cases	Percent	Race/Ethnicity	Cases	Percent
Female	3	21 %	American Indian	0	0 %
Male	11	79 %	Asian/Pacific Islander	0	0 %
Total	14	100 %	Black, Non-Hispanic	8	57 %
			Hispanic	1	7 %
			White, Non-Hispanic	5	36 %
			Other/Multi-race	0	0 %
			Unknown	0	0 %
			Total	14	100 %


Age at Diagnosis	Cases	Percent	Cases with a reported risk (Can have >1):	Cases	Percent
0 - 12	0	0 %	Men who have sex with men and inject drugs	0	0 %
13 - 19	0	0 %	Men who have sex with men	8	36 %
20 - 29	8	57 %	Injection drug use	0	0 %
30 - 39	5	36 %	Transactional sex	0	0 %
40+	1	7 %	High risk heterosexual contact	8	36 %
Total	14	100 %	Heterosexual contact	3	14 %
			Incarceration	0	0 %
			Illegal drug use (non-injection)	3	14 %
			<i>No Reported Risk</i>	1	

* 2014 syphilis diagnoses will be finalized on May 1, 2015


10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2004-2013)



**10-Year Trends in Primary & Secondary Syphilis Diagnoses
Louisiana, (2004-2013)**



**5-Year Trends in Early Latent Syphilis Diagnoses
Louisiana, (2009-2013)**



10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2004-2013)

