

Attachment 7 – Region 7

REGION 7

Table of Contents

| | |
|--|----|
| A. General Information | 3 |
| HIV/AIDS Status | 3 |
| Background Characteristics | 5 |
| B. Health Insurance, Employment, and Income | 8 |
| Health Insurance | 8 |
| Employment and Income | 11 |
| C. Primary Medical Care | 14 |
| Overall Health | 16 |
| Health-Seeking Behavior | 17 |
| Medication Adherence | 20 |
| Referrals to Other Medical Services | 21 |
| Out of Care | 22 |
| Pre- and Post-Natal Care | 25 |
| Other Medical Conditions | 26 |
| D. Housing | 27 |
| E. Childcare | 34 |
| F. Transportation | 36 |
| G. Mental Health and Substance Use | 39 |
| H. Other Services | 47 |
| I. Support Services | 50 |
| J. Positive Prevention | 54 |
| Sources of HIV/AIDS Information | 56 |
| Sexual Behavior in the Last Three Months | 57 |
| K. Additional Comments | 63 |

A. General Information

HIV/AIDS Status

Figure 7A.1: HIV/AIDS Status of Respondents (N=176)




Table 7A.1: Length of Time Since HIV/AIDS Diagnosis

| Years | HIV Infection (N=176) | AIDS Diagnosis (N=50) |
|--------------|-----------------------|-----------------------|
| 0-1 | 11% | 18% |
| 2-4 | 14% | 10% |
| 5-9 | 30% | 32% |
| 10-14 | 22% | 22% |
| 15-19 | 18% | 16% |
| 20+ | 5% | 2% |
| Total | 100% | 100% |

Figure 7A.2: Respondents Living in Louisiana at Time of HIV Diagnosis (N=184)




Table 7A.2: Place Where Respondents Were Told of HIV Diagnosis

| Location | N | Percent |
|---|------------|------------|
| HIV/AIDS CBO | 33 | 19% |
| Hospital/ER | 56 | 32% |
| Local health center | 35 | 20% |
| Doctor's office | 34 | 19% |
| Organization that provides other services | 2 | 1% |
| Other | 16 | 9% |
| Total | 176 | 100 |

Background Characteristics

Figure 7A.3: Gender of Respondents (N=175)





Figure 7A.4: Race of Respondents (N=177)



- 6 out of 166 (4%) respondents consider themselves to be Latino/a/Hispanic

Figure 7A.5: Age of Respondents (N=179)




Figure 7A.6: Highest Level of Education Completed by Respondents (N=178)




Figure 7A.7: Current Marital Status of Respondents (N=178)




Figure 7A.8: Language Preference of Respondents

- All respondents said English is their preferred language.

Citizenship of Respondents

- 177 of the 178 (99%) respondents are U.S. citizens.
- The one respondent who said they were not a U.S. citizen is living in the U.S. legally.

B. Health Insurance, Employment, and Income

Health Insurance

Figure 7B.1: Health Insurance Needs and Services Used




Table 7B.1: Health Insurance Needs and Services Used

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|--|--------------|----------------------|---------------------------|---------------------|-----|
| Assistance with health insurance co-payments | 23% | 20% | 21% | 36% | 128 |
| Assistance with health insurance premiums | 22% | 19% | 21% | 38% | 137 |

Figure 7B.2: Health Insurance Covers HIV/AIDS Related Medical Care (N=174)






Figure 7B.3: Barriers to Obtaining Health Insurance Coverage (N=61)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.

Figure 7B.4: Sources of Health Insurance for Respondents With Insurance (N=110)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Employment and Income

Figure 7B.5: Employment Situation in the Last Six Months (N=179)




Figure 7B.6: Reasons for Not Being Employed in the Last Six Months (N=89)




Figure 7B.7: Reported Monthly Income of Respondents (N=178)





Table 7B.2: Mean Number of People per Household by Income (N=183)

| Monthly Income | Mean Number of People |
|-------------------|-----------------------|
| No monthly income | .4 |
| \$1- \$500 | 1.8 |
| \$501- \$1,000 | 1.6 |
| \$1,001- \$1,500 | 1.8 |
| \$1,501- \$2,000 | 1.9 |
| \$2,001- \$2,500 | 2.2 |
| \$2,501- \$3,000 | 2.0 |
| \$3,001- \$3,500 | 1.7 |
| More than \$3,500 | 1.8 |

Figure 7B.8: Sources of Household Income (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

C. Primary Medical Care

Figure 7C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months





Table 7C.1: Need and Use of HIV/AIDS-Related Medical Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|-------------------------------|--------------|----------------------|---------------------------|---------------------|-----|
| HIV/AIDS medical care | 76% | 2% | 10% | 12% | 157 |
| Medications | 77% | 4% | 7% | 13% | 150 |
| General medical care | 72% | 3% | 8% | 18% | 148 |
| Dental care | 34% | 37% | 9% | 20% | 138 |
| Case manager | 61% | 6% | 10% | 22% | 144 |
| Eye care | 32% | 36% | 8% | 24% | 138 |
| Information on other services | 48% | 5% | 10% | 28% | 145 |
| Specialty medical care | 23% | 6% | 9% | 61% | 124 |
| Alternative therapies | 3% | 9% | 20% | 68% | 133 |
| Help taking medications | 15% | 2% | 8% | 75% | 131 |
| Home health services | 10% | 3% | 9% | 78% | 134 |
| Hospice | 3% | 2% | 6% | 88% | 130 |

Figure 7C.2: Barriers to HIV/AIDS-Related Medical Services in the Last Six Months (N=79)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.

Overall Health

Figure 7C.3: Self-reported Overall Health Status (N=179)



Health-Seeking Behavior

Figure 7C.4: Time From HIV Diagnosis to HIV/AIDS-Related Medical Care (N=179)




Figure 7C.5: Have Sought HIV/AIDS-Related Medical Care in Last Six Months (N=176)




Figure 7C.6: Level of Medical Care Received by Respondents (N=138)






Figure 7C.7: Reasons for Not Seeking HIV/AIDS-Related Medical Care in the Last Six Months (N=27)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.


Figure 7C.8: Places Where Regularly Receive HIV/AIDS-Related Medical Care (N=180)



Note: Categories reporting 0% response are not included in the figures.


Medication Adherence

Figure 7C.9: Adherence to Medications Prescribed by Doctor (N=159)



- 23 out of 182 (12.6%) of respondents reported that they have not been prescribed medications.

Figure 7C.10: Reasons for Not Taking HIV/AIDS Medications (N=57)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.

The percentages in this figure exclude those respondents who indicate in survey question 22 and 23 that they have not been prescribed medications and those who indicate in question 22 that they always take their medications as prescribed.

Referrals to Other Medical Services

Figure 7C.11: Service Referrals at the Time of HIV Diagnosis (N=159)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Out of Care

Figure 7C.12: HIV Positive for Five Years or More (N=179)




Figure 7C.13: Percentage of Respondents HIV Positive for At Least Five Years Who Have Been Out of Treatment for at Least 12 Months (N=127)




Figure 7C.14: Reason for Being Out of Care (N=28)






Figure 7C.15: Barriers to Receiving HIV/AIDS-Related Medical Care When Out of Care (N=32)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.


Categories reporting 0% response are not included in the figures.

Figure 7C.16: Reasons for Getting Back Into Care (N=30)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7C.17: Assistance That Would Have Helped Respondent Get Back Into Care (N=93)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Categories reporting 0% response are not included in the figures.


Pre- and Post-Natal Care

Figure 7C.18: Females Who Are Pregnant or Have Been Pregnant in the Last 12 Months (N=55)



- 4 of 4 females who have been pregnant received medication to prevent transmission of HIV to their child.

Figure 7C.19: Medical Care for Newborn Child (N=4)



Other Medical Conditions

Table 7C.2: Percentage of Respondents Who Have Been Diagnosed With and Are Receiving Treatment for Other Medical Conditions in the Last Six Months

| Condition | Percent diagnosed (N=184) | Percent treated | N |
|------------------------------|----------------------------------|------------------------|----------|
| Sexually transmitted disease | 8% | 85% | 13 |
| Hepatitis A or B | 4% | 75% | 8 |
| Hepatitis C | 4% | 71% | 7 |
| Tuberculosis | 1% | 100% | 1 |
| Mental health disorder | 4% | 71% | 7 |
| Heart disease | 1% | 100% | 1 |
| High blood pressure | 13% | 95% | 20 |
| Diabetes | 4% | 100% | 4 |
| Pneumonia | 4% | 100% | 7 |
| Other | 7% | 83% | 6 |

D. Housing

Figure 7D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months





Table 7D.1: Need and Use of HIV/AIDS-Related Housing Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|--|--------------|----------------------|---------------------------|---------------------|-----|
| Money to pay rent/mortgage | 18% | 35% | 13% | 34% | 131 |
| Money to pay utilities | 17% | 34% | 15% | 34% | 131 |
| Help finding a place to live | 11% | 12% | 8% | 69% | 134 |
| Permanent independent housing | 13% | 12% | 10% | 65% | 126 |
| House for persons living with HIV/AIDS | 7% | 7% | 6% | 80% | 117 |
| Temporary short term housing | 7% | 5% | 5% | 84% | 122 |
| Housing where my children can live with me | 5% | 1% | 6% | 88% | 120 |
| Nursing home | 9% | 0% | 3% | 88% | 120 |

Figure 7D.2: Barriers to HIV/AIDS-Related Housing Services in the Last Six Months (N=133)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Table 7D.2: Places Where Respondents Live Now and 6 Months Ago

| Housing | Current | | 6 Months Ago | |
|------------------------------------|-------------|------------|--------------|-----------|
| | Percent | N | Percent | N |
| Owens: apartment/house/trailer | 20% | 33 | 23% | 20 |
| Rents: Apartment/house/trailer | 42% | 69 | 30% | 26 |
| Parents/relatives | 19% | 31 | 10% | 9 |
| Someone else's place | 8% | 13 | 10% | 9 |
| Rooming/boarded house | 1% | 2 | - | - |
| Assisted living | 2% | 3 | - | - |
| Half-way house | 2% | 4 | 2% | 2 |
| Nursing home | 4% | 7 | 8% | 7 |
| Homeless | 1% | 1 | 6% | 5 |
| Homeless shelter | 1% | 1 | 5% | 4 |
| Other housing provided by the city | 1% | 1 | 4% | 3 |
| Jail/prison | - | - | 2% | 2 |
| Other | 1% | 1 | - | - |
| Total | 100% | 166 | 100% | 87 |

Figure 7D.3: Length of Time at Current Residence (N=179)





Figure 7D.4: Housing Related Barriers That Stop Respondent from Taking Care of Their HIV/AIDS (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7D.5: Problems Obtaining Housing in Last Six Months (N=164)






Figure 7D.6: Barriers to Obtaining Housing (N=32)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7D.7: Nights Spent Homeless or Without a Place to Sleep (N=167)



- Mean number of nights spent homeless or without a place to sleep: 26 (s.d.= 76)

Figure 7D.8: Monthly Rent/Mortgage Contributions (N=156)



- Respondents reported an average contribution of \$404.38 (s.d.= \$594.94) to their monthly rent or mortgage. Range = \$0.00 to \$5520.

Figure 7D.9: Receiving Monthly Housing Subsidy (N=174)




Figure 7D.10: Increase Per Month in Rent/Mortgage That Would Cause Respondents to Move (N=126)





Table 7D.3: Incarcerated in the Past 12 Months

| Incarceration | Percent | N |
|--|----------------|----------|
| Percentage of respondents in prison/jail in the past 12 months | 9% | 174 |
| Percentage of incarcerated respondents who reported prison nursing staff knew their HIV status | 63% | 16 |
| Percentage of incarcerated respondents who reported receiving HIV/AIDS medical care while in prison/jail | 75% | 16 |

Figure 7D.11: Type of Information Received When Released from Jail/Prison (N=16)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7D.12: Barriers to Accessing HIV/AIDS Services after Release from Jail/Prison

[Too few responses to this question.]

E. Childcare

Figure 7E.1: Respondents Living with Children Under the Age of 18 (N=167)




Figure 7E.2: Percentage of Respondents with HIV Positive Child (N=30)




Figure 7E.3: Reasons for Needing Help Caring for Children During Past Six Months





Figure 7E.4: Barriers to Accessing Childcare Services (N=22)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

F. Transportation

Figure 7F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months





Table 7F.1: Need and Use of HIV/AIDS-Related Transportation Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|-----------------------|--------------|----------------------|---------------------------|---------------------|-----|
| To get medical care | 49% | 7% | 7% | 37% | 150 |
| To get medications | 45% | 7% | 5% | 43% | 139 |
| To get other services | 19% | 23% | 10% | 49% | 144 |
| To run errands | 12% | 24% | 7% | 56% | 137 |
| To get to work | 9% | 14% | 6% | 70% | 139 |

Figure 7F.2: Barriers to Accessing HIV/AIDS-Related Transportation Services in the Last Six Months (N=115)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7F.3: Usual Means of Transportation to HIV/AIDS Services (N=162)




Figure 7F.4: Who Pays for Transportation Services (N=131)





Figure 7F.5: Barriers to Getting Places in General (N=99)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

G. Mental Health and Substance Use

Figure 7G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months





Table 7G.1: Need and Use of HIV/AIDS-Related Mental Health/Substance Use Services in the Last Six Months


| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|---------------------------------------|--------------|----------------------|---------------------------|---------------------|-----|
| Mental health counseling - individual | 23% | 4% | 9% | 65% | 127 |
| Mental health counseling - group | 18% | 2% | 5% | 75% | 130 |
| Outpatient substance use treatment | 10% | 2% | 5% | 83% | 127 |
| Inpatient substance use treatment | 7% | 3% | 4% | 86% | 127 |

Figure 7G.2: Barriers to HIV/AIDS-Related Mental Health Services in the Last Six Months (N=123)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Figure 7G.3: Barriers to HIV/AIDS-Related Substance Use Services in the Last Six Months (N=135)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Figure 7G.4: Report Feeling These Emotions Over the Last Two Weeks




Figure 7G.5 Received Mental Health Services in Last Six Months (N=174)




Figure 7G.6: Types of Mental Health Counseling Received (N=40)




Figure 7G.7: Received Prescriptions for Mental Health Reasons (N=163)




Figure 7G.8: Received Mental Health Medications Needed (N=42)




Figure 7G.9: Hospitalized for Mental Health Reasons in Last Six Months (N=173)




Figure 7G.10: In Treatment for Substance Use in Last Six Months (N=174)





Figure 7G.11: Type of Substances Used in the Past Six Months (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7G.12: Used Injection Drugs in the Past Three Months (N=175)




Figure 7G.13: Shared Needles With Others in Last Three Months

[Too few responses to this question.]

Figure 7G.14: Used a Clean Needle Last Time

[Too few responses to this question.]

Figure 7G.15: Knows Where to Get Clean Needles

[Too few responses to this question.]

Figure 7G.16: If Using Substances, Expresses a Desire to Stop (N=115)





Figure 7G.17: Services Would Most Likely Use to Help With Substance Use (N=123)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

H. Other Services

Table 7H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months




Table 7H.1: Need and Use of Other HIV/AIDS-Related Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|--|--------------|----------------------|---------------------------|---------------------|-----|
| Financial assistance with utilities | 22% | 28% | 15% | 35% | 144 |
| Financial assistance with critical needs | 11% | 23% | 15% | 51% | 132 |
| Information on medical/support services | 28% | 7% | 10% | 54% | 136 |
| Spiritual counseling | 30% | 3% | 8% | 59% | 144 |
| Nutritional supplements | 20% | 9% | 12% | 59% | 148 |
| Nutritional counseling | 20% | 4% | 11% | 65% | 152 |
| Home health services | 7% | 9% | 11% | 73% | 139 |
| Services for physical function | 9% | 4% | 7% | 79% | 136 |
| Grief counseling | 10% | 3% | 6% | 81% | 132 |
| Caregiver support counseling | 3% | 1% | 5% | 91% | 139 |
| Child abuse/neglect counseling | 2% | 0% | 3% | 95% | 135 |

Figure 7H.2: Need and Use of Other HIV/AIDS Services Early in Their Diagnosis





Table 7H.2: Need and Use of Other HIV/AIDS Services Early in Their Diagnosis

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|---|--------------|----------------------|---------------------------|---------------------|-----|
| Testing/diagnosing for immune system status | 65% | 3% | 8% | 24% | 148 |
| Counseling about living with HIV | 58% | 5% | 12% | 25% | 153 |
| Referrals to medical and support services | 59% | 7% | 9% | 25% | 145 |
| Opportunities to talk to other HIV+ people | 55% | 6% | 13% | 25% | 150 |

Figure 7H.3: Barriers to HIV/AIDS-Related Services Early in Their Diagnosis (N=95)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

I. Support Services

Figure 7I.1: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months





Table 7I.1: Need and Use of HIV/AIDS-Related Support Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|--------------------------------|--------------|----------------------|---------------------------|---------------------|-----|
| Food bank or food vouchers | 61% | 6% | 9% | 24% | 151 |
| Legal advice | 21% | 4% | 14% | 61% | 145 |
| Meals brought to my home | 11% | 6% | 8% | 75% | 142 |
| A break for me or my caregiver | 9% | 10% | 6% | 76% | 141 |

Figure 7I.2: Barriers to HIV/AIDS-Related Support Services in the Last Six Months (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Figure 7I.3: Time Between HIV Diagnosis and Disclosure of Status (N=173)






Figure 71.4: Reasons for Not Disclosing HIV Status Earlier (N=147)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 71.5: Others Who Know of Respondents' HIV Status (N=184)




Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 71.6: Experienced Negative Reactions After Disclosing HIV Status (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 71.7: Have Family or Friends for Help (N=168)



J. Positive Prevention

Figure 7J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months





Table 7J.1: Need and Use of HIV/AIDS-Related Prevention Services in the Last Six Months

| Services | Used service | Couldn't get service | Didn't know about service | Didn't need service | N |
|--|--------------|----------------------|---------------------------|---------------------|-----|
| Free condoms | 59% | 1% | 4% | 36% | 160 |
| Health education for prevention for positives | 49% | 5% | 7% | 39% | 151 |
| Information about safer sex | 55% | 3% | 4% | 38% | 156 |
| Information about HIV testing | 54% | 1% | 4% | 41% | 150 |
| Information about telling others about my HIV status | 41% | 3% | 7% | 48% | 150 |


Figure 7J.2: Barriers to HIV/AIDS-Related Prevention Services in the Last Six Months (N=76)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%. Categories reporting 0% response are not included in the figures.

Sources of HIV/AIDS Information

Figure 7J.3: Identified Source of HIV/AIDS information (N=184)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Sexual Behavior in the Last Three Months

Figure 7J.4: Had Sex in Last Three Months (N=173)




Figure 7J.5: Number of Sex Partners in the Last Three Months (N=86)




Figure 7J.6: Have Condoms with Them or at Home (N=174)




Figure 7J.7: Used Condom Last Time Had Sex in Last Three Months (N=85)




Figure 7J.8a: Condom Use in the Past Three Months with Male Partner (N=56)




Figure 7J.8b: Condom Use in the Past Three Months with Female Partner (N=24)




Figure 7J.8c: Condom Use in Past Three Months with a Partner of Unknown HIV/AIDS Status (N=22)




Figure 7J.8d: Condom Use in the Past Three Months with a Partner who Uses Injection Drugs

[Too few responses to this question.]

Figure 7J.8e: Condom Use in the Past Three Months When Had Sex in Exchange for Money or Drugs

[Too few responses to this question.]

Figure 7J.8f: Condom Use in the Past Three Months While Drunk or High (N=27)





Figure 7J.9: Reasons for Not Using Condoms in the Last Three Months (N=43)



Note: Respondents were permitted to select more than one category, or not answer the question at all; the sum of all categories, therefore, may not meet or may exceed 100%.

Figure 7J.10: Importance That Sexual Partners Have Same HIV/AIDS Status (N=172)





Figure 7J.11: Know HIV Status of Most Recent Sex Partner (N=167)



K. Additional Comments

Figure 7K.1: Aware of HIV Planning or Advisory Committee (N=172)




Figure 7K.2: Currently Participate on HIV Planning or Advisory Committee (N=91)




Figure 7K.3: Respondents Opinion on Length of Survey (N=176)

